41)

Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity
- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM
- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

45)

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
- b) Classification
- c) Anamoly detection
- d) All of the above

Identify the incorrect numerical functions in the various function representation of machine learning.
<ul> <li>a) Support Vector</li> <li>b) Regression</li> <li>c) Case based</li> <li>d) Classification</li> </ul>
47)
Analysis of ML algorithm needs
<ul> <li>a) Statistical learning theory</li> <li>b) Computational learning theory</li> <li>c) None of the above</li> <li>d) Both a and b</li> </ul>
48)
Identify the difficulties with the k-nearest neighbor algorithm.  a) Curse of dimensionality  b) Calculate the distance of test case for all training cases  c) Both a and b  d) None

49)

The total types of the layer in radial basis function neural networks is \_\_\_\_\_

- b) 2

d) 4

Which of the following is not a supervised learning

- a) PCA
- b) Naïve bayes
- c) Linear regression
- d) KMeans