LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Tasfia Tasnim Jarin

Patient Code: PAT10000

Phone: 01974334332

Appointment ID: APT20260917220000084

Appointment Date: 18/09/2026

Appointment Time: 10:59 AM

Test Information

Test Code: XRAY01

Test Name: Chest X-Ray

Unit: N/A

Test Result

Result Value: 11.0 x10^9/L

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Entered

Result Date: 18/09/2026 11:26 PM

Reference Description

Normal WBC range

Remarks

Good

Lab Technician

Authorized Signature

LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Tasfia Tasnim Jarin

Patient Code: PAT10000

Phone: 01974334332

Appointment ID: APT20260917220000084

Appointment Date: 18/09/2026

Appointment Time: 10:59 AM

Test Information

Test Code: CBC001

Test Name: Complete Blood Count

Unit: x10^9/L

Test Result

Result Value: 11.0 x10^9/L

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Entered

Result Date: 18/09/2026 11:27 PM

Reference Description

Normal WBC range

Remarks

Damn

Lab Technician

Authorized Signature

LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Tasfia Tasnim Jarin

Patient Code: PAT10000

Phone: 01974334332

Appointment ID: APT20260917220000084

Appointment Date: 18/09/2026

Appointment Time: 10:59 AM

Test Information

Test Code: ECG001

Test Name: Electrocardiogram

Unit: N/A

Test Result

Result Value: 11.0 x10^9/L

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Pending

Result Date: 18/09/2026 11:27 PM

Reference Description

Normal WBC range

Remarks

Nice

Lab Technician

Authorized Signature

LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Tasfia Tasnim Jarin

Patient Code: PAT10000

Phone: 01974334332

Appointment ID: APT20260917220000084

Appointment Date: 18/09/2026

Appointment Time: 10:59 AM

Test Information

Test Code: FBS001

Test Name: Fasting Blood Sugar

Unit: mg/dL

Test Result

Result Value: 73

Reference Range: 70-99 mg/dL

Interpretation: Normal

Result Status: Pending

Result Date: 18/09/2026 11:28 PM

Reference Description

Normal fasting glucose range

Remarks

Full fit

Lab Technician

Authorized Signature

LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Tasfia Tasnim Jarin

Patient Code: PAT10000

Phone: 01974334332

Appointment ID: APT20260917220000084

Appointment Date: 18/09/2026

Appointment Time: 10:59 AM

Test Information

Test Code: HB002

Test Name: Hemoglobin

Unit: N/A

Test Result

Result Value: 13.4

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Entered

Result Date: 18/09/2026 11:28 PM

Reference Description

Normal WBC range

Remarks

Nice

Lab Technician

Authorized Signature