LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Shuaib Ahmed

Patient Code: PAT15

Phone: 01928483838

Appointment ID: APT3

Appointment Date: 26/09/2026

Appointment Time: 01:00 AM

Test Information

Test Code: XRAY01

Test Name: Chest X-Ray

Unit: N/A

Test Result

Result Value: 1.0 x10^9/L

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Entered

Result Date: 26/09/2026 12:00 AM

Reference Description

Normal WBC range

Lab Technician

Authorized Signature

LabSync Diagnostic Laboratory

Laboratory Test Report

Patient Information

Patient Name: Shuaib Ahmed

Patient Code: PAT15

Phone: 01928483838

Appointment ID: APT3

Appointment Date: 26/09/2026

Appointment Time: 01:00 AM

Test Information

Test Code: ECG001

Test Name: Electrocardiogram

Unit: N/A

Test Result

Result Value: 1.0 x10^9/L

Reference Range: 4.0-11.0 x10^9/L

Interpretation: Normal

Result Status: Entered

Result Date: 26/09/2026 12:00 AM

Reference Description

Normal WBC range

Lab Technician

Authorized Signature