LaunchGuard Readiness Report

TARGET URL	https://mineazy-shop.onrender.com/
SCAN ID	–
GENERATED	2026-06-03 10:09 UTC

Launch Verdict

Blocked

13 confirmed launch blockers must be fixed before shipping.

Next action: Fix the launch blockers, rotate any exposed credentials where needed, then run a verification scan.

Scan profile: Passive Product Readiness. Rendered-page checks for accessibility, mobile UX, performance, SEO, forms, and optional AI visual review.

Top launch actions

Blocked: Form elements must have labels

Blocked: Form elements must have labels

Blocked: Interactive controls must have accessible names

Blocked: Interactive controls must have accessible names

Blocked: Interactive controls must have accessible names

44/100

LaunchGuard Score

Critical Risk

Executive Summary

71 security issues were detected across this scan. These findings should be reviewed and remediated promptly.

OWASP Top 10 2021 – Coverage Summary

The table below shows which OWASP Top 10 2021 categories were evaluated in this scan and whether findings were detected.

Category	Status	Findings	Scanners Run
A01:2021 – Broken Access Control	Issues Found	22	app_controls
A02:2021 – Cryptographic Failures	Not Tested	0	—
A03:2021 – Injection	Not Tested	0	—

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Category	Status	Findings	Scanners Run
A04:2021 – Insecure Design	Not Tested	0	—
A05:2021 – Security Misconfiguration	Issues Found	4	exposed_services
A06:2021 – Vulnerable and Outdated Components	Not Tested	0	—
A07:2021 – Identification and Authentication Failures	Not Tested	0	—
A08:2021 – Software and Data Integrity Failures	Not Tested	0	—
A09:2021 – Security Logging and Monitoring Failures	Not Tested	0	—
A10:2021 – Server-Side Request Forgery	Not Tested	0	—

Coverage is based on the scan profile used. 'Not Tested' categories were not included in this scan.

Detailed Findings

✓ SQL Injection Analysis
No issues detected

✓ No SQL injection vulnerabilities were detected.

✗ SSL/TLS Certificate
Certificate issue detected

Certificate Issue — High

Invalid or untrusted certificate

- Obtain a trusted certificate (Let's Encrypt is free)
- Use TLS 1.2+ with strong cipher suites
- Enable HSTS
- Set up automatic certificate renewal

✓ HTTP Header Security
No issues

✓ No HTTP header misconfigurations detected.

— WordPress Security
Not a WordPress site

No WordPress installation detected on this target.

— OWASP ZAP Analysis
Not enabled

OWASP ZAP was not run in this scan environment.

— **Nikto Web Server Scan**
Not available

Nikto was not run in this scan environment.

✓ **Malicious Content Analysis**
No threats detected

✓ No malicious indicators detected.

— **Cross-Site Scripting (XSS)**
Not run

XSS scan was not run in this scan.

— **Technology Fingerprinting**
Not run

Technology fingerprinting was not run in this scan.

— **Sensitive File Exposure**
Not run

Sensitive file exposure scan was not run.

— **Hardcoded Secrets & API Keys**
Not run

Hardcoded secrets scan was not run.

— **Downloaded Artifact Malware Analysis**
Not run

Downloaded artifact malware analysis was not run.

— **DNS Security (SPF / DMARC / DKIM)**
Not run

DNS security scan was not run.

— **Open Redirect**
Not run

Open redirect scan was not run.

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Subdomain Takeover

Not run

Subdomain takeover scan was not run.

Server-Side Request Forgery (SSRF)

Active checks disabled

SSRF active probing was disabled for this scan. Enable active checks to test for SSRF vulnerabilities.

Security Logging & Monitoring

Not run

Logging & monitoring scan was not run.

Authentication Controls

Not run

Authentication controls scan was not run.

Software & Data Integrity

Not run

Software integrity scan was not run.

Pre-production Controls Summary

Control	Value
Active checks	disabled
Request budget	8
Auth test accounts	0 supplied (redacted)
Protected paths	0
IDOR templates	0

✗ Accessibility

38 issues

Form elements must have labels — High

The field <input type="text" placeholder="Search products..."> (div:nth-of-type(2) > form:nth-of-type(1) > div:nth-of-ty

Confidence: Measured

Interactive controls must have accessible names — High

The interactive control <a> (header:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(1) > a:nt

Confidence: Measured

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Interactive controls must have accessible names — High

The interactive control <button> (div:nth-of-type(1) > div:nth-of-type(1) > button:nth-of-type(1)) does not have a clear

Confidence: Measured

Interactive controls must have accessible names — High

The interactive control <a> (div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(1) > div:nth-of-type(1) > a:nth-o

Confidence: Measured

Interactive controls must have accessible names — High

The interactive control <a> (div:nth-of-type(1) > div:nth-of-type(2) > div:nth-of-type(2) > div:nth-of-type(1) > a:nth-o

Confidence: Measured

Evidence Screenshot 1: Form elements must have labels



Evidence Screenshot 2: Interactive controls must have accessible names



• Run measured accessibility checks before each release candidate and treat missing labels on key flows as launch blockers.

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

- Ensure headings, labels, and focus states remain usable on both desktop and mobile viewports.
- Use explicit labeling and valid ARIA relationships instead of relying on placeholders or visual context.

✓ Mobile and Responsive UX

No issues

✓ No issues detected in this category.

✓ Performance UX

No issues

✓ No issues detected in this category.

✗ Form and Interaction Usability

1 issue

Visible form is missing an obvious submit action

High

A visible form does not expose a visible submit control.

Confidence: Heuristic

Evidence Screenshot 1: Visible form is missing an obvious submit action



- Keep primary forms simple on mobile and make submit actions prominent.
- Pair validation and required-state messaging with the exact affected field.

✗ SEO Readiness

6 issues

sitemap.xml is missing or unreachable

Low

https://mineazy-shop.onrender.com/sitemap.xml did not return a non-empty 200 response.

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Confidence: Measured

Meta description is missing — Medium

No meta[name="description"] tag was found.

Confidence: Measured

Canonical URL is missing — Low

No link[rel="canonical"] tag was found.

Confidence: Measured

Structured data is missing — Recommendation

No script[type="application/ld+json"] block was found.

Confidence: Measured

Open Graph metadata is incomplete — Low

Missing Open Graph fields: title, description, image.

Confidence: Measured

- Create unique titles, descriptions, canonicals, and H1s for each launch page.
- Add robots.txt, sitemap.xml, and relevant JSON-LD before indexing public pages.
- Validate social previews before launch so shared links look trustworthy.

✓ Broken Links

No issues

✓ **No issues detected in this category.**

Link Check Summary

Checked	Broken
22	0

✗ Application Controls

22 issues

Webhook or callback route is publicly reachable — Medium

/webhook responded with HTTP 200.

Confidence: Heuristic

Webhook or callback route is publicly reachable — Medium

/webhooks responded with HTTP 200.

Confidence: Heuristic

Webhook or callback route is publicly reachable Medium

/api/webhook responded with HTTP 200.

Confidence: Heuristic

Webhook or callback route is publicly reachable Medium

/api/webhooks responded with HTTP 200.

Confidence: Heuristic

Webhook or callback route is publicly reachable Medium

/stripe/webhook responded with HTTP 200.

Confidence: Heuristic

- Review discovered JavaScript and OpenAPI endpoints before launch.
- Provide two staging test accounts to enable deeper authenticated and IDOR checks.
- Protect upload, webhook, callback, dashboard, and admin routes with server-side controls.

Discovered API Endpoints

Endpoint
https://mineazy-shop.onrender.com/auth/register
https://mineazy-shop.onrender.com/auth/login
https://mineazy-shop.onrender.com/auth/logout
https://mineazy-shop.onrender.com/auth/me
https://mineazy-shop.onrender.com/users/profile
https://mineazy-shop.onrender.com/auth/verify-email
https://mineazy-shop.onrender.com/auth/resend-verification
https://mineazy-shop.onrender.com/auth/forgot-password
https://mineazy-shop.onrender.com/auth/reset-password
https://mineazy-shop.onrender.com/auth/change-password
https://mineazy-shop.onrender.com/cart/items
https://mineazy-shop.onrender.com/cart/items/
https://mineazy-shop.onrender.com/cart/count
https://mineazy-shop.onrender.com/cart/merge
https://mineazy-shop.onrender.com/cart/validate
https://mineazy-shop.onrender.com/cart/summary
https://mineazy-shop.onrender.com/products/search
https://mineazy-shop.onrender.com/search/suggestions

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Endpoint
https://mineazy-shop.onrender.com/categories/slug/
https://mineazy-shop.onrender.com/categories/tree
https://mineazy-shop.onrender.com/blog/posts
https://mineazy-shop.onrender.com/blog/posts/
https://mineazy-shop.onrender.com/blog/posts/related/
https://mineazy-shop.onrender.com/blog/categories
https://mineazy-shop.onrender.com/blog/tags
https://mineazy-shop.onrender.com/blog/featured
https://mineazy-shop.onrender.com/blog/archive
https://mineazy-shop.onrender.com/blog/categories/
https://mineazy-shop.onrender.com/api/placeholder/600/400
https://mineazy-shop.onrender.com/payments/paynow/order-status/

8 additional rows omitted from PDF table.

JavaScript Sources

File	Endpoints
https://mineazy-shop.onrender.com/static/js/main.1cb7a991.js	20

Form Safety Matrix

Selector	Class	Method	Testing
form:nth-of-type(1)	general	GET	bounded
form:nth-of-type(2)	general	GET	bounded

✗ Exposed Services

4 issues

Non-standard or administrative service is publicly reachable — Medium

TCP port 8080 accepted a connection. HTTP probe http://mineazy-shop.onrender.com:8080 returned 403. Server: cloudflare.

Confidence: Measured

Non-standard or administrative service is publicly reachable — Medium

TCP port 8443 accepted a connection. HTTP probe https://mineazy-shop.onrender.com:8443 returned 403. Server: cloudflare.

Confidence: Measured

Public service detected by nmap — Medium

nmap found 8080/tcp open (http): Cloudflare http proxy

Confidence: Measured

Public service detected by nmap — Medium

nmap found 8443/tcp open (http): Cloudflare http proxy

Confidence: Measured

• Expose only required public web ports and place databases, caches, admin tools, and dev servers behind private network controls.

• Remove Vite/Flask/Next development servers before launch and verify firewall rules from outside the deployment network.

Open Services

Host	Port	Risk	HTTP/Banner
mineazy-shop.onrender.com	80	informational	cloudflare
mineazy-shop.onrender.com	443	informational	cloudflare
mineazy-shop.onrender.com	8080	medium	cloudflare
mineazy-shop.onrender.com	8443	medium	cloudflare

Port Check Scope

Ports Checked
22, 80, 443, 2222, 3000, 3306, 3389, 5000, 5173, 5432, 6379, 8000, 8080, 8443, 9200, 1025, 8025

✓ Visual UX Recommendations

No issues

✓ No issues detected in this category.

Conclusion & Recommended Next Steps

No priority remediation steps identified.

Developer Best Practices

• Run mobile accessibility checks on every release candidate and treat missing labels and inaccessible controls as launch blockers.

• Use authenticated code review and protected branches even for AI-generated code; fast generation increases the need for release guardrails.

• Add pre-production checks for secrets, dependency risk, headers, and exposed debug routes before every deployment.

Report Limitations

LaunchGuard performs automated security, UX, accessibility, SEO and reliability checks against the approved target and selected pages. A READY TO SHIP verdict means no configured launch-blocking issues were detected during this scan. It does not guarantee the application is free

of vulnerabilities, accessible in every scenario, or protected against future failures. High-risk applications handling payments, personal data, or sensitive workflows should undergo additional manual security review.

AI visual review is advisory. Screenshot-based recommendations are not confirmed technical failures.