LaunchGuard Readiness Report

TARGET URL	https://mineazy.co.zw/
SCAN ID	–
GENERATED	2026-06-01 14:31 UTC

Launch Verdict

Fix Before Shipping

5 important issues should be fixed before shipping.

Next action: Fix the important issues, then re-scan to confirm the launch risk has dropped.

Scan profile: Controlled Security Audit. Security-focused scan using configured passive and active checks.

Top launch actions

Fix Before Ship: SSL/TLS certificate issue

Fix Before Ship: DMARC policy set to none (monitor only)

Fix Before Ship: Header scan failed

Fix Before Ship: WordPress scan failed

Fix Before Ship: XSS scan failed

69/100 LaunchGuard Score — Critical Risk

Executive Summary

13 security issues were detected across this scan. These findings should be reviewed and remediated promptly.

SSL/TLS Issue	1
HTTP Header Issues	1
WordPress Issues	1
Technology Exposure	1
Malware Artifacts	1

OWASP Top 10 2021 – Coverage Summary

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

The table below shows which OWASP Top 10 2021 categories were evaluated in this scan and whether findings were detected.

Category	Status	Findings	Scanners Run
A01:2021 – Broken Access Control	Covered	0	redirect, takeover
A02:2021 – Cryptographic Failures	Issues Found	1	ssl, headers, secrets
A03:2021 – Injection	Issues Found	1	sqli, xss, zap
A04:2021 – Insecure Design	Covered	0	malicious
A05:2021 – Security Misconfiguration	Issues Found	8	headers, exposure, wordpress, dns
A06:2021 – Vulnerable and Outdated Components	Issues Found	2	tech, malware_analysis
A07:2021 – Identification and Authentication Failures	Covered	0	auth
A08:2021 – Software and Data Integrity Failures	Covered	0	integrity
A09:2021 – Security Logging and Monitoring Failures	Issues Found	1	logging_monitor
A10:2021 – Server-Side Request Forgery	Not Tested	0	—

Coverage is based on the scan profile used. 'Not Tested' categories were not included in this scan.

Detailed Findings

✓ SQL Injection Analysis

No issues detected

✓ No SQL injection vulnerabilities were detected.

✗ SSL/TLS Certificate

Certificate issue detected

Certificate Issue — High

Connection timed out

- Obtain a trusted certificate (Let's Encrypt is free)
- Use TLS 1.2+ with strong cipher suites
- Enable HSTS
- Set up automatic certificate renewal

✗ HTTP Header Security

1 issue found

Header scan failed — Medium

HTTPSConnectionPool(host='mineazy.co.zw', port=443): Max retries exceeded with url: / (Caused by ConnectTimeoutError(<HT

• Confirm the target is reachable before running header checks.

— **WordPress Security**
Not a WordPress site

No WordPress installation detected on this target.

✓ **OWASP ZAP Analysis**
No alerts

✓ OWASP ZAP found no additional security alerts.

✓ **Nikto Web Server Scan**
No findings

✓ Nikto found no additional web server findings.

✓ **Malicious Content Analysis**
No threats detected

✓ No malicious indicators detected.

Threat Score: 0/10

✓ **Cross-Site Scripting (XSS)**
No reflected XSS detected

✓ No reflected XSS vectors detected in tested parameters.

✗ **Technology Fingerprinting**
1 actionable issue found

Tech scan failed — Low

timed out

✓ **Sensitive File Exposure**
No sensitive files exposed

✓ No sensitive files or credentials exposed at common paths.

✓ **Hardcoded Secrets & API Keys**
No hardcoded secrets detected

✓ No hardcoded API keys or secrets detected in page source or JavaScript files.

✗ **Downloaded Artifact Malware Analysis**
1 malware-related finding

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

Artifact discovery failed — Low

{'description': 'timed out'}

• Review the target page manually for downloadable artifacts if malware analysis is required.

✗ DNS Security (SPF / DMARC / DKIM)

6 issues

SPF soft fail (~all) — Low

~all marks unauthorized senders as suspicious but does not reject them. Use -all for enforcement.

DMARC policy set to none (monitor only) — Medium

p=none means spoofed emails are not rejected or quarantined — only reported.

DMARC has no reporting address — Low

No rua or ruf tag — you will not receive aggregate or forensic failure reports.

DMARC subdomain policy not set — Low

Without sp=, subdomains inherit the root policy which may not be intended.

DNSSEC not enabled — Low

No DS or DNSKEY records found for mineazy.co.zw. DNSSEC prevents DNS cache poisoning attacks.

No CAA record — Low

No CAA record for mineazy.co.zw. Any CA can issue certificates for this domain.

• Consider changing ~all to -all in your SPF record for strict enforcement.

• Upgrade DMARC policy from p=none to p=quarantine, then p=reject once you have confirmed legitimate mail flows.

• Add rua=mailto:dmarc-reports@yourdomain.com to receive DMARC aggregate reports.

• Add sp=reject to your DMARC record to apply the same policy to all subdomains.

• Enable DNSSEC for your domain — configure it at your DNS registrar and publish DS records.

• Add CAA records to restrict which certificate authorities may issue certificates for your domain. Example: 0 issue "letsencrypt.org"

✓ Open Redirect

Pass

✓ No open redirect vulnerabilities detected.

✓ Subdomain Takeover
Pass

✓ No dangling CNAMEs or unclaimed service fingerprints found across 4 subdomains.

— Server-Side Request Forgery (SSRF)
Active checks disabled

SSRF active probing was disabled for this scan. Enable active checks to test for SSRF vulnerabilities.

✗ Security Logging & Monitoring
1 issue found

Finding low

Neither /.well-known/security.txt nor /security.txt returned a valid response.

OWASP: A09:2021 – Security Logging and Monitoring Failures

- Add a security.txt contact file at /.well-known/security.txt.
- Ensure log files are not publicly accessible.
- Configure error handlers to show generic messages in production.
- Integrate an error monitoring SDK (e.g. Sentry) for real-time alerting.

✓ Authentication Controls
Pass

✓ No authentication control gaps detected.

✓ Software & Data Integrity
Pass

✓ No software integrity gaps detected.

Conclusion & Recommended Next Steps

1. SSL/TLS	Renew or replace the certificate with one from a trusted CA.
2. HTTP Headers	Add missing security headers (CSP, HSTS, X-Frame-Options, etc.).
3. WordPress	Update core, themes and plugins; restrict XML-RPC and REST exposure.
4. Technology Exposure	Patch outdated client libraries, disable directory indexes, and reduce version disclosure.

This report was automatically generated. Review with qualified security professionals.
False positives may occur. Manual testing is recommended for critical systems.

5. Malware Artifacts	Remove suspicious downloads, verify artifact integrity, and only publish signed release files from trusted CI.
6. DNS Security	Configure SPF (-all), DMARC (p=quarantine or reject), DKIM signing, and CAA records.

Developer Best Practices

- Adopt secure-by-default output encoding and enforce a strict Content-Security-Policy across all templates and SPAs.
- Standardize security headers and cookie flags in a shared middleware layer so new vibecoded pages inherit safe defaults.
- Only publish signed, verified release artifacts from a trusted CI pipeline and malware-scan downloads before every release.
- Use authenticated code review and protected branches even for AI-generated code; fast generation increases the need for release guardrails.
- Add pre-production checks for secrets, dependency risk, headers, and exposed debug routes before every deployment.

Report Limitations

LaunchGuard performs automated security, UX, accessibility, SEO and reliability checks against the approved target and selected pages. A READY TO SHIP verdict means no configured launch-blocking issues were detected during this scan. It does not guarantee the application is free of vulnerabilities, accessible in every scenario, or protected against future failures. High-risk applications handling payments, personal data, or sensitive workflows should undergo additional manual security review.