

Task 2 – Online Website

File: float.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <script src="https://cdn.jsdelivr.net/npm/swiffy-slider@1.5.3/dist/js/swiffy-
slider.min.js" crossorigin="anonymous" defer></script>
  <link href="https://cdn.jsdelivr.net/npm/swiffy-slider@1.5.3/dist/css/swiffy-
slider.min.css" rel="stylesheet" crossorigin="anonymous">
  <title>Cuisine Over World</title>
  <style>
    *{
      box-sizing: border-box;
    }
    .parent{
      width: 100%;
      float: center;
    }
    .header{
      text-align: center;
      background-color:rgb(212, 212, 247);
      border: 2px solid rgb(241, 235, 235);
      color: rgb(18, 17, 17);
      font-family: monospace;
      font-size: 30px;
      padding: 10px;
    }
    .left{
      width:20%;
      height:1700px;
      background-color: #121227;
      border:2px solid rgb(227, 205, 225);
      float:left;
    }
    .center{
      width: 60%;
      height:1700px;

      border:2px solid rgb(220, 220, 232);
      float:left;
    }
  </style>
</head>
<body>
```

```

.vertical{
    list-style-type: none;
    margin:0;
    margin-top: 20px;
    padding:10px;
    width:170px;
    position:sticky;
    overflow:auto;
    height:100%;
}

li a.verticalnav{
    display:block;
    color:#fff;
    text-align: left;
    padding: 5px 5px;
    text-decoration: none;
    font-size: larger;
}

li a.verticalnav:hover{
    background-color: rgb(3, 3, 80);
}

#active{
    background-color: rgb(186, 223, 247);
    color:black;
}

.right{
    width: 20%;
    height:1700px;
    background-color:rgb(14, 14, 54);
    border:2px solid rgb(4, 63, 25);
    float:left;
    color: white;
}

p{
    text-align: justify;
    margin-top: 10px ;
    margin-left: 20px;
    margin-right: 20px;
}

.topnav a {
    float: left;
    color: 121227;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    color: rgb(7, 7, 7);
}

```

```

        font-size: 17px;
    }

    .topnav a:hover {
        background-color: rgb(14, 14, 54);
        color: rgb(255, 255, 255);
    }

    .topnav a.active {
        background-color: rgb(14, 14, 54);
        color: white;
    }
    .vwrap,.vmove{

        margin-left: 10px;
        margin-top: 40px;
        height: 1000px;
        line-height: 40px;
    }
    .vitem{
        font-size: large;
    }
}
.vwrap{
    overflow: hidden;
}
.vmove{
    position: relative;
}
.footer{

    text-align: center;
    background-color:rgb(212, 212, 247) ;
    list-style: none;

    color:rgb(12, 12, 11);
    padding: 20px;
}
}
@media screen and (max-width: 650px) {
    .left {
        width: 100%;
        display: block;
    }
}
}
@media screen and (max-width:1000px)
{
    iframe{
        height:220px;
        width:220px;
    }
}

```

```

    }
    li a.verticalnav{
        display:block;
        color:rgb(246, 237, 246);
        text-align: left;
        padding: 5px 5px;
        text-decoration: none;
        font-size: 18px;
    }
    li a.verticalnav:hover{
        background-color: rgb(3, 3, 80);
        width: auto;
    }

    #active{
        background-color: rgb(186, 223, 247);
        color:black;
        width: auto;
    }
    p{
        font-size: 12px;
    }
    img{
        display: none;
    }
    .ul_media{
        display:none;
    }
    }
    }
    @media screen and (max-width:800px)
    {
        iframe{
            height:100px;
            width:100px;
        }
        li a.verticalnav{
            display:block;
            color:rgb(240, 241, 240);
            text-align: left;
            padding: 5px 5px;
            text-decoration: none;
            font-size: 10px;
        }
        p{
            font-size: 10px;
        }
        .media{
            display:none;
        }
    }

```

```

    }
    img{
        display: none;
    }
    .ul_media{
        display:none;
    }
}
@media screen and (max-width:600px)
{
    iframe{
        height:50px;
        width:50px;
    }
    li a.verticalnav{
        display:block;
        color:rgb(236, 228, 228);
        text-align: left;
        padding: 5px 5px;
        text-decoration: none;
        font-size: 8px;
    }
    p{
        font-size: 8px;
    }
    .media{
        display:none;
    }
    img{
        display: none;
    }
    .ul_media{
        display:none;
    }
}
</style>
</head>
<body>
    <div class="parent">
        <div class="topnav">
            <a class="active" href="#home">Home</a>
            <a href="#news">Gallery</a>
            <a href="#contact">Contact</a>
            <a href="#about">About</a>
        </div>

        <div class="header">
            <h2>Cuisines Over World</h2>

```

```

    </div>
    <div>
        <div class="left">
            <ul class="vertical">
                <li><a id="active" class="verticalnav" href="float.html"
target="_blank">Cuisine Over World</a></li>
                <li><a class="verticalnav" href="favourites.html"
target="_blank">Your Favourites</a></li>
                <li><a class="verticalnav" href="continental _food.html"
target="_blank">Continental Food</a></li>
                <li><a class="verticalnav">Cuisine Types</a></li>
                

            </ul>

        </div>
        <div class="center">
            <h2>Food variety is important for our health – but the definition of
a ‘balanced diet’ is often murky</h2>
            <div class="swiffy-slider">
                <ul class="slider-container">
                    <li></li>
                    <li></li>
                    <li></li>

                </ul>

                <button type="button" class="slider-nav"></button>
                <button type="button" class="slider-nav slider-nav-
next"></button>

                <div class="slider-indicators">
                    <button class="active"></button>
                    <button></button>
                    <button></button>
                </div>
            </div>

            <p style="font-size:25px ;">It’s well known that a healthy diet can
help reduce disease risks that are related to overweight or obesity – such as some
cancers, cardiovascular disease and diabetes. As part of a healthy diet, experts
around the world advise people to consume a variety of foods. In the UK for example,
the NHS’s Eatwell Guide divides foods into food groups (starchy carbohydrates, fruit
and veg, dairy or dairy alternatives, proteins, and fats). To get a “balanced diet”,

```

the guide advises people to aim to eat a certain amount of food from each food group.

One reason food variety is included in recommendations is because different foods have different nutrients. </p>

<p style="font-size:25px ;">Eating a varied diet can benefit our health by reducing risks associated with malnutrition, which happens when we don't get the right amount of nutrients from our diet. Malnutrition can cause weak muscles, decrease mobility, increase illness, and lead to breathing problems, among other symptoms.

But what's defined as "variety" by dietary guidelines can often be confusing and too simplistic – and vastly different from what the general public may define as variety. Research has shown that in addition to having variety as part of the whole diet, we can measure variety within meals (for example, having multiple courses, or foods from different food groups on our plate) as well as across meals (such as having different foods for lunch each day).</p>

<iframe width="430" height="315" src="https://www.youtube.com/embed/6GEyjhoiJ_0" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe>

<iframe width="430" height="315" src="https://www.youtube.com/embed/B-Vivdiyl9c" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe>

</div>

<div class="right">

<h3><p> Get your Favourite foods</p></h3>

<div class="vwrap">

<div class="vmove">

<div class="vitem"><p>Yummy Foods at discount <button type="button">Buy Now!</button></p></div>

<div class="vitem">

<p>KFC – It's finger lickin' good. <button type="button">Buy Now!</button></p></div>

<div class="vitem">

<p>McDonald's – I'm loving it <button type="button">Buy Now!</button></p></div>

<div class="vitem"><p>Subway – Eat fresh <button type="button">Buy Now!</button></p></div>

<div class="vitem"><p>Fridays – In here, It's always Friday. <button type="button">Buy Now!</button></p></div>

<div class="vitem"><p> Burger King – Be your way<button type="button">Buy Now!</button></p></div>

<div class="vitem"><p>Classic. Real. Japanese sushi. <button type="button">Buy Now!</button></p></div>

```

                <div class="vitem"><p>A taste of Italy <button
type="button">Buy Now!</button></p></div>
                <div class="vitem"><p>Experience a taste of Mexico <button
type="button">Buy Now!</button></p></div>
            </div>
        </div>

        </div>
    </div>
    <div class="footer">
        <h2>&copy; www.cuisineoverworld.com</h2>
        <h3 class="ul_media">Contact</h3>
        <ul style="text-align:left" class="ul_media">
            <li style="list-style:none ;">9591617518</li>

        </ul><br>

    </div>

</div>

</body>
</html>

```

File: Continental_food.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script src="https://cdn.jsdelivr.net/npm/swiffy-slider@1.5.3/dist/js/swiffy-
slider.min.js" crossorigin="anonymous" defer></script>
    <link href="https://cdn.jsdelivr.net/npm/swiffy-slider@1.5.3/dist/css/swiffy-
slider.min.css" rel="stylesheet" crossorigin="anonymous">
    <title>Cuisine Over World</title>
    <style>
        *{
            box-sizing: border-box;
        }
        .parent{
            width: 100%;
            float: center;
        }
        .header{

```



```
    text-align: center;
    background-color:rgb(212, 212, 247);
    border: 2px solid rgb(241, 235, 235);
    color: rgb(18, 17, 17);
    font-family: monospace;
    font-size: 30px;
    padding: 10px;
}
.left{
    width:20%;
    height:1700px;
    background-color: #121227;
    border:2px solid rgb(227, 205, 225);
    float:left;
}
.center{
    width: 60%;
    height:1700px;

    border:2px solid rgb(220, 220, 232);
    float:left;
}

.vertical{
    list-style-type: none;
    margin:0;
    margin-top: 20px;
    padding:10px;
    width:170px;
    position:sticky;
    overflow:auto;
    height:100%;
}
li a.verticalnav{
    display:block;
    color:#fff;
    text-align: left;
    padding: 5px 5px;
    text-decoration: none;
    font-size: larger;
}
li a.verticalnav:hover{
    background-color: rgb(3, 3, 80);
}

#active{
```

```

        background-color: rgb(212, 245, 129);
        color:black;
    }
    .right{
        width: 20%;
        height:1700px;
        background-color:rgb(14, 14, 54);
        border:2px solid rgb(4, 63, 25);
        float:left;
        color: white;
    }
    p{
        text-align: justify;
        margin-top: 10px ;
        margin-left: 20px;
        margin-right: 20px;
    }
    .topnav a {
        float: left;
        color: 121227;
        text-align: center;
        padding: 14px 16px;
        text-decoration: none;
        color: rgb(7, 7, 7);
        font-size: 17px;
    }

    .topnav a:hover {
        background-color: rgb(14, 14, 54);
        color: rgb(255, 255, 255);
    }

    .topnav a.active {
        background-color: rgb(14, 14, 54);
        color: white;
    }
    .vwrap,.vmove{

        margin-left: 10px;
        margin-top: 40px;
        height: 1000px;
        line-height: 40px;
    }
    .vitem{
        font-size: large;
    }
}
.vwrap{

```



```
<li></li>
```

```
<li></li>
```

```
</ul>
```

```
<button type="button" class="slider-nav"></button>
```

```
<button type="button" class="slider-nav slider-nav-next"></button>
```

```
<div class="slider-indicators">
```

```
<button class="active"></button>
```

```
<button></button>
```

```
<button></button>
```

```
</div>
```

```
</div>
```

<p style="font-size:25px ;">It's well known that a healthy diet can help reduce disease risks that are related to overweight or obesity – such as some cancers, cardiovascular disease and diabetes. As part of a healthy diet, experts around the world advise people to consume a variety of foods. In the UK for example, the NHS's Eatwell Guide divides foods into food groups (starchy carbohydrates, fruit and veg, dairy or dairy alternatives, proteins, and fats). To get a “balanced diet”, the guide advises people to aim to eat a certain amount of food from each food group.

One reason food variety is included in recommendations is because different foods have different nutrients. </p>

<p style="font-size:25px ;">Eating a varied diet can benefit our health by reducing risks associated with malnutrition, which happens when we don't get the right amount of nutrients from our diet. Malnutrition can cause weak muscles, decrease mobility, increase illness, and lead to breathing problems, among other symptoms.

But what's defined as “variety” by dietary guidelines can often be confusing and too simplistic – and vastly different from what the general public may define as variety. Research has shown that in addition to having variety as part of the whole diet, we can measure variety within meals (for example, having multiple courses, or foods from different food groups on our plate) as well as across meals (such as having different foods for lunch each day).</p>

```
<iframe width="430" height="315"
```

```
src="https://www.youtube.com/embed/6GEyjhoiJ_0" title="YouTube video player"
frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media;
gyroscope; picture-in-picture" allowfullscreen></iframe>
```

```
<iframe width="430" height="315"
```

```
src="https://www.youtube.com/embed/B-Vivdiyl9c" title="YouTube video player"
```

```

frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media;
gyroscope; picture-in-picture" allowfullscreen></iframe>

</div>
<div class="right">
  <h3><p> Get your Favourite foods</p></h3>
  <div class="vwrap">
    <div class="vmove">
      <div class="vitem"><p>Yummy Foods at discount <button
type="button">Buy Now!</button></p></div>
      <div class="vitem">
        <p>KFC - It's finger lickin' good. <a
href="https://online.kfc.co.in/"><button type="button">Buy
Now!</button></a></p></div>
      <div class="vitem">
        <p>McDonald's - I'm loving it <button type="button">Buy
Now!</button></p></div>
      <div class="vitem"><p>Subway - Eat fresh <button
type="button">Buy Now!</button></p></div>
      <div class="vitem"><p>Fridays - In here, It's always Friday.
<button type="button">Buy Now!</button></p></div>
      <div class="vitem"><p> Burger King - Be your way<button
type="button">Buy Now!</button></p></div>
      <div class="vitem"><p>Classic. Real. Japanese sushi. <button
type="button">Buy Now!</button></p></div>
      <div class="vitem"><p>A taste of Italy <button
type="button">Buy Now!</button></p></div>
      <div class="vitem"><p>Experience a taste of Mexico <button
type="button">Buy Now!</button></p></div>
    </div>
  </div>

</div>

</div>

</body>
</html>

```

File: Favourites.html:

```

<!DOCTYPE html>
<html>
<head>
  <title>Slide Navbar</title>
  <link rel="stylesheet" type="text/css" href="slide navbar style.css">

```

```
<link href="https://fonts.googleapis.com/css2?family=Jost:wght@500&display=swap"
rel="stylesheet">
<style>
  body{
    margin: 0;
    padding: 0;
    display: flex;
    justify-content: center;
    align-items: center;
    min-height: 100vh;
    font-family: 'Jost', sans-serif;
    background: linear-gradient(to bottom, #0f0c29, #435093, #47478c);
  }
  .main{
    width: 450px;
    height: 650px;
    background: red;
    overflow: hidden;
    background: url("https://doc-08-2c-
docs.googleusercontent.com/docs/securesc/68c90smiglihng9534mvqmq1946dmis5/fo0picsp1n
hiucmc0l25s29respgpr4j/1631524275000/03522360960922298374/03522360960922298374/1Sx0j
hdpEpnNIydS4rnN4kHSJtU1EyWka?e=view&authuser=0&nonce=gcrocepgbb17m&user=035223609609
22298374&hash=tfhgbs86ka6divo3llbvp93mg4csvb38") no-repeat center/ cover;
    border-radius: 10px;
    box-shadow: 5px 20px 50px #000;
  }
  #chk{
    display: none;
  }
  label{
    color: #fff;
    font-size: 2.3em;
    justify-content: center;
    display: flex;
    margin: 60px;
    font-weight: bold;
    cursor: pointer;
  }
  input{
    width: 60%;
    height: 20px;
    background: #e0dede;
    justify-content: center;
    display: flex;
    margin: 20px auto;
    padding: 10px;
```

```

    border: none;
    outline: none;
    border-radius: 5px;
}
button{
    width: 60%;
    height: 40px;
    margin: 10px auto;
    justify-content: center;
    display: block;
    color: #fff;
    background: #573b8a;
    font-size: 1em;
    font-weight: bold;
    margin-top: 20px;
    outline: none;
    border: none;
    border-radius: 5px;

    cursor: pointer;
}
button:hover{
    background: #6d44b8;
}
.favourites{
    height: 460px;
    background: #eee;
    border-radius: 60% / 10%;
}
.favourites label{
    color: #140c52;
}
}

</style>
</head>

<body>
    <div class="main">
        <input type="checkbox" id="chk" aria-hidden="true">

<div class="favourites">
    <form>
        <label for="chk" aria-hidden="true">Your Favourites</label>
        <input type="text" value="Your Favourite Cuisine" name="cuisine" placeholder="Your
Favourite Cuisine" required="">

```

```

        <input type="Dish Name" name="dish" placeholder="Dish Name" required="">
        <input type="Country Name" name="country" placeholder="Favourite dish
country name" required="">

        <button>Submit</button>
    </form>
</div>
</div>
</body>
</html>


```

Results:

Home Page



[Gmail](#) [YouTube](#) [localhost / 127.0.0.1...](#) [Novorésumé](#) [GitHub - rahulmad...](#) [Google](#) [Novorésumé](#) [Resume Editor](#) [FINAL450.xlsx - Go...](#) [Campus to Corpora...](#) [atm use case](#) [Other bookmarks](#)



It's well known that a healthy diet can help reduce disease risks that are related to overweight or obesity – such as some cancers, cardiovascular disease and diabetes. As part of a healthy diet, experts around the world advise people to consume a variety of foods. In the UK for example, the NHS's Eatwell Guide divides foods into food groups (starchy carbohydrates, fruit and veg, dairy or dairy alternatives, proteins, and fats). To get a "balanced diet", the guide advises people to aim to eat a certain amount of food from each food group. One reason food variety is included in recommendations is because different foods have different nutrients.

Eating a varied diet can benefit our health by reducing risks associated with malnutrition, which happens when we don't get the right amount of nutrients from our diet. Malnutrition can cause weak muscles, decrease mobility, increase illness, and lead to breathing problems, among other symptoms. But what's defined as "variety" by dietary guidelines can often be confusing and too simplistic – and vastly different from what the general public may define as variety. Research has shown that in addition to having variety as part of the whole diet, we can measure variety within meals (for example, having multiple courses, or foods from different food groups on our plate) as well as across meals (such as having different foods for lunch each day).

Friday. [Buy Now!](#)

Burger King – Be your way
[Buy Now!](#)



Classic. Real. Japanese sushi.
[Buy Now!](#)

A taste of Italy [Buy Now!](#)

Experience a taste of Mexico
[Buy Now!](#)

[Gmail](#) [YouTube](#) [localhost / 127.0.0.1...](#) [Novorésumé](#) [GitHub - rahulmad...](#) [Google](#) [Novorésumé](#) [Resume Editor](#) [FINAL450.xlsx - Go...](#) [Campus to Corpora...](#) [atm use case](#) [Other bookmarks](#)

that in addition to having variety as part of the whole diet, we can measure variety within meals (for example, having multiple courses, or foods from different food groups on our plate) as well as across meals (such as having different foods for lunch each day).



© www.cuisineoverworld.com

Contact

9591617518

Your Favourites:

Gmail YouTube localhost / 127.0.0.1 Novorésumé GitHub - rahulmad... Google Novorésumé Resume Editor FINAL450.xlsx - Go... Campus to Corpora... atm use case Other bookmarks

Your Favourites

Your Favourite Cuisine

Dish Name

Favourite dish country name

Submit

Continental Types Page:


Gmail YouTube localhost / 127.0.0.1 Novorésumé GitHub - rahulmad... Google Novorésumé Resume Editor FINAL450.xlsx - Go... Campus to Corpora... atm use case Other bookmarks

Continental Foods

Different Foods with Different Taste


Continental food encompasses delicacies found in European countries. Indian and Chinese cuisines are essentially not a part of continental platter rather it consists of French and Mediterranean food. At times, people tend to mix up Oriental food and Continental food. Both of them are different from each other. Oriental food covers the South Asian region and comparatively uses more vegetables than Continental food.

Different Foods



Paneer Streak

Paneer Dish



Macroni

Different Foods



Sticky Toffee Pudding Recipe

Pudding

A rich, moist cake dipped in a sticky sauce. It is best served warm with a dollop of vanilla ice cream.

How to make



Paneer Streak

Paneer Dish

In the Continental food list, we are giving a pinch of India via Paneer Steak. So here is the Paneer Steak that's what we all Indian love, but it is baked with cheese and tomatoes to give a continental touch. It can also get served with mustard sauce, Strawberry Sauce, and more. It takes hardly 25 mins if you want to cook this delicious food.

How to make



Macroni

Pasta Dish

It is a popular dish in North America and is often cooked with elbow macaroni. The same dish, known simply as macaroni cheese, is also found in Great Britain. We have given an Indian twist to macaroni as well.

How to make