

My Project

Generated by Doxygen 1.8.3.1

Mon Mar 2 2015 19:49:30

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	Ui Namespace Reference	9
6	Class Documentation	11
6.1	Ui::askDialog Class Reference	11
6.2	Ui::enterNameDialog Class Reference	11
6.3	Ui::loginSuccessWindow Class Reference	12
6.4	Ui::MainWindow Class Reference	12
6.5	qt_meta_stringdata_askDialog_t Struct Reference	12
6.5.1	Member Data Documentation	12
6.5.1.1	data	12
6.5.1.2	stringdata	12
6.6	qt_meta_stringdata_enterNameDialog_t Struct Reference	13
6.6.1	Member Data Documentation	13
6.6.1.1	data	13
6.6.1.2	stringdata	13
6.7	qt_meta_stringdata_loginSuccessWindow_t Struct Reference	13
6.7.1	Member Data Documentation	13
6.7.1.1	data	13
6.7.1.2	stringdata	13
6.8	qt_meta_stringdata_MainWindow_t Struct Reference	13

6.8.1	Member Data Documentation	13
6.8.1.1	data	13
6.8.1.2	stringdata	13
6.9	qt_meta_stringdata_shareDialog_t Struct Reference	14
6.9.1	Member Data Documentation	14
6.9.1.1	data	14
6.9.1.2	stringdata	14
6.10	Ui::shareDialog Class Reference	14
6.11	Ui_askDialog Class Reference	14
6.11.1	Member Function Documentation	15
6.11.1.1	retranslateUi	15
6.11.1.2	setupUi	15
6.11.2	Member Data Documentation	15
6.11.2.1	buttonBox	15
6.11.2.2	textEdit	15
6.12	Ui_enterNameDialog Class Reference	15
6.12.1	Member Function Documentation	15
6.12.1.1	retranslateUi	15
6.12.1.2	setupUi	15
6.12.2	Member Data Documentation	15
6.12.2.1	buttonBox	16
6.12.2.2	label	16
6.12.2.3	lineEdit	16
6.13	Ui_loginSuccessWindow Class Reference	16
6.13.1	Member Function Documentation	17
6.13.1.1	retranslateUi	17
6.13.1.2	setupUi	17
6.13.2	Member Data Documentation	17
6.13.2.1	centralwidget	17
6.13.2.2	createFolderButton	17
6.13.2.3	deleteButton	17
6.13.2.4	dirTreeWidget	17
6.13.2.5	dldButton	17
6.13.2.6	lineEdit	17
6.13.2.7	logoutButton	17
6.13.2.8	menubar	17
6.13.2.9	myfileradioButton	17
6.13.2.10	openButton	17
6.13.2.11	publicradioButton	17
6.13.2.12	publicTreeWidget	17

6.13.2.13	refreshButton	17
6.13.2.14	renameButton	17
6.13.2.15	shareButton	17
6.13.2.16	sharedradioButton	17
6.13.2.17	sharedTreeWidget	17
6.13.2.18	statusbar	17
6.13.2.19	uploadButton	17
6.13.2.20	uploadNewEditionButton	17
6.13.2.21	welcomeLabel	17
6.14	Ui_MainWindow Class Reference	18
6.14.1	Member Function Documentation	19
6.14.1.1	retranslateUi	19
6.14.1.2	setupUi	19
6.14.2	Member Data Documentation	19
6.14.2.1	centralWidget	19
6.14.2.2	connectButton	19
6.14.2.3	createAccButton	19
6.14.2.4	formLayout	19
6.14.2.5	formLayout_2	19
6.14.2.6	gridLayout_2	19
6.14.2.7	label	19
6.14.2.8	label_2	19
6.14.2.9	label_3	19
6.14.2.10	label_4	19
6.14.2.11	label_5	19
6.14.2.12	label_6	19
6.14.2.13	label_7	19
6.14.2.14	label_8	19
6.14.2.15	label_9	19
6.14.2.16	lineEdit	19
6.14.2.17	lineEdit_2	19
6.14.2.18	lineEdit_3	19
6.14.2.19	lineEdit_4	19
6.14.2.20	lineEdit_5	19
6.14.2.21	lineEdit_6	19
6.14.2.22	lineEdit_7	19
6.14.2.23	lineEdit_8	19
6.14.2.24	loginButton	19
6.14.2.25	mainToolBar	20
6.14.2.26	menuBar	20

6.14.2.27	statusBar	20
6.14.2.28	toolBar	20
6.14.2.29	verticalLayout	20
6.15	Ui_shareDialog Class Reference	20
6.15.1	Member Function Documentation	20
6.15.1.1	retranslateUi	20
6.15.1.2	setupUi	20
6.15.2	Member Data Documentation	20
6.15.2.1	cancelButton	20
6.15.2.2	label	21
6.15.2.3	label_2	21
6.15.2.4	listWidget	21
6.15.2.5	okButton	21
6.15.2.6	pathlabel	21
6.15.2.7	publicradioButton	21
6.15.2.8	specificradioButton	21
7	File Documentation	23
7.1	moc_askdialog.cpp File Reference	23
7.1.1	Macro Definition Documentation	23
7.1.1.1	QT_MOC_LITERAL	23
7.2	moc_enternamedialog.cpp File Reference	23
7.2.1	Macro Definition Documentation	24
7.2.1.1	QT_MOC_LITERAL	24
7.3	moc_loginsuccesswindow.cpp File Reference	24
7.3.1	Macro Definition Documentation	24
7.3.1.1	QT_MOC_LITERAL	24
7.4	moc_mainwindow.cpp File Reference	24
7.4.1	Macro Definition Documentation	25
7.4.1.1	QT_MOC_LITERAL	25
7.5	moc_sharedialog.cpp File Reference	25
7.5.1	Macro Definition Documentation	25
7.5.1.1	QT_MOC_LITERAL	25
7.6	ui_askdialog.h File Reference	25
7.7	ui_enternamedialog.h File Reference	26
7.8	ui_loginsuccesswindow.h File Reference	26
7.9	ui_mainwindow.h File Reference	27
7.10	ui_sharedialog.h File Reference	27

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

Ui	9
----------	---

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

qt_meta_stringdata_askDialog_t	12
qt_meta_stringdata_enterNameDialog_t	13
qt_meta_stringdata_loginSuccessWindow_t	13
qt_meta_stringdata_MainWindow_t	13
qt_meta_stringdata_shareDialog_t	14
Ui_askDialog	14
Ui::askDialog	11
Ui_enterNameDialog	15
Ui::enterNameDialog	11
Ui_loginSuccessWindow	16
Ui::loginSuccessWindow	12
Ui_MainWindow	18
Ui::MainWindow	12
Ui_shareDialog	20
Ui::shareDialog	14

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Ui::askDialog	11
Ui::enterNameDialog	11
Ui::loginSuccessWindow	12
Ui::MainWindow	12
qt_meta_stringdata_askDialog_t	12
qt_meta_stringdata_enterNameDialog_t	13
qt_meta_stringdata_loginSuccessWindow_t	13
qt_meta_stringdata_MainWindow_t	13
qt_meta_stringdata_shareDialog_t	14
Ui::shareDialog	14
Ui_askDialog	14
Ui_enterNameDialog	15
Ui_loginSuccessWindow	16
Ui_MainWindow	18
Ui_shareDialog	20

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

moc_askdialog.cpp	23
moc_enternamedialog.cpp	23
moc_loginsuccesswindow.cpp	24
moc_mainwindow.cpp	24
moc_sharedialog.cpp	25
ui_askdialog.h	25
ui_enternamedialog.h	26
ui_loginsuccesswindow.h	26
ui_mainwindow.h	27
ui_sharedialog.h	27

Chapter 5

Namespace Documentation

5.1 Ui Namespace Reference

Classes

- class [askDialog](#)
- class [enterNameDialog](#)
- class [loginSuccessWindow](#)
- class [MainWindow](#)
- class [shareDialog](#)


Chapter 6

Class Documentation

6.1 Ui::askDialog Class Reference

```
#include <ui_askdialog.h>
```

Inheritance diagram for Ui::askDialog:



Additional Inherited Members


The documentation for this class was generated from the following file:

- [ui_askdialog.h](#)

6.2 Ui::enterNameDialog Class Reference

```
#include <ui_enternamedialog.h>
```

Inheritance diagram for Ui::enterNameDialog:



Additional Inherited Members


The documentation for this class was generated from the following file:

- [ui_enternamedialog.h](#)

6.3 Ui::loginSuccessWindow Class Reference

```
#include <ui_loginsuccesswindow.h>
```

Inheritance diagram for Ui::loginSuccessWindow:



Additional Inherited Members

The documentation for this class was generated from the following file:

- [ui_loginsuccesswindow.h](#)

6.4 Ui::MainWindow Class Reference

```
#include <ui_mainwindow.h>
```

Inheritance diagram for Ui::MainWindow:



Additional Inherited Members

The documentation for this class was generated from the following file:

- [ui_mainwindow.h](#)

6.5 qt_meta_stringdata_askDialog_t Struct Reference

Public Attributes

- QByteArrayData [data](#) [1]
- char [stringdata](#) [11]

6.5.1 Member Data Documentation

6.5.1.1 QByteArrayData qt_meta_stringdata_askDialog_t::data[1]

6.5.1.2 char qt_meta_stringdata_askDialog_t::stringdata[11]

The documentation for this struct was generated from the following file:

- [moc_askdialog.cpp](#)

6.6 qt_meta_stringdata_enterNameDialog_t Struct Reference

Public Attributes

- QByteArrayData [data](#) [4]
- char [stringdata](#) [62]

6.6.1 Member Data Documentation

6.6.1.1 QByteArrayData qt_meta_stringdata_enterNameDialog_t::data[4]

6.6.1.2 char qt_meta_stringdata_enterNameDialog_t::stringdata[62]

The documentation for this struct was generated from the following file:

- [moc_enternamedialog.cpp](#)

6.7 qt_meta_stringdata_loginSuccessWindow_t Struct Reference

Public Attributes

- QByteArrayData [data](#) [25]
- char [stringdata](#) [541]

6.7.1 Member Data Documentation

6.7.1.1 QByteArrayData qt_meta_stringdata_loginSuccessWindow_t::data[25]

6.7.1.2 char qt_meta_stringdata_loginSuccessWindow_t::stringdata[541]

The documentation for this struct was generated from the following file:

- [moc_loginsuccesswindow.cpp](#)

6.8 qt_meta_stringdata_MainWindow_t Struct Reference

Public Attributes

- QByteArrayData [data](#) [5]
- char [stringdata](#) [88]

6.8.1 Member Data Documentation

6.8.1.1 QByteArrayData qt_meta_stringdata_MainWindow_t::data[5]

6.8.1.2 char qt_meta_stringdata_MainWindow_t::stringdata[88]

The documentation for this struct was generated from the following file:

- [moc_mainwindow.cpp](#)

6.9 qt_meta_stringdata_shareDialog_t Struct Reference

Public Attributes

- QByteArrayData [data](#) [5]
- char [stringdata](#) [94]

6.9.1 Member Data Documentation

6.9.1.1 QByteArrayData qt_meta_stringdata_shareDialog_t::data[5]

6.9.1.2 char qt_meta_stringdata_shareDialog_t::stringdata[94]


The documentation for this struct was generated from the following file:

- [moc_sharedialog.cpp](#)

6.10 Ui::shareDialog Class Reference

```
#include <ui_sharedialog.h>
```

Inheritance diagram for Ui::shareDialog:



Additional Inherited Members


The documentation for this class was generated from the following file:

- [ui_sharedialog.h](#)

6.11 Ui_askDialog Class Reference

```
#include <ui_askdialog.h>
```

Inheritance diagram for Ui_askDialog:



Public Member Functions

- void [setupUi](#) (QDialog *askDialog)
- void [retranslateUi](#) (QDialog *askDialog)

Public Attributes

- QDialogButtonBox * [buttonBox](#)
- QTextEdit * [textEdit](#)

6.11.1 Member Function Documentation

6.11.1.1 void `Ui_askDialog::retranslateUi (QDialog * askDialog)` `[inline]`

6.11.1.2 void `Ui_askDialog::setupUi (QDialog * askDialog)` `[inline]`

6.11.2 Member Data Documentation

6.11.2.1 QDialogButtonBox* `Ui_askDialog::buttonBox`

6.11.2.2 QTextEdit* `Ui_askDialog::textEdit`


The documentation for this class was generated from the following file:

- [ui_askdialog.h](#)

6.12 Ui_enterNameDialog Class Reference

```
#include <ui_enternamedialog.h>
```

Inheritance diagram for `Ui_enterNameDialog`:



Public Member Functions

- void [setupUi](#) (QDialog *`enterNameDialog`)
- void [retranslateUi](#) (QDialog *`enterNameDialog`)

Public Attributes

- QDialogButtonBox * [buttonBox](#)
- QLabel * [label](#)
- QLineEdit * [lineEdit](#)

6.12.1 Member Function Documentation

6.12.1.1 void `Ui_enterNameDialog::retranslateUi (QDialog * enterNameDialog)` `[inline]`

6.12.1.2 void `Ui_enterNameDialog::setupUi (QDialog * enterNameDialog)` `[inline]`

6.12.2 Member Data Documentation

6.12.2.1 QDialogButtonBox* Ui_enterNameDialog::buttonBox

6.12.2.2 QLabel* Ui_enterNameDialog::label

6.12.2.3 QLineEdit* Ui_enterNameDialog::lineEdit


The documentation for this class was generated from the following file:

- [ui_enternamedialog.h](#)

6.13 Ui_loginSuccessWindow Class Reference

```
#include <ui_loginsuccesswindow.h>
```

Inheritance diagram for Ui_loginSuccessWindow:



Public Member Functions

- void [setupUi](#) (QMainWindow *loginSuccessWindow)
- void [retranslateUi](#) (QMainWindow *loginSuccessWindow)

Public Attributes

- QWidget * [centralwidget](#)
- QPushButton * [uploadButton](#)
- QPushButton * [dldButton](#)
- QTreeWidget * [dirTreeWidget](#)
- QPushButton * [createFolderButton](#)
- QPushButton * [deleteButton](#)
- QPushButton * [renameButton](#)
- QPushButton * [logoutButton](#)
- QTreeWidget * [sharedTreeWidget](#)
- QTreeWidget * [publicTreeWidget](#)
- QRadioButton * [myfileradioButton](#)
- QRadioButton * [sharedradioButton](#)
- QRadioButton * [publicradioButton](#)
- QPushButton * [shareButton](#)
- QPushButton * [refreshButton](#)
- QPushButton * [uploadNewEditionButton](#)
- QLabel * [welcomeLabel](#)
- QPushButton * [openButton](#)
- QLineEdit * [lineEdit](#)
- QMenuBar * [menubar](#)
- QStatusBar * [statusbar](#)

6.13.1 Member Function Documentation

6.13.1.1 void Ui_loginSuccessWindow::retranslateUi (QMainWindow * *loginSuccessWindow*) [inline]

6.13.1.2 void Ui_loginSuccessWindow::setupUi (QMainWindow * *loginSuccessWindow*) [inline]

6.13.2 Member Data Documentation

6.13.2.1 QWidget* Ui_loginSuccessWindow::centralwidget

6.13.2.2 QPushButton* Ui_loginSuccessWindow::createFolderButton

6.13.2.3 QPushButton* Ui_loginSuccessWindow::deleteButton

6.13.2.4 QTreeWidget* Ui_loginSuccessWindow::dirTreeWidget

6.13.2.5 QPushButton* Ui_loginSuccessWindow::dldButton

6.13.2.6 QLineEdit* Ui_loginSuccessWindow::lineEdit

6.13.2.7 QPushButton* Ui_loginSuccessWindow::logoutButton

6.13.2.8 QMenuBar* Ui_loginSuccessWindow::menubar

6.13.2.9 QRadioButton* Ui_loginSuccessWindow::myfileradioButton

6.13.2.10 QPushButton* Ui_loginSuccessWindow::openButton

6.13.2.11 QRadioButton* Ui_loginSuccessWindow::publicradioButton

6.13.2.12 QTreeWidget* Ui_loginSuccessWindow::publicTreeWidget

6.13.2.13 QPushButton* Ui_loginSuccessWindow::refreshButton

6.13.2.14 QPushButton* Ui_loginSuccessWindow::renameButton

6.13.2.15 QPushButton* Ui_loginSuccessWindow::shareButton

6.13.2.16 QRadioButton* Ui_loginSuccessWindow::sharedradioButton

6.13.2.17 QTreeWidget* Ui_loginSuccessWindow::sharedTreeWidget

6.13.2.18 QStatusBar* Ui_loginSuccessWindow::statusbar

6.13.2.19 QPushButton* Ui_loginSuccessWindow::uploadButton

6.13.2.20 QPushButton* Ui_loginSuccessWindow::uploadNewEditionButton

6.13.2.21 QLabel* Ui_loginSuccessWindow::welcomeLabel


The documentation for this class was generated from the following file:

- [ui_loginsuccesswindow.h](#)

6.14 Ui_MainWindow Class Reference

```
#include <ui_mainwindow.h>
```

Inheritance diagram for Ui_MainWindow:



Public Member Functions

- void [setupUi](#) (QMainWindow *MainWindow)
- void [retranslateUi](#) (QMainWindow *MainWindow)

Public Attributes

- QWidget * [centralWidget](#)
- QVBoxLayout * [verticalLayout](#)
- QGridLayout * [gridLayout_2](#)
- QLineEdit * [lineEdit_7](#)
- QLineEdit * [lineEdit_8](#)
- QLabel * [label_9](#)
- QLabel * [label_8](#)
- QPushButton * [connectButton](#)
- QFormLayout * [formLayout_2](#)
- QLabel * [label](#)
- QLabel * [label_2](#)
- QLineEdit * [lineEdit_2](#)
- QPushButton * [loginButton](#)
- QLineEdit * [lineEdit](#)
- QFormLayout * [formLayout](#)
- QLabel * [label_4](#)
- QLineEdit * [lineEdit_3](#)
- QLabel * [label_5](#)
- QLineEdit * [lineEdit_4](#)
- QLabel * [label_6](#)
- QLineEdit * [lineEdit_5](#)
- QLabel * [label_7](#)
- QLineEdit * [lineEdit_6](#)
- QPushButton * [createAccButton](#)
- QLabel * [label_3](#)
- QMenuBar * [menuBar](#)
- QToolBar * [mainToolBar](#)
- QStatusBar * [statusBar](#)
- QToolBar * [toolBar](#)

6.14.1 Member Function Documentation

6.14.1.1 void Ui_MainWindow::retranslateUi (QMainWindow * *MainWindow*) [inline]

6.14.1.2 void Ui_MainWindow::setupUi (QMainWindow * *MainWindow*) [inline]

6.14.2 Member Data Documentation

6.14.2.1 QWidget* Ui_MainWindow::centralWidget

6.14.2.2 QPushButton* Ui_MainWindow::connectButton

6.14.2.3 QPushButton* Ui_MainWindow::createAccButton

6.14.2.4 QFormLayout* Ui_MainWindow::formLayout

6.14.2.5 QFormLayout* Ui_MainWindow::formLayout_2

6.14.2.6 QGridLayout* Ui_MainWindow::gridLayout_2

6.14.2.7 QLabel* Ui_MainWindow::label

6.14.2.8 QLabel* Ui_MainWindow::label_2

6.14.2.9 QLabel* Ui_MainWindow::label_3

6.14.2.10 QLabel* Ui_MainWindow::label_4

6.14.2.11 QLabel* Ui_MainWindow::label_5

6.14.2.12 QLabel* Ui_MainWindow::label_6

6.14.2.13 QLabel* Ui_MainWindow::label_7

6.14.2.14 QLabel* Ui_MainWindow::label_8

6.14.2.15 QLabel* Ui_MainWindow::label_9

6.14.2.16 QLineEdit* Ui_MainWindow::lineEdit

6.14.2.17 QLineEdit* Ui_MainWindow::lineEdit_2

6.14.2.18 QLineEdit* Ui_MainWindow::lineEdit_3

6.14.2.19 QLineEdit* Ui_MainWindow::lineEdit_4

6.14.2.20 QLineEdit* Ui_MainWindow::lineEdit_5

6.14.2.21 QLineEdit* Ui_MainWindow::lineEdit_6

6.14.2.22 QLineEdit* Ui_MainWindow::lineEdit_7

6.14.2.23 QLineEdit* Ui_MainWindow::lineEdit_8

6.14.2.24 QPushButton* Ui_MainWindow::loginButton

6.14.2.25 `QToolBar*` `Ui_MainWindow::mainToolBar`

6.14.2.26 `QMenuBar*` `Ui_MainWindow::menuBar`

6.14.2.27 `QStatusBar*` `Ui_MainWindow::statusBar`

6.14.2.28 `QToolBar*` `Ui_MainWindow::toolBar`

6.14.2.29 `QVBoxLayout*` `Ui_MainWindow::verticalLayout`


The documentation for this class was generated from the following file:

- [ui_mainwindow.h](#)

6.15 Ui_shareDialog Class Reference

```
#include <ui_sharedialog.h>
```

Inheritance diagram for `Ui_shareDialog`:



Public Member Functions

- void [setupUi](#) (`QDialog *``shareDialog`)
- void [retranslateUi](#) (`QDialog *``shareDialog`)

Public Attributes

- `QWidget *` [listWidget](#)
- `QLabel *` [label](#)
- `QRadioButton *` [publicradioButton](#)
- `QRadioButton *` [specificradioButton](#)
- `QPushButton *` [okButton](#)
- `QPushButton *` [cancelButton](#)
- `QLabel *` [label_2](#)
- `QLabel *` [pathlabel](#)

6.15.1 Member Function Documentation

6.15.1.1 void `Ui_shareDialog::retranslateUi` (`QDialog *` *shareDialog*) `[inline]`

6.15.1.2 void `Ui_shareDialog::setupUi` (`QDialog *` *shareDialog*) `[inline]`

6.15.2 Member Data Documentation

6.15.2.1 `QPushButton*` `Ui_shareDialog::cancelButton`

6.15.2.2 `QLabel* Ui_shareDialog::label`

6.15.2.3 `QLabel* Ui_shareDialog::label_2`

6.15.2.4 `QListWidget* Ui_shareDialog::listWidget`

6.15.2.5 `QPushButton* Ui_shareDialog::okButton`

6.15.2.6 `QLabel* Ui_shareDialog::pathlabel`

6.15.2.7 `QRadioButton* Ui_shareDialog::publicradioButton`

6.15.2.8 `QRadioButton* Ui_shareDialog::specificradioButton`

The documentation for this class was generated from the following file:

- [ui_sharedialog.h](#)

Chapter 7

File Documentation

7.1 moc_askdialog.cpp File Reference

```
#include "../mainWindow/askdialog.h"
#include <QtCore/qbytearray.h>
#include <QtCore/qmetatype.h>
```

Classes

- struct [qt_meta_stringdata_askDialog_t](#)

Macros

- #define [QT_MOC_LITERAL](#)(idx, ofs, len)

7.1.1 Macro Definition Documentation

7.1.1.1 #define QT_MOC_LITERAL(*idx*, *ofs*, *len*)

Value:

```
Q_STATIC_BYTE_ARRAY_DATA_HEADER_INITIALIZER_WITH_OFFSET(len, \
    offsetof(qt\_meta\_stringdata\_askDialog\_t, stringdata) + ofs \
        - idx * sizeof(QByteArrayData) \
    )
```

7.2 moc_enternamedialog.cpp File Reference

```
#include "../mainWindow/enternamedialog.h"
#include <QtCore/qbytearray.h>
#include <QtCore/qmetatype.h>
```

Classes

- struct [qt_meta_stringdata_enterNameDialog_t](#)

Macros

- `#define QT_MOC_LITERAL(idx, ofs, len)`

7.2.1 Macro Definition Documentation

7.2.1.1 `#define QT_MOC_LITERAL(idx, ofs, len)`

Value:

```
Q_STATIC_BYTE_ARRAY_DATA_HEADER_INITIALIZER_WITH_OFFSET(len, \
    offsetof(qt_meta_stringdata_enterNameDialog_t, stringdata) + ofs \
        - idx * sizeof(QByteArrayData) \
    )
```

7.3 moc_loginsuccesswindow.cpp File Reference

```
#include "../mainWindow/loginsuccesswindow.h"
#include <QtCore/qbytearray.h>
#include <QtCore/qmetatype.h>
```

Classes

- struct `qt_meta_stringdata_loginSuccessWindow_t`

Macros

- `#define QT_MOC_LITERAL(idx, ofs, len)`

7.3.1 Macro Definition Documentation

7.3.1.1 `#define QT_MOC_LITERAL(idx, ofs, len)`

Value:

```
Q_STATIC_BYTE_ARRAY_DATA_HEADER_INITIALIZER_WITH_OFFSET(len, \
    offsetof(qt_meta_stringdata_loginSuccessWindow_t, stringdata) + \
        ofs \
        - idx * sizeof(QByteArrayData) \
    )
```

7.4 moc_mainwindow.cpp File Reference

```
#include "../mainWindow/mainwindow.h"
#include <QtCore/qbytearray.h>
#include <QtCore/qmetatype.h>
```

Classes

- struct `qt_meta_stringdata_MainWindow_t`

Macros

- `#define QT_MOC_LITERAL(idx, ofs, len)`

7.4.1 Macro Definition Documentation

7.4.1.1 `#define QT_MOC_LITERAL(idx, ofs, len)`

Value:

```
Q_STATIC_BYTE_ARRAY_DATA_HEADER_INITIALIZER_WITH_OFFSET(len, \
    offsetof(qt_meta_stringdata_MainWindow_t, stringdata) + ofs \
        - idx * sizeof(QByteArrayData) \
    )
```

7.5 moc_sharedialog.cpp File Reference

```
#include "../mainWindow/sharedialog.h"
#include <QtCore/qbytearray.h>
#include <QtCore/qmetatype.h>
```

Classes

- struct `qt_meta_stringdata_shareDialog_t`

Macros

- `#define QT_MOC_LITERAL(idx, ofs, len)`

7.5.1 Macro Definition Documentation

7.5.1.1 `#define QT_MOC_LITERAL(idx, ofs, len)`

Value:

```
Q_STATIC_BYTE_ARRAY_DATA_HEADER_INITIALIZER_WITH_OFFSET(len, \
    offsetof(qt_meta_stringdata_shareDialog_t, stringdata) + ofs \
        - idx * sizeof(QByteArrayData) \
    )
```

7.6 ui_askdialog.h File Reference

```
#include <QtCore/QVariant>
#include <QtWidgets/QAction>
#include <QtWidgets/QApplication>
#include <QtWidgets/QButtonGroup>
#include <QtWidgets/QDialog>
#include <QtWidgets/QDialogButtonBox>
#include <QtWidgets/QHeaderView>
#include <QtWidgets/QTextEdit>
```

Classes

- class [Ui_askDialog](#)
- class [Ui::askDialog](#)

Namespaces

- namespace [Ui](#)

7.7 ui_enternamedialog.h File Reference

```
#include <QtCore/QVariant>
#include <QtWidgets/QAction>
#include <QtWidgets/QApplication>
#include <QtWidgets/QButtonGroup>
#include <QtWidgets/QDialog>
#include <QtWidgets/QDialogButtonBox>
#include <QtWidgets/QHeaderView>
#include <QtWidgets/QLabel>
#include <QtWidgets/QLineEdit>
```

Classes

- class [Ui_enterNameDialog](#)
- class [Ui::enterNameDialog](#)

Namespaces

- namespace [Ui](#)

7.8 ui_loginsuccesswindow.h File Reference

```
#include <QtCore/QVariant>
#include <QtWidgets/QAction>
#include <QtWidgets/QApplication>
#include <QtWidgets/QButtonGroup>
#include <QtWidgets/QHeaderView>
#include <QtWidgets/QLabel>
#include <QtWidgets/QLineEdit>
#include <QtWidgets/QMainWindow>
#include <QtWidgets/QMenuBar>
#include <QtWidgets/QPushButton>
#include <QtWidgets/QRadioButton>
#include <QtWidgets/QStatusBar>
#include <QtWidgets/QTreeWidget>
#include <QtWidgets/QWidget>
```

Classes

- class [Ui_loginSuccessWindow](#)

- class [Ui::loginSuccessWindow](#)

Namespaces

- namespace [Ui](#)

7.9 ui_mainwindow.h File Reference

```
#include <QtCore/QVariant>
#include <QtWidgets/QAction>
#include <QtWidgets/QApplication>
#include <QtWidgets/QButtonGroup>
#include <QtWidgets/QFormLayout>
#include <QtWidgets/QGridLayout>
#include <QtWidgets/QHeaderView>
#include <QtWidgets/QLabel>
#include <QtWidgets/QLineEdit>
#include <QtWidgets/QMainWindow>
#include <QtWidgets/QMenuBar>
#include <QtWidgets/QPushButton>
#include <QtWidgets/QStatusBar>
#include <QtWidgets/QToolBar>
#include <QtWidgets/QVBoxLayout>
#include <QtWidgets/QWidget>
```

Classes

- class [Ui_MainWindow](#)
- class [Ui::MainWindow](#)

Namespaces

- namespace [Ui](#)

7.10 ui_sharedialog.h File Reference

```
#include <QtCore/QVariant>
#include <QtWidgets/QAction>
#include <QtWidgets/QApplication>
#include <QtWidgets/QButtonGroup>
#include <QtWidgets/QDialog>
#include <QtWidgets/QHeaderView>
#include <QtWidgets/QLabel>
#include <QtWidgets/QListWidget>
#include <QtWidgets/QPushButton>
#include <QtWidgets/QRadioButton>
```

Classes

- class [Ui_shareDialog](#)

- class [Ui::shareDialog](#)

Namespaces

- namespace [Ui](#)

Index

buttonBox
 Ui_askDialog, 15
 Ui_enterNameDialog, 15

cancelButton
 Ui_shareDialog, 20

centralWidget
 Ui_MainWindow, 19

centralwidget
 Ui_loginSuccessWindow, 17

connectButton
 Ui_MainWindow, 19

createAccButton
 Ui_MainWindow, 19

createFolderButton
 Ui_loginSuccessWindow, 17

data
 qt_meta_stringdata_askDialog_t, 12
 qt_meta_stringdata_enterNameDialog_t, 13
 qt_meta_stringdata_loginSuccessWindow_t, 13
 qt_meta_stringdata_MainWindow_t, 13
 qt_meta_stringdata_shareDialog_t, 14

deleteButton
 Ui_loginSuccessWindow, 17

dirTreeWidget
 Ui_loginSuccessWindow, 17

dldButton
 Ui_loginSuccessWindow, 17

formLayout
 Ui_MainWindow, 19

formLayout_2
 Ui_MainWindow, 19

gridLayout_2
 Ui_MainWindow, 19

label
 Ui_enterNameDialog, 16
 Ui_MainWindow, 19
 Ui_shareDialog, 20

label_2
 Ui_MainWindow, 19
 Ui_shareDialog, 21

label_3
 Ui_MainWindow, 19

label_4
 Ui_MainWindow, 19

label_5
 Ui_MainWindow, 19

label_6
 Ui_MainWindow, 19

label_7
 Ui_MainWindow, 19

label_8
 Ui_MainWindow, 19

label_9
 Ui_MainWindow, 19

lineEdit
 Ui_enterNameDialog, 16
 Ui_loginSuccessWindow, 17
 Ui_MainWindow, 19

lineEdit_2
 Ui_MainWindow, 19

lineEdit_3
 Ui_MainWindow, 19

lineEdit_4
 Ui_MainWindow, 19

lineEdit_5
 Ui_MainWindow, 19

lineEdit_6
 Ui_MainWindow, 19

lineEdit_7
 Ui_MainWindow, 19

lineEdit_8
 Ui_MainWindow, 19

listWidget
 Ui_shareDialog, 21

loginButton
 Ui_MainWindow, 19

logoutButton
 Ui_loginSuccessWindow, 17

mainToolBar
 Ui_MainWindow, 19

menuBar
 Ui_MainWindow, 20

menubar
 Ui_loginSuccessWindow, 17

moc_askdialog.cpp, 23
 QT_MOC_LITERAL, 23

moc_externamedialog.cpp, 23
 QT_MOC_LITERAL, 24

moc_loginsuccesswindow.cpp, 24
 QT_MOC_LITERAL, 24

moc_mainwindow.cpp, 24
 QT_MOC_LITERAL, 25

moc_sharedialog.cpp, 25
 QT_MOC_LITERAL, 25

myfileradioButton

- Ui_loginSuccessWindow, 17
- okButton
 - Ui_shareDialog, 21
- openButton
 - Ui_loginSuccessWindow, 17
- pathlabel
 - Ui_shareDialog, 21
- publicTreeWidget
 - Ui_loginSuccessWindow, 17
- publicradioButton
 - Ui_loginSuccessWindow, 17
 - Ui_shareDialog, 21
- QT_MOC_LITERAL
 - moc_askdialog.cpp, 23
 - moc_enternamedialog.cpp, 24
 - moc_loginsuccesswindow.cpp, 24
 - moc_mainwindow.cpp, 25
 - moc_sharedialog.cpp, 25
- qt_meta_stringdata_MainWindow_t, 13
 - data, 13
 - stringdata, 13
- qt_meta_stringdata_askDialog_t, 12
 - data, 12
 - stringdata, 12
- qt_meta_stringdata_enterNameDialog_t, 13
 - data, 13
 - stringdata, 13
- qt_meta_stringdata_loginSuccessWindow_t, 13
 - data, 13
 - stringdata, 13
- qt_meta_stringdata_shareDialog_t, 14
 - data, 14
 - stringdata, 14
- refreshButton
 - Ui_loginSuccessWindow, 17
- renameButton
 - Ui_loginSuccessWindow, 17
- retranslateUi
 - Ui_askDialog, 15
 - Ui_enterNameDialog, 15
 - Ui_loginSuccessWindow, 17
 - Ui_MainWindow, 19
 - Ui_shareDialog, 20
- setupUi
 - Ui_askDialog, 15
 - Ui_enterNameDialog, 15
 - Ui_loginSuccessWindow, 17
 - Ui_MainWindow, 19
 - Ui_shareDialog, 20
- shareButton
 - Ui_loginSuccessWindow, 17
- sharedTreeWidget
 - Ui_loginSuccessWindow, 17
- sharedradioButton
 - Ui_loginSuccessWindow, 17
- specificradioButton
 - Ui_shareDialog, 21
- statusBar
 - Ui_MainWindow, 20
- statusbar
 - Ui_loginSuccessWindow, 17
- stringdata
 - qt_meta_stringdata_askDialog_t, 12
 - qt_meta_stringdata_enterNameDialog_t, 13
 - qt_meta_stringdata_loginSuccessWindow_t, 13
 - qt_meta_stringdata_MainWindow_t, 13
 - qt_meta_stringdata_shareDialog_t, 14
- textEdit
 - Ui_askDialog, 15
- toolBar
 - Ui_MainWindow, 20
- Ui, 9
 - Ui::MainWindow, 12
 - Ui::askDialog, 11
 - Ui::enterNameDialog, 11
 - Ui::loginSuccessWindow, 12
 - Ui::shareDialog, 14
 - Ui_MainWindow, 18
 - centralWidget, 19
 - connectButton, 19
 - createAccButton, 19
 - formLayout, 19
 - formLayout_2, 19
 - gridLayout_2, 19
 - label, 19
 - label_2, 19
 - label_3, 19
 - label_4, 19
 - label_5, 19
 - label_6, 19
 - label_7, 19
 - label_8, 19
 - label_9, 19
 - lineEdit, 19
 - lineEdit_2, 19
 - lineEdit_3, 19
 - lineEdit_4, 19
 - lineEdit_5, 19
 - lineEdit_6, 19
 - lineEdit_7, 19
 - lineEdit_8, 19
 - loginButton, 19
 - mainToolBar, 19
 - menuBar, 20
 - retranslateUi, 19
 - setupUi, 19
 - statusBar, 20
 - toolBar, 20
 - verticalLayout, 20
 - Ui_askDialog, 14
 - buttonBox, 15

- retranslateUi, [15](#)
- setupUi, [15](#)
- textEdit, [15](#)
- ui_askdialog.h, [25](#)
- Ui_enterNameDialog, [15](#)
 - buttonBox, [15](#)
 - label, [16](#)
 - lineEdit, [16](#)
 - retranslateUi, [15](#)
 - setupUi, [15](#)
- ui_enternamedialog.h, [26](#)
- Ui_loginSuccessWindow, [16](#)
 - centralwidget, [17](#)
 - createFolderButton, [17](#)
 - deleteButton, [17](#)
 - dirTreeWidget, [17](#)
 - dldButton, [17](#)
 - lineEdit, [17](#)
 - logoutButton, [17](#)
 - menubar, [17](#)
 - myfileradioButton, [17](#)
 - openButton, [17](#)
 - publicTreeWidget, [17](#)
 - publicradioButton, [17](#)
 - refreshButton, [17](#)
 - renameButton, [17](#)
 - retranslateUi, [17](#)
 - setupUi, [17](#)
 - shareButton, [17](#)
 - sharedTreeWidget, [17](#)
 - sharedradioButton, [17](#)
 - statusbar, [17](#)
 - uploadButton, [17](#)
 - uploadNewEditionButton, [17](#)
 - welcomeLabel, [17](#)
- ui_loginsuccesswindow.h, [26](#)
- ui_mainwindow.h, [27](#)
- Ui_shareDialog, [20](#)
 - cancelButton, [20](#)
 - label, [20](#)
 - label_2, [21](#)
 - listWidget, [21](#)
 - okButton, [21](#)
 - pathlabel, [21](#)
 - publicradioButton, [21](#)
 - retranslateUi, [20](#)
 - setupUi, [20](#)
 - specificradioButton, [21](#)
- ui_sharedialog.h, [27](#)
- uploadButton
 - Ui_loginSuccessWindow, [17](#)
- uploadNewEditionButton
 - Ui_loginSuccessWindow, [17](#)
- verticalLayout
 - Ui_MainWindow, [20](#)
- welcomeLabel
 - Ui_loginSuccessWindow, [17](#)