

SKILL 1

```
mysql> create database Skill1;  
Query OK, 1 row affected (0.02 sec)
```

```
mysql> use Skill1;  
Database changed
```

```
mysql> create table students (  
    -> student_id INT PRIMARY KEY,  
    -> name VARCHAR(50),  
    -> age INT,  
    -> department VARCHAR(50),  
    -> marks INT  
    -> );  
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> DESC students;
```

Field	Type	Null	Key	Default	Extra
student_id	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
department	varchar(50)	YES		NULL	
marks	int	YES		NULL	

```
5 rows in set (0.04 sec)
```

```
mysql> INSERT INTO students VALUES  
    -> (1, 'Rahul', 20, 'CSE', 85),  
    -> (2, 'Anitha', 21, 'ECE', 78),  
    -> (3, 'Kiran', 20, 'CSE', 92),  
    -> (4, 'Priya', 22, 'IT', 88),  
    -> (5, 'Arjun', 21, 'ECE', 75);  
Query OK, 5 rows affected (0.03 sec)  
Records: 5  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM students;
```

student_id	name	age	department	marks
1	Rahul	20	CSE	85
2	Anitha	21	ECE	78
3	Kiran	20	CSE	92
4	Priya	22	IT	88
5	Arjun	21	ECE	75

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM students  
-> WHERE department = 'CSE';
```

student_id	name	age	department	marks
1	Rahul	20	CSE	85
3	Kiran	20	CSE	92

```
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM students  
-> WHERE marks > 80;
```

student_id	name	age	department	marks
1	Rahul	20	CSE	85
3	Kiran	20	CSE	92
4	Priya	22	IT	88

```
3 rows in set (0.00 sec)
```

```
mysql> SELECT name, marks FROM students;
```

name	marks
Rahul	85
Anitha	78
Kiran	92
Priya	88
Arjun	75

5 rows in set (0.00 sec)

```
mysql> SELECT MAX(marks) FROM students;
```

MAX(marks)
92

1 row in set (0.01 sec)

```
mysql> SELECT MIN(marks) FROM students;
```

MIN(marks)
75

1 row in set (0.00 sec)

```
mysql> SELECT AVG(marks) FROM students;
```

AVG(marks)
83.6000

1 row in set (0.00 sec)

```
mysql> SELECT * FROM students;
```

student_id	name	age	department	marks
1	Rahul	20	CSE	85
2	Anitha	21	ECE	78
3	Kiran	20	CSE	92
4	Priya	22	IT	88
5	Arjun	21	ECE	75

5 rows in set (0.00 sec)

```
mysql> ORDER BY marks DESC;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'ORDER BY marks DESC' at line 1

```
mysql> SELECT * FROM students
```

```
    -> ORDER BY marks DESC;
```

student_id	name	age	department	marks
3	Kiran	20	CSE	92
4	Priya	22	IT	88
1	Rahul	20	CSE	85
2	Anitha	21	ECE	78
5	Arjun	21	ECE	75

5 rows in set (0.00 sec)

3 rows in set (0.00 sec)

```
mysql> SELECT department, COUNT(*)  
      -> FROM students  
      -> GROUP BY department;
```

department	COUNT(*)
CSE	2
ECE	2
IT	1

3 rows in set (0.01 sec)

```
mysql> |
```