Rajalakshmi Engineering College

Name: RAKSHITHA R

Email: 240701418@rajalakshmi.edu.in

Roll no: 240701418 Phone: 7305274265

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 19

Section 1: MCQ

1. What will be the output of the following program?

 $set1 = \{1, 2, 3\}$ set2 = set1.copy() set2.add(4) print(set1)

Answer

 $\{1, 2, 3\}$

Status: Correct Marks: 1/1

2. What will be the output? a={'B':5,'A':9,'C':7}

a={'B':5,'A':9,'C':7}

print(sorted(a))

Answer ['A', 'B', 'C'].

> Marks: 1/1 Status: Correct

3. What is the output of the below Python code?

list1 = [1, 2, 3]list2 = [5, 6, 7]list3 = [10, 11, 12] set1 = set(list2)set2 = set(list1)set1.update(set2) set1.update(list3) print(set1)

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status: Correct Marks: 1/1

4. Which of the following statements is used to create an empty tuple?

Answer

Status: Correct Marks: 1/1

5. Set s1 = {1, 2, 4, 3} and s2 = {1, 5, 4, 6}, find s1 & amp; s2, s1 - s2, s1 | s2 and s1 ^ s2.

Answer

 $s1\& s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$

Marks: 1/1 1/18 Status: Correct

6. Which of the following is a Python tuple? Answer (1, 2, 3)Status: Correct Marks: 1/1 7. What will be the output of the following code? a=(1,2,3,4)print(sum(a,3)) Answer 13 Status: Correct Marks: 1/1 8. Suppose t = (1, 2, 4, 3), which of the following is incorrect? Answer t[3] = 45Status: Correct Marks: 1/1 Fill in the code in order to get the following output. Output: Tuple: (1, 3, 4) Max value: 4 t=(1,)print("Tuple:" ,t) print("Max value:",___ **Answer** 1) t=t+(3,4)2) max(t)

10. What is the output of the following code? a=(1,2,(4,5)) b=(1,2,(4,5))Marks: 1/1

```
b=(1,2,(3,4))
print(a<b)</pre>
```

Answer

False

Marks: 1/1 Status: Correct

11. Which of the following isn't true about dictionary keys?

Answer

More than one key isn't allowed

Status: Wrong Marks: 0/1

12. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status: Correct Marks: 1/1

13. What is the output of the following?

```
set2 = {60, 70, 10, 30, 40, 80, 20, 50}
   print(set1.issubset(set2))
print(set2.issuperset(set1))
```

Answer

TrueTrue

Status: Correct Marks: 1/1

14. What is the result of print(type({}) is set)?

Answer

False

Status: Correct Marks: 1/

15. What is the output of the following code?

a={1:"A",2:"B",3:"C"} b=a.copy() b[2]="D"

print(a)

Answer

{1: 'A', 2: 'B', 3: 'C'}

Status : Correct Marks: 1

16. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes an arbitrary element

Status: Correct Marks: 1/1

17. What is the output of the following code?

a={"a":1,"b":2,"c":3} b=dict(zip(a.values(),a.keys()))
print(h) print(b)

Answer

{1: 'a', 2: 'b', 3: 'c'}

Status: Correct Marks: 1/1

18. What will be the output for the following code?

$$t1 = (1, 2, 4, 3)$$

 $t2 = (1, 2, 3, 4)$
print(t1 < t2)

Answer

False

Marks: 1/1 Status: Correct

19. Which of the statements about dictionary values is false?

Answer

Values of a dictionary must be unique

Marks : 1/1 Status: Correct

20. What will be the output for the following code?

Marks: 1/1 Status: Correct

2,0707478