

Safety Review Brief: Ozempic

Important Disclaimer

This report is not medical advice. FAERS reports are spontaneous adverse event reports and do not establish causality. Flagged patterns should be interpreted only as signals for human pharmacovigilance review.

Data Windows

- Recent window: 2026-02-26 to 2026-05-27
- Baseline window: 2025-02-25 to 2026-02-25

Report Counts

- Recent FAERS reports: 831
- Baseline FAERS reports: 1000

Flagged Reporting Signals

Reaction	Recent Count	Baseline Count	Ratio	Score	PubMed Evidence
cyclic vomiting syndrome	38	16	2.86	10.47	none
nephrolithiasis	10	3	4.01	9.62	none
suicidal ideation	10	4	3.01	7.21	weak

Literature Evidence

cyclic vomiting syndrome

- Evidence grade: none

- PubMed papers found: 0
- No PubMed papers found for this drug/reaction query.

nephrolithiasis

- Evidence grade: none
- PubMed papers found: 0
- No PubMed papers found for this drug/reaction query.

suicidal ideation

- Evidence grade: weak
- PubMed papers found: 1
- In Silico Pharmacogenomic Assessment of Glucagon-like Peptide-1 (GLP1) Agonists and the Genetic Addiction Risk Score (GARS) Related Pathways: Implications for Suicidal Ideation and Substance Use Disorder. (2025) [PMID: 39865816]

Limitations

- FAERS reports are spontaneous adverse event reports and do not establish causality.
- Report counts are not incidence rates and cannot estimate patient risk.
- Reporting patterns may be affected by duplicate reports, media attention, stimulated reporting, missing data, and reporting bias.
- Flagged patterns should be treated as signals for human pharmacovigilance review.