

Create a new branch as GitWork and created a hello.xml file in it and committed the changes

```
etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ git switch GitWork
Switched to branch 'GitWork'

etams@RAM MINGW64 /d/Deepskilling/GitDemo (GitWork)
$ echo "<message>Hello from GitWork</message>" > hello.xml

etams@RAM MINGW64 /d/Deepskilling/GitDemo (GitWork)
$ git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml

nothing added to commit but untracked files present (use "git add" to track)

etams@RAM MINGW64 /d/Deepskilling/GitDemo (GitWork)
$ git add .
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the n
t time Git touches it

etams@RAM MINGW64 /d/Deepskilling/GitDemo (GitWork)
$ git commit -m "Added hello.xml file in GitWork"
[GitWork 8b8bb82] Added hello.xml file in GitWork
```

Switched to main branch and created hello.xml file in it and committed the changes

```
etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ echo "<message>Hello from main branch</message>" > hello.xml

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the ne
t time Git touches it

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ git commit -m "Added hello.xml in main"
[main ac9b831] Added hello.xml in main
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
```


Observing the log

```
$ git log --oneline --graph --decorate --all
* ac9b831 (HEAD -> main) Added hello.xml in main
| * 8b8bb82 (GitWork) Added hello.xml file in GitWork
|/
* ccf2987 (origin/main) Added files in branch
* 03a5b7e Added .gitignore file
* 75a5174 Merge branch 'main' of https://gitlab.com/Ram-Etamsetty/gitdemo In
ial commit
| \
| * 198b107 Initial commit
| * 2db6113 This is a GETdemo repo with a welcome.txt file.
```


Displaying the differences in branches

```
etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ git diff main GitWork
diff --git a/hello.xml b/hello.xml
index dc8ea3d..84f3217 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
- <message>Hello from main branch</message>
+ <message>Hello from GitWork</message>
```

Using difftool



Used merge tool to merge the changes



```

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main|MERGING)
$ git mergetool
Merging:
hello.xml

Normal merge conflict for 'hello.xml':
  {local}: created file
  {remote}: created file
error: invalid path './hello_BASE_1383.xml'

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main|MERGING)
$ git mergetool
No files need merging

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main|MERGING)
$ git add hello.xml

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main|MERGING)
$ cat hello.xml
<message>Hello from GitWork</message>

```

Modified .gitignore to make git ignore the backup files created during merging, deleting the branch and checking logs

```

$ git branch -d GitWork
Deleted branch GitWork (was 8b8bb82).

etams@RAM MINGW64 /d/Deepskilling/GitDemo (main)
$ git log --oneline --graph --decorate
* bc12454 (HEAD -> main) Modified .gitignore to mae git ignore backup files aft
r merging
* 387a5f7 (origin/main) Resolved merge conflict
* 841f83a Resolved merge conflicts
| \
| * 8b8bb82 Added hello.xml file in GitWork
* | ac9b831 Added hello.xml in main
| /
* ccf2987 Added files in branch
* 03a5b7e Added .gitignore file
* 75a5174 Merge branch 'main' of https://gitlab.com/Ram-Etamsetty/gitdemo Ini
ial commit
| \
| * 198b107 Initial commit
* 2db6113 This is a GETDemo repo with a welcome.txt file.

```