




NIT-WARANGAL

NATIONAL INSTITUTE OF TECHNOLOGY,WARANGAL

Project on er modelling and normalization

Title of the project :-Travelling website database



BY

P. Akhil Reddy - 203250

D. Ram Narayan - 203217

P. Vishnu - 205144

Under the guidance of Prof. R. B. V. SUBRAMANYAM

Dr. T RAMAKRISHNUDU

PROBLEM STATEMENT : In this project we have designed data base management system to design travelling website database. This website makes our travelling very simple and easy. Every customer logs in through his/her mobile number and website provides booking id for a particular trip. The customer just has to login to the website and enter trip details like trip like mode of transportation, trip ends, no. of people. It provides many online travel services including flight tickets, hotel reservations etc. The website consults to travel_agency, hotel booking site and the booking website gives every information to user like room number, vehicle number, seat number through mail. And in the end the website provides cost of trip which customer pays with the linked card. The database also gives data of tourist places, hotels available at particular location.

CONTENTS:

- ER Model Assumptions
- ER Diagram
- Relational Schema before normalisation
- Functional Dependencies and Primary Keys before normalisation
- Normalization
- Functional Dependencies and Primary Keys after normalisation
- SQL Code
- Tables after normalisation


ER MODEL ASSUMPTIONS-

- A customer can login into website to plan many trips. But in this database we are just updating the details when old user logs in to


site

- We are just assuming that the no. of rooms travellers want is half of the total travellers.
- Every customer can hire many cabs but in this database we are just assuming each customer takes only one cab in entire trip.
- We are assuming that with a specified name and address there is only one hotel
- We are assuming that at a specified address there is only one restaurant
- Different types of rooms are possible in a particular hotel like ac/non-ac. Excluding all we are assuming there are only one type of rooms in a hotel.
- As we are designing travel website database and we can only know the customers who approached our database so we are treating travel website as unique

ER DIAGRAM



RELATIONAL SCHEMA BEFORE NORMALIZATION



FUNCTIONAL DEPENDENCIES AND PRIMARY KEY BEFORE NORMALIZATION

1.Customer

Phone_no -> c_name, start_date, return_date, travellers, card_no, trip_expenses

Card_no -> c_name, start_date, return_date, travellers, phone_no, trip_expenses

Primary key – phone_no

2.Cab_services

Phone_no -> capacity

Phone_no -> cab_no

Primary_key – phone_no,cab_no

3.Hotel_site

Booking_id ->

stay_place,no_of_travellers,accommodation_charges Primary key –

(booking_id,stay_place)

4.Travel_agency

Booking_id -> start_no,return_no,start_sno,return_sno,travelling_charges

Primary key – booking_id

5.Tourist_places

Spot_name,spot_address ->speciality

Spot_name,spot_address -> restaurant_name

Spot_name,spot_address -> rating

restaurant_name -> rating

Spot_address->rating

Primary key – (spot_name,spot_address,destination)

6.Travel_website

Booking_id ->

cost,source,destination,start_mode,return_mode,phone_no Phone_no ->

booking_id,cost,source,destination,start_mode,return_mode Primary key

– booking_id

7.Hotel

Booking_id ->

name,address,rating,room_rent,no_of_rooms

name,address ->room_rent

name,address ->rating

address -> stay_place

Primary key -(booking_id,stay_place)

NORMALIZATION

1)CUSTOMER1

Primary Key: phone_no

Candidate Key: card_no

All attributes depend on the phone_no,hence the table is 2NF. All attributes depend directly on the phone_no,hence the table is 3NF. All determinants(phone_no) are candidate key,hence the table is BCNF.

2) CAB_SERVIES

Primary Key: phone_no

All attributes depend on the phone_no,hence the table is 2NF. All attributes depend directly on the phone_no,hence the table is 3NF. All determinants(phone_no) are candidate key,hence the table is BCNF.

3) TRAVEL_WEBSITE

Primary Key :booking_id

Candidate Key: phone_no

All attributes depend on the booking_id,hence the table is 2NF. All attributes depend directly on the booking_id,hence the table is 3NF.

All determinants(booking_id) are candidate key,hence the table is

BCNF.

4) HOTEL_SITE

Primary Key : booking_id

All attributes depend on the booking_id, hence the table is 2NF. All attributes depend directly on the booking_id, hence the table is 3NF.

All determinants(booking_id) are candidate key, hence the table is BCNF.

5) HOTEL

It was divided into 2 entities because the former one's highest normal form was 1NF.

->Hotel1(namee, address, rating, roomrent, booking_id)

Primary Key : booking_id

All attributes depend on the (namee, address), hence the table is 2NF. All attributes depend directly on the (namee, address), hence the table is 3NF.

All determinants(namee, address) are candidate key, hence the table is BCNF.

->Hotel2(booking_id, no_of_rooms, stay_place)

Primary Key : booking_id

All attributes depend on the booking_id, hence the table is 2NF. All attributes depend directly on the booking_id, hence the table is 3NF.

All determinants(booking_id) are candidate key, hence the table is BCNF.

Lossless decomposition: As the common attribute in both entities is a super key of hotel2.

6)TRAVEL_AGENCY

Primary Key :booking_id

All attributes depend on the booking_id,hence the table is 2NF. All attributes depend directly on the booking_id,hence the table is 3NF.

All determinants(booking_id) are candidate key,hence the table is BCNF.

7)TOURIST_PLACES

Primary Key : spot_name, spot_address

All attributes depend on the spot_name, spot_address hence the table is 2NF.

All attributes depend directly on the spot_name, spot_address hence the table is 2NF.

All determinants(spot_name, spot_address) are candidate key,hence the table is BCNF.

FUNCTIONAL DEPENDENCIES AND PRIMARY KEY AFTER NORMALIZATION

1.Customer

Phone_no -> c_name,start_date,return_date,travellers,card_no,trip_expenses

Card_no -> c_name,start_date,return_date,travellers,phone_no,trip_expenses

Primary key – phone_no

2.Cab_services

Phone_no -> capacity

Phone_no -> cab_no

Primary_key – phone_no,cab_no

3.Hotel_site

Booking_id ->

stay_place,no_of_travellers,accommodation_charges Primary key –
(booking_id,stay_place)

4.Travel_agency

Booking_id -> start_no,return_no,start_sno,return_sno,travelling_charges
Primary key – booking_id

5.Tourist_places

Spot_name,spot_address ->speciality

Spot_name,spot_address -> restaurant_name

Spot_name,spot_address -> rating

restaurant_name -> rating

Spot_address->rating

Primary key – (spot_name,spot_address,destination)

6.Travel_website

Booking_id ->

cost,source,destination,start_mode,return_mode,phone_no Phone_no ->

booking_id,cost,source,destination,start_mode,return_mode Primary key
– booking_id

7.Hotel1

Booking_id ->

no_of_rooms,stay_place Primary key –

booking_id

8.Hotel2

Booking_id ->

name,address,rating,room_rent

name,address -> rating

name,address ->room_rent

Primary key – booking_id

SQL CODE

CREATION

CREATE TABLE customer

```
(  
  c_name VARCHAR(20),  
  start_date DATE,  
  return_date DATE,  
  travellers INT,  
  sourcee varchar(20),  
  destination varchar(20),  
  phone_no DECIMAL(10),  
  card_no DECIMAL(20) ,  
  trip_expenses INT DEFAULT 0,  
  PRIMARY KEY(phone_no)  
);
```

CREATE TABLE travel_website

```
(  
  booking_id INT ,  
  costt INT,  
  start_mode VARCHAR(20),  
  return_mode VARCHAR(20) ,  
  phone_no DECIMAL(10),
```

```
FOREIGN KEY (phone_no) REFERENCES  
customer(phone_no), PRIMARY KEY (booking_id)  
);
```

```
CREATE TABLE cab_services  
(  
    capacityy INT,  
    phone_no DECIMAL(10),  
    FOREIGN KEY(phone_no) REFERENCES  
    customer(phone_no), cab_no INT,  
    PRIMARY KEY (phone_no,cab_no)  
);
```

```
CREATE TABLE tourist_places(  
    spot_name NVARCHAR2(100),  
    spot_address NVARCHAR2(100),  
    specialty NVARCHAR2(100),  
    destination NVARCHAR2(20),  
    restaurent_name NVARCHAR2(30),  
    rating FLOAT,  
    PRIMARY KEY (spot_name,spot_address)  
);
```

```
CREATE TABLE travel_agency(  
    start_vno INT ,  
    return_vno INT,  
    start_sno INT,  
    return_sno INT,
```

```

travelling_charges INT,
booking_id INT,
FOREIGN KEY (booking_id) REFERENCES
travel_website(booking_id), PRIMARY KEY (booking_id)
);
CREATE TABLE hotel_site
(
stay_place VARCHAR(20),
no_of_travellers NUMBER,
accomodation_charges NUMBER,
booking_id INT,
FOREIGN KEY (booking_id) REFERENCES
travel_website(booking_id), PRIMARY KEY (booking_id,stay_place)
);
CREATE TABLE hotel1
(
no_of_rooms NUMBER,
stay_place VARCHAR(20),
booking_id INT,
FOREIGN KEY (stay_place,booking_id) REFERENCES
hotel_site(stay_place,booking_id),
primary key (booking_id)
);
CREATE TABLE hotel2
(
namee VARCHAR(50),

```

```
address VARCHAR(100),  
rating NUMBER,  
roomrent NUMBER,  
booking_id INT,  
FOREIGN KEY (booking_id) REFERENCES  
hotel1(booking_id), primary key(booking_id)  
);
```

INSERTION

```
INSERT INTO customer VALUES ('mahesh babu','18-apr-21','27-apr-  
21',3,'HYDERABAD','MANALI',9883746478,8473781277445463,0);
```

```
INSERT INTO customer VALUES ('vijay','28-apr-21','12-may-  
21',4,'CHENNAI','OOTY',9886834478,6376474746467383,0)
```

```
;
```

```
INSERT INTO customer VALUES ('rajinikanth','8-apr-21','17-apr-  
21',5,'CHENNAI','SHIMLA',9799765431,7865435678965432,0);
```

```
INSERT INTO customer VALUES ('balayya','11-apr-21','01-may-  
21',6,'HYDERABAD','KASHMIR',9765437546,8736456251890123,0)
```

```
;
```

```
INSERT INTO customer VALUES('pawan kalyan','18-AUG-21','27-AUG-  
21',4,'BENGALURU','DELHI',9345984592,4448174040235238,0);
```

```
INSERT INTO customer VALUES('ntr','15-DEC-21','26-DEC-  
21',5,'DELHI','GOA',9847298479,7438274287482734,0);
```

```
INSERT INTO customer VALUES('ram charan','20-OCT-21','15-NOV-  
21',9,'DELHI','MANALI',9842897324,8744832347922832,0);
```

```
INSERT INTO customer VALUES('samantha','12-jun-08','21-jun-  
08',5,'HYDERABAD','VIZAG',8688102828,123456789121213,0)
```

```
;
```

```
INSERT INTO customer VALUES('kajal','21-jan-10','29-jan
```

10',5,'MUMBAI','BENGALURU',9878102826,784556789121214,0);

INSERT INTO customer VALUES('tamanna','10-dec-21','19-dec
21',5,'MUMBAI','CHENNAI',6878202827,891556789121345,0)
;

INSERT INTO travel_website
VALUES(65574567,0,'FLIGHT','TRAIN',9883746478);

INSERT INTO travel_website VALUES(87654356,0,'FLIGHT','BUS',9886834478);

INSERT INTO travel_website
VALUES(87655677,0,'FLIGHT','TRAIN',9799765431);

INSERT INTO travel_website
VALUES(76876577,0,'FLIGHT','FLIGHT',9765437546);

INSERT INTO travel_website VALUES(73278361,0,'BUS','TRAIN',9345984592);

INSERT INTO travel_website
VALUES(74326486,0,'FLIGHT','TRAIN',9847298479);

INSERT INTO travel_website
VALUES(37612898,0,'TRAIN','FLIGHT',9842897324);

INSERT INTO travel_website VALUES(22331456,0,'train','bus',9878102826);

INSERT INTO travel_website VALUES(97331452,0,'flight','train',8688102828);

INSERT INTO travel_website VALUES(32331457,0,'train','flight',6878202827);

INSERT INTO cab_services VALUES (0,9883746478,1480);

INSERT INTO cab_services VALUES (0,9886834478,6130);

INSERT INTO cab_services VALUES (0,9799765431,6260);

INSERT INTO cab_services VALUES (0,9765437546,7889);

INSERT INTO cab_services VALUES(0,9345984592,2537);

INSERT INTO cab_services VALUES(0,9847298479,7464);

INSERT INTO cab_services VALUES(0,9842897324,3432);

INSERT INTO cab_services VALUES(0,8688102828,1265);

INSERT INTO cab_services VALUES(0,9878102826,7462);

INSERT INTO cab_services VALUES(0,6878202827,5637);

INSERT INTO tourist_places VALUES('Hawa Ghar','Ridge,Shimla','Elevated pavilion offering vistas','SHIMLA','apple',3);

INSERT INTO tourist_places VALUES('Chadwick Falls','Shimla,Himachal Pradesh','waterfall in a dense forest','SHIMLA','blue mango',4);

INSERT INTO tourist_places VALUES('Scandal Point','Mall Rd,Shimla','Great views of the Himalayas','SHIMLA','green hard',4.2);

INSERT INTO tourist_places VALUES('Khilanmarg','Gulmarg,Jammu and Kashmir','carpeted with flowers','KASHMIR','whale', 3.8);

INSERT INTO tourist_places VALUES('Thaj glacier','Forest Block,Jammu','scenic golf course','KASHMIR','andi',3.4);

INSERT INTO tourist_places VALUES('Shiv Khori','near hayat,Jammu','Miracle of God','KASHMIR','boleraaj',4.1);

INSERT INTO tourist_places VALUES('Dolhins nose','Cannoor,Ooty','Catherine Waterfalls','OOTY','udipi',4.2);

INSERT INTO tourist_places VALUES('Ooty Boat House','North Lake Road,ooty','boating','OOTY','thard',4.5);

INSERT INTO tourist_places VALUES('Tiger Hill','Ooty, Tamil Nadu','panoramic view of Mount Everest','OOTY','nanged',4.1);

INSERT INTO tourist_places VALUES('Humayan tomb','Mathura road,New Delhi','tomb of famous Mughal Emperor','DELHI','khauj',4);

INSERT INTO tourist_places VALUES('Bahai Temple','Bahapur,Kalkaji','Famous for architecture','DELHI','Barbeque',4.6);

INSERT INTO tourist_places VALUES('Gardenofsenses','South of Saket,New Delhi','Famous for Nature Beauty','DELHI','Mandi',4.8);

INSERT INTO tourist_places VALUES('Baga Beach','Saunto,Goa','famous for parasailing','GOA','Udipi restaurant',3.5);

INSERT INTO tourist_places VALUES('Calangu Beach','North Goa','Coastal road with dining,lodging','GOA','Feliz',3.5);

INSERT INTO tourist_places VALUES('Dudhsagar Falls','Sonalium,Goa','famoous for adventrous trek','GOA','Rio Salao',3.5);

INSERT INTO tourist_places VALUES('SolangValley','Burwa,Manali','snow capped mountains','MANALI','Renaissance',3.5);

INSERT INTO tourist_places VALUES('Jogini Waterfalls','Vashist Village,Manali','Shakti peeth','MANALI','John Cafe',3.5);

INSERT INTO tourist_places VALUES('Manali Gompa','Old Manali Road','roof built in pagoda style','MANALI','Drift Inn',3.5);

INSERT INTO tourist_places VALUES('Aruku valley','aruku,Vizag','hill station','VIZAG','vashistha',3.9);

INSERT INTO tourist_places VALUES('Rishikonda beach','Bheemili road,Vizag','beach with golden and black sand','VIZAG','Bake hotel',4.3);

INSERT INTO tourist_places VALUES('Tenneti Park','Beach Road,Vizag','childrens park','VIZAG','Treebo Trend','4.6');

INSERT INTO tourist_places VALUES('Nandi hills','Chikkaballapur,Banglore','ancient hill fortification','BENGALURU','Leela palace',4.1);

INSERT INTO tourist_places VALUES('Banglore palace','Vasanth Nagar,Banglore','stylish archutecture towers','BENGALURU','haveli',4.4);

INSERT INTO tourist_places VALUES('Thottikallu Falls','Kanakapura Rd,Banglore','golden faced water falls','BENGALURU','Rasisson',4.7);

INSERT INTO tourist_places VALUES('Chennai Lighthouse','Marina beach road,Myykapore','facing bay of bengal on east coast','CHENNAI','cafe hotel',4.5);

INSERT INTO tourist_places VALUES('Semmozhi Poonga','Cathedra Rd,Teynampet','botanical garden','CHENNAI','Grand Chola',4.0);

```

INSERT INTO tourist_places VALUES('Anna Nagar','Anna Nagar,Chennai','first
and only township in chennai','CHENNAI','Hilton chennai',4.2);
INSERT INTO travel_agency VALUES(1737,3636,727,636,25000,65574567);
INSERT INTO travel_agency VALUES(7272,6262,535,626,24250,87654356);
INSERT INTO travel_agency VALUES(9020,9276,244,398,20000,87655677);
INSERT INTO travel_agency VALUES(7265,5252,189,298,50000,76876577);
INSERT INTO travel_agency VALUES(2376,2839,234,578,30000,73278361);
INSERT INTO travel_agency VALUES(1238,2489,452,700,45000,74326486);
INSERT INTO travel_agency VALUES(3864,3498,387,498,50000,37612898);
INSERT INTO travel_agency VALUES(8765,2345,451,278,30000,22331456);
INSERT INTO travel_agency VALUES(6417,4358,257,753,48000,97331452);
INSERT INTO travel_agency VALUES(2561,3475,761,247,45000,32331457);

```

```

INSERT INTO hotel_site VALUES('NULL',0,0,65574567 );
INSERT INTO hotel_site VALUES('NULL',0,0,87654356);
INSERT INTO hotel_site VALUES('NULL',0,0,87655677 );
INSERT INTO hotel_site VALUES('NULL',0,0,76876577 );
INSERT INTO hotel_site VALUES('NULL',0,0,73278361 );
INSERT INTO hotel_site VALUES('NULL',0,0,74326486 );
INSERT INTO hotel_site VALUES('NULL',0,0,37612898 );
INSERT INTO hotel_site VALUES('NULL',0,0,22331456);
INSERT INTO hotel_site VALUES('NULL',0,0,97331452);
INSERT INTO hotel_site VALUES('NULL',0,0,32331457);

```

```

INSERT INTO hotel1 VALUES (NULL,NULL,65574567);
INSERT INTO hotel1 VALUES (NULL,NULL,87654356);

```

```
INSERT INTO hotel1 VALUES (NULL,NULL,87655677);
INSERT INTO hotel1 VALUES (NULL,NULL,76876577);

INSERT INTO hotel1 VALUES (NULL,NULL,73278361);
INSERT INTO hotel1 VALUES (NULL,NULL,74326486);
INSERT INTO hotel1 VALUES (NULL,NULL,37612898);
INSERT INTO hotel1 VALUES (NULL,NULL,22331456);
INSERT INTO hotel1 VALUES(NULL,NULL,97331452);
INSERT INTO hotel1 VALUES(NULL,NULL,32331457);
```

```
INSERT INTO hotel2 VALUES ('rayal villas',' Manali, Himachal Pradesh
',3.5,6000,65574567);

INSERT INTO hotel2 VALUES ('taj banjara','Ooty, Tamil
Nadu',3.8,9000,87654356);

INSERT INTO hotel2 VALUES ('snow valley','Shimla, Himachal
Pradesh',4,10000,87655677);

INSERT INTO hotel2 VALUES ('samson',' Patnitop Jammu and
Kashmir',5,40000,76876577);

INSERT INTO hotel2 VALUES ('Radisson
Plaza','Mahipalpur',4.9,5000,73278361);

INSERT INTO hotel2 VALUES ('ITC Goa','Utorda',5,8000,74326486); INSERT
INTO hotel2 VALUES ('IPC Manali','Old Manali',4.9,10000,37612898);

INSERT INTO hotel2 VALUES ('VIVANTA','RESIDENCY
ROAD,BANGLORE',4.5,7000,22331456);

INSERT INTO hotel2 VALUES('NOVOTEL','VARUN
BEACH,VISHAKAPATNAM',3.9,4500,97331452);

INSERT INTO hotel2 VALUES('HILTON','RESIDANCY
ROAD,KOTTAM,CHENNAI',4.7,9000,32331457);
```

UPDATE

```
UPDATE cab_services
SET capacity=(SELECT travellers FROM customer WHERE
customer.phone_no=cab_services.phone_no);
```

```
UPDATE hotel_site
SET stay_place=(SELECT destination FROM customer NATURAL JOIN
travel_website WHERE travel_website.booking_id=hotel_site.booking_id);
```

```
UPDATE hotel_site
SET hotel_site.no_of_travellers=(SELECT travellers FROM customer NATURAL
JOIN travel_website
where hotel_site.booking_id=travel_website.booking_id);
```

```
UPDATE hotel1
SET no_of_rooms=(SELECT CEIL(no_of_travellers/2) FROM hotel_site where
hotel_site.booking_id=hotel1.booking_id),
stay_place=(SELECT stay_place FROM hotel_site WHERE
hotel_site.booking_id=hotel1.booking_id);
```

```
CREATE VIEW XYZ AS SELECT no_of_rooms*roomrent AS
ROOMRENT,booking_id FROM (SELECT * FROM hotel1 NATURAL JOIN hotel2);
```

```
UPDATE hotel_site
SET accomodation_charges=(SELECT ROOMRENT FROM XYZ WHERE
hotel_site.booking_id=XYZ.booking_id);
```

```
UPDATE travel_website
```

```
SET costt=(SELECT hotel_site.accomodation_charges FROM hotel_site WHERE
hotel_site.booking_id=travel_website.booking_id)+
(SELECT travel_agency.travelling_charges FROM travel_agency WHERE
travel_agency.booking_id=travel_website.booking_id);
```

UPDATE customer

```
SET trip_expenses=(SELECT costt FROM travel_website WHERE
travel_website.phone_no=customer.phone_no);
```

1.customer

Name	Null?	Type
-----	-----	-----
C_NAME		VARCHAR2 (20)
START_DATE		DATE
RETURN_DATE		DATE
TRAVELLERS		NUMBER (38)
SOURCEE		VARCHAR2 (20)
DESTINATION		VARCHAR2 (20)
PHONE_NO	NOT NULL	NUMBER (10)
CARD_NO		NUMBER (20)
TRIP_EXPENSES		NUMBER (38)
Name	Null?	Type

2.Travel_website

Name	Null?	Type
-----	-----	-----
NAMEE	NOT NULL	VARCHAR2 (50)
ADDRESS		VARCHAR2 (100)
RATING		NUMBER
ROOMRENT		NUMBER
NO_OF_ROOMS		NUMBER
STAY_PLACE		VARCHAR2 (20)
BOOKING_ID	NOT NULL	NUMBER (38)

3.Cab_services

Name	Null?	Type
CAPACITY		NUMBER(38)
PHONE_NO	NOT NULL	NUMBER(10)
CAB_NO	NOT NULL	NUMBER(38)

4.Tourist_places

Name	Null?	Type
SPOT_NAME	NOT NULL	NVARCHAR2(100)
SPOT_ADDRESS	NOT NULL	NVARCHAR2(100)
SPECIALTY		NVARCHAR2(100)
DESTINATION		NVARCHAR2(20)
RESTAURENT_NAME		NVARCHAR2(30)
RATING		FLOAT(126)

5.Travel_agency

Name	Null?	Type
START_VNO		NUMBER(38)
RETURN_VNO		NUMBER(38)
START_SNO		NUMBER(38)
RETURN_SNO		NUMBER(38)
TRAVELLING_CHARGES		NUMBER(38)
BOOKING_ID	NOT NULL	NUMBER(38)

6.Hotel_site

Name	Null?	Type
STAY_HOTEL	NOT NULL	VARCHAR2(20)
NO_OF_TRAVELLERS		NUMBER
ACCOMODATION_CHARGES		NUMBER
BOOKING_ID	NOT NULL	NUMBER(38)

7.Hotel1

Name	Null?	Type
-----	-----	-----
NO_OF_ROOMS		NUMBER
STAY_PLACE		VARCHAR2 (20)
BOOKING_ID	NOT NULL	NUMBER (38)

8.Hotel2

Name	Null?	Type
-----	-----	-----
NAMEE	NOT NULL	VARCHAR2 (50)
ADDRESS	NOT NULL	VARCHAR2 (100)
RATING		NUMBER
ROOMRENT		NUMBER
BOOKING_ID		NUMBER (38)