

PREVENTIVE CARE SCHEDULE

SilverShield Health Plans | No-Cost Preventive Services | Plan Year 2025 | All Plan Tiers

Under the Affordable Care Act (ACA), SilverShield covers the following preventive services at NO COST to you when provided by an in-network provider. No deductible, copay, or coinsurance applies. If a preventive visit also includes diagnosis or treatment of a new or existing condition, cost-sharing may apply to the non-preventive portion of the visit.

ADULT PREVENTIVE SCREENINGS (Ages 18+)

Service	Frequency	Who Should Get It	Notes
Annual physical exam (well-visit)	1x per plan year	All adults 18+	Comprehensive physical, BMI, blood pressure
Blood pressure screening	Every visit	All adults 18+	Hypertension screening
Cholesterol / lipid panel	Every 5 years (or as needed)	Adults 35+ (men), 45+ (women)	Cardiovascular risk assessment
Type 2 diabetes screening (fasting glucose/HbA1c)	Every 3 years	Adults 35–70 who are overweight	Blood glucose test
Colorectal cancer screening (colonoscopy)	Every 10 years	Adults 45–75	Alternatives: FIT test annually, CT colonography every 5 yrs
Lung cancer screening (low-dose CT)	Annually	Adults 50–80, 20 pack-year smoking history	USPSTF Grade B recommendation
Mammogram (breast cancer screening)	Every 2 years	Women 50–74	Women 40–49 may discuss with provider
Pap smear (cervical cancer screening)	Every 3 years OR every 5 years (with HPV co-test)	Women 21–65	Per USPSTF 2018 guidelines
HPV test (cervical)	Every 5 years (with Pap)	Women 30–65	Alone or co-tested with Pap
Osteoporosis screening (DEXA)	Every 2 years	Women 65+; men 70+; younger if risk factors	Bone mineral density
Abdominal aortic aneurysm (ultrasound)	Once	Men 65–75 who have ever smoked	One-time screen
Depression screening	Annually	All adults 18+	PHQ-2/PHQ-9 or equivalent
Alcohol misuse screening	Annually	All adults 18+	AUDIT-C or brief counseling
HIV screening	At least once (repeat if high risk)	Adults 15–65	Opt-out testing recommended
Hepatitis B screening	Once	Adults born 1945–1965 and high-risk groups	HBsAg blood test
Hepatitis C screening	Once (repeat if ongoing risk)	Adults 18–79	Anti-HCV blood test
Tobacco use screening and cessation counseling	Annually	All adults who use tobacco	Up to 8 sessions per year
Obesity counseling (BMI ≥ 30)	Annually	Adults with BMI ≥ 30	Intensive behavioral interventions
Healthy diet and physical activity counseling	Annually	Adults with cardiovascular risk	Behavioral counseling

WOMEN'S PREVENTIVE SERVICES (Additional)

Service	Frequency	Who Should Get It	Notes
Well-woman visit	1x per plan year	All women 18+	Comprehensive gynecologic exam
Gestational diabetes screening	Per obstetric protocol	Pregnant women 24–28 weeks	Glucose tolerance test
BRCA genetic counseling and testing (if eligible)	As indicated	Women with family history meeting USPSTF criteria	BRCA1/BRCA2 mutation screen
Folic acid supplementation counseling	Per prenatal schedule	Women planning pregnancy	0.4–0.8 mg daily recommended
Domestic violence / interpersonal violence screening	Annually	All women of reproductive age	USPSTF Grade B
Breast-feeding counseling and support	Peripartum	Pregnant and new mothers	Lactation consultation covered
FDA-approved contraceptive methods	As prescribed	Women of reproductive age	All FDA-approved methods covered at \$0 cost-sharing

CHILDHOOD AND ADOLESCENT PREVENTIVE CARE (Up to Age 18)

Service	Frequency	Who Should Get It	Notes
Well-child visits	Per BRIGHT Futures schedule	Birth through age 21	Ages: 2-4 wks, 2, 4, 6, 9, 12, 15, 18, 24, 30 mo; annually 3–21
Developmental / autism screening	18 and 24 months	All children	M-CHAT for autism; developmental milestones
Lead screening	At ages 1 and 2	All children; extended to age 6 if risk factors	Blood lead level test
Vision screening	Ages 3–5 (once)	All children 3–5	Amblyopia and strabismus detection
Hearing screening	Newborn (universal)	All newborns	Otoacoustic emission test
Obesity / BMI screening	Annually (age 6+)	All children 6–18	BMI percentile for age and sex
Type 2 diabetes screening	Every 3 years (age 10+)	Overweight children with ≥ 2 risk factors	Fasting glucose or HbA1c
Adolescent depression screening	Annually (age 12+)	All adolescents	PHQ-A or similar validated tool
Sexually transmitted infection screening	Annually if sexually active	Adolescents age 15+ who are sexually active	Gonorrhea, chlamydia, HIV
Alcohol and drug use screening	Annually (age 12+)	All adolescents	CRAFFT screening tool

IMMUNIZATIONS (All Ages) — COVERED AT \$0 COST-SHARING

Vaccine	Recommended Age(s)	Schedule Notes
Influenza (flu shot)	Annually (6 months+)	Yearly; high-dose recommended for adults 65+
COVID-19 vaccine	6 months+ (per CDC schedule)	Updated formulation; annual boosters per ACIP
Tdap / Td (tetanus, diphtheria, pertussis)	11–12 years; adults every 10 yrs; pregnant women each pregnancy	Tdap once, then Td every 10 years

Vaccine	Recommended Age(s)	Schedule Notes
MMR (measles, mumps, rubella)	12–15 months; 4–6 years; adults if not immune	2-dose series; documented immunity accepted
Varicella (chickenpox)	12–15 months; 4–6 years	2-dose series; documented history of disease accepted
HPV vaccine (Gardasil 9)	11–12 years; catch-up through age 26 (up to age 45 shared decision)	2- or 3-dose series depending on age
Pneumococcal (PCV15, PCV20, PPSV23)	Infants (per schedule); adults 65+; adults 19–64 with risk factors	Specific schedule depends on prior vaccination history
Shingles (Shingrix)	Adults 50+	2-dose series; 2–6 months apart
Hepatitis A (HepA)	12–23 months; catch-up through 18 years; at-risk adults	2-dose series
Hepatitis B (HepB)	Birth; 1–2 months; 6–18 months; adults not previously vaccinated	3-dose series or 2-dose Heplisav-B for adults
Meningococcal (MenACWY, MenB)	11–12 years; booster at 16; college students	MenB for adolescents/young adults; shared decision
RSV vaccine	Adults 60+; pregnant women 32–36 weeks	Single dose; discuss with provider

DISCLAIMER: Synthetic training data only. Preventive care schedules are illustrative and aligned with USPSTF/ACIP guidance for educational purposes. Not for clinical use.