$commentrgb0.5,0.0,0.0\ keywordrgb0.0,0.5,0.0\ keywordtypergb0.38,0.25,0.125$   $keywordflowrgb0.88,0.5,0.0\ preprocessorrgb0.5,0.38,0.125\ stringliteralrgb0.0,0.125,0.25$   $charliteralrgb0.0,0.5,0.5\ vhdldigitrgb1.0,0.0,1.0\ vhdlkeywordrgb0.43,0.0,0.43\ vhdllogicrgb1.0,0.0,0.0\ vhdlcharrgb0.0,0.0,0.0$ 

 $commentry b0.5, 0.0, 0.0 \ keyword rgb0.0, 0.5, 0.0 \ keyword typergb0.38, 0.25, 0.125 \ keyword flowrgb0.88, 0.5, 0.0 \ preprocessor rgb0.5, 0.38, 0.125 \ string literal rgb0.0, 0.125, 0.25 \ charliteral rgb0.0, 0.5, 0.5 \ vhdld igitrgb1.0, 0.0, 1.0 \ vhdl keyword rgb0.43, 0.0, 0.43 \ vhdllogic rgb1.0, 0.0, 0.0 \ vhdl charrgb0.0, 0.0, 0.0$ 

Portuguese
