

```
import express from "express";

const app = express();

app.use(express.json());

// Users (temporary storage)

let users = [
  { email: "admin@upm.edu.sa", password: "123456", role: "admin" },
  { email: "gate@upm.edu.sa", password: "123456", role: "gate" },
  { email: "sec@upm.edu.sa", password: "123456", role: "sec" },
  { email: "ahsanrahman@upm.edu.sa", password: "123456", role: "ahsanrahman" },
];

// Access logs (temporary storage)

let accessLogs = [];

// 1. LOGIN

app.post("/login", (req, res) => {
  const { email, password } = req.body;

  const user = users.find((u) => u.email === email && u.password === password);
```

```
if (!user) {  
  return res.status(401).json({ message: "Invalid email or password" });  
}
```

```
res.json({  
  message: "Login successful",  
  
  role: user.role,  
  
  token: "fake-jwt-token",  
});  
});
```

// 2. ADD USER

```
app.post("/add-user", (req, res) => {  
  const { email, password, role } = req.body;  
  
  users.push({ email, password, role });  
  
  res.json({ message: "User added successfully" });  
});
```

// 3. EDIT USER

```
app.put("/edit-user", (req, res) => {
```

```
const { email, newPassword, newRole } = req.body;
```

```
const userIndex = users.findIndex((u) => u.email === email);
```

```
if (userIndex === -1) {
```

```
  return res.status(404).json({ message: "User not found" });
```

```
}
```

```
if (newPassword) users[userIndex].password = newPassword;
```

```
if (newRole) users[userIndex].role = newRole;
```

```
res.json({ message: "User updated successfully" });
```

```
});
```

```
// 4. DELETE USER
```

```
app.delete("/delete-user", (req, res) => {
```

```
  const { email } = req.body;
```

```
  users = users.filter((u) => u.email !== email);
```

```
  res.json({ message: "User deleted successfully" });
```

```
});
```

```
// 5. GATE LOG
```

```
app.post("/log-access", (req, res) => {  
  const { email, action } = req.body;  
  
  const log = {  
    email,  
  
    action,  
  
    time: new Date(),  
  };  
  
  accessLogs.push(log);  
  
  res.json({ message: "Access logged", log });  
});  
  
// IMPORTANT: Cloud-ready PORT  
  
const PORT = process.env.PORT || 3000;  
  
app.listen(PORT, "0.0.0.0", () => {  
  
  console.log("Server running on port " + PORT);  
  
});
```