Name	Worst Case Runtime	Difficulty
BubbleSort	n^2	easiest
SelectionSort	n^2	easier
MergeSort	n*log(n)	medium


-30
0
5
10
97


From i = 0 to < array length
From j = 0 to (array length - i)
If the element at j is greater than j+1
Swap elements at j and j+1

I = 1
J = 2
indexofMin = 1

-30	0	5	10	97

From i = 0 to < array length

- Assume the element at 'i' is the least in the array, assign i to 'indexOfMin'
- For j from i + 1 to end of array
  - See if there is an element with *lower* value
    - If there is, record its index
- If the index of the current element and the index of the 'lowest' element is not the same, swap em



Results

5

Splitter

If the incoming array *doesn't* have length 1

- Divide the incoming array into two halves
- Call the 'splitter' again with each half
- Call the 'merger' with each half

Merger

Create 'results' array

While there are still elements in *both* arrays

- If the first element the left half is less than first in right half
  - 'shift' the element from left into a 'result' arr
- else
  - 'shift' the element from right into a 'result' arr

Take everything from the array that still has stuff in it and put it in results


mergeSort function
merge Function
97 0 22 -30
Split the array into two then split those halves
97 0
22 -30
Split the array into two then split those halves
97
0
22
-30
Array is size one, can't split anymore. Let's join thse two together
0 97
-30 22
Join these two together
-30 0 22 97


mergeSort
call #1
97
0
mergeSort
call #2
97
0
mergeSort
call #3
Both mergeSort
calls return the
array
0
97
Pass both halves
into 'merge'
0
97