

DeepCardio-RAG Clinical Report System

AI-Powered Diagnostic Report | CONFIDENTIAL

PATIENT INFORMATION

Patient ID: ECG-20260303-2100
Report Type: AI-Assisted 12-Lead ECG Diagnostic Report
Date of Study: March 03, 2026 at 21:00
Referring Physician: Dr. A. Smith, Cardiology Dept.
AI System: DeepCardio-RAG v2.0 (1D-CNN + Transformer + RAG)

CLINICAL FINDINGS

ECG Parameters

Heart Rate: 72 bpm (Normal Sinus Rhythm)
PR Interval: 160 ms (Normal: 120-200 ms)
QRS Duration: 90 ms (Normal: 80-120 ms)
QTc Interval: 410 ms (Normal: < 450 ms in males, < 470 ms in females)

AI-Generated Diagnostic Report

Test report

RETRIEVED CLINICAL KNOWLEDGE (RAG)

The following clinical guidelines and case references were retrieved from the Milvus Vector Database (50,000+ annotated cardiac cases):

Reference 1:

Guideline 1

AI MODEL PERFORMANCE METRICS

Metric	Value	Benchmark
Inference Time	1.5s	< 2.0s
BLEU-4 Score	0.847	> 0.80
Feature Extraction Accuracy	94.7% (1D-CNN)	> 90%
Hallucination Reduction	-78% vs GPT-4	Significant
RAG Knowledge Base	50,000+ cases	Comprehensive

IMPRESSION & RECOMMENDATIONS

IMPRESSION:

This AI-assisted analysis suggests the ECG recording is within normal physiological parameters. The 1D-CNN encoder achieved

DeepCardio-RAG Clinical Report System

AI-Powered Diagnostic Report | CONFIDENTIAL

high-confidence feature extraction and the RAG-augmented transformer generated a clinically coherent diagnostic report with minimal hallucination.

RECOMMENDATIONS:

- Clinical correlation recommended. This report is AI-generated and should be reviewed by a board-certified cardiologist.
- Repeat ECG in 6 months for routine monitoring or sooner if symptoms develop.
- Consider echocardiography if structural abnormalities are suspected.

AI MODEL PERFORMANCE METRICS

Metric	Value	Benchmark
Inference Time	1.5s	< 2.0s
BLEU-4 Score	0.847	> 0.80
Feature Extraction Accuracy	94.7% (1D-CNN)	> 90%
Hallucination Reduction	-78% vs GPT-4	Significant
RAG Knowledge Base	50,000+ cases	Comprehensive

IMPRESSION & RECOMMENDATIONS

IMPRESSION:

This AI-assisted analysis suggests the ECG recording is within normal physiological parameters. The 1D-CNN encoder achieved high-confidence feature extraction and the RAG-augmented transformer generated a clinically coherent diagnostic report with minimal hallucination.

RECOMMENDATIONS:

- Clinical correlation recommended. This report is AI-generated and should be reviewed by a board-certified cardiologist.
- Repeat ECG in 6 months for routine monitoring or sooner if symptoms develop.
- Consider echocardiography if structural abnormalities are suspected.

Reviewed by: Dr. A. Smith, MD, FACC

Board Certified Cardiologist | Cardiology Department

This report was generated with AI assistance and requires clinical validation.