

```
In [1]: import pandas as pd
```

```
In [2]: data=pd.read_csv("/home/placement/Desktop/naren/Advertising.csv")
```

```
In [3]: data.describe()
```

```
Out[3]:
```

| | Unnamed: 0 | TV | radio | newspaper | sales |
|-------|------------|------------|------------|------------|------------|
| count | 200.000000 | 200.000000 | 200.000000 | 200.000000 | 200.000000 |
| mean | 100.500000 | 147.042500 | 23.264000 | 30.554000 | 14.022500 |
| std | 57.879185 | 85.854236 | 14.846809 | 21.778621 | 5.217457 |
| min | 1.000000 | 0.700000 | 0.000000 | 0.300000 | 1.600000 |
| 25% | 50.750000 | 74.375000 | 9.975000 | 12.750000 | 10.375000 |
| 50% | 100.500000 | 149.750000 | 22.900000 | 25.750000 | 12.900000 |
| 75% | 150.250000 | 218.825000 | 36.525000 | 45.100000 | 17.400000 |
| max | 200.000000 | 296.400000 | 49.600000 | 114.000000 | 27.000000 |

```
In [4]: data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 5 columns):
#   Column      Non-Null Count  Dtype
---  -
0   Unnamed: 0   200 non-null    int64
1   TV           200 non-null    float64
2   radio        200 non-null    float64
3   newspaper    200 non-null    float64
4   sales        200 non-null    float64
dtypes: float64(4), int64(1)
memory usage: 7.9 KB
```

```
In [5]: data.head()
```

```
Out[5]:
```

| | Unnamed: 0 | TV | radio | newspaper | sales |
|---|------------|-------|-------|-----------|-------|
| 0 | 1 | 230.1 | 37.8 | 69.2 | 22.1 |
| 1 | 2 | 44.5 | 39.3 | 45.1 | 10.4 |
| 2 | 3 | 17.2 | 45.9 | 69.3 | 9.3 |
| 3 | 4 | 151.5 | 41.3 | 58.5 | 18.5 |
| 4 | 5 | 180.8 | 10.8 | 58.4 | 12.9 |

```
In [6]: data1=data.drop(["Unnamed: 0"],axis=1)
```

```
In [7]: data1
```

```
Out[7]:
```

| | TV | radio | newspaper | sales |
|-----|-------|-------|-----------|-------|
| 0 | 230.1 | 37.8 | 69.2 | 22.1 |
| 1 | 44.5 | 39.3 | 45.1 | 10.4 |
| 2 | 17.2 | 45.9 | 69.3 | 9.3 |
| 3 | 151.5 | 41.3 | 58.5 | 18.5 |
| 4 | 180.8 | 10.8 | 58.4 | 12.9 |
| ... | ... | ... | ... | ... |
| 195 | 38.2 | 3.7 | 13.8 | 7.6 |
| 196 | 94.2 | 4.9 | 8.1 | 9.7 |
| 197 | 177.0 | 9.3 | 6.4 | 12.8 |
| 198 | 283.6 | 42.0 | 66.2 | 25.5 |
| 199 | 232.1 | 8.6 | 8.7 | 13.4 |

200 rows × 4 columns

```
In [8]: y=data1['sales']  
x=data1.drop(['sales'],axis=1)
```

```
In [9]: x
```

```
Out[9]:
```

| | TV | radio | newspaper |
|-----|-------|-------|-----------|
| 0 | 230.1 | 37.8 | 69.2 |
| 1 | 44.5 | 39.3 | 45.1 |
| 2 | 17.2 | 45.9 | 69.3 |
| 3 | 151.5 | 41.3 | 58.5 |
| 4 | 180.8 | 10.8 | 58.4 |
| ... | ... | ... | ... |
| 195 | 38.2 | 3.7 | 13.8 |
| 196 | 94.2 | 4.9 | 8.1 |
| 197 | 177.0 | 9.3 | 6.4 |
| 198 | 283.6 | 42.0 | 66.2 |
| 199 | 232.1 | 8.6 | 8.7 |

200 rows × 3 columns

```
In [10]: y
```

```
Out[10]: 0      22.1  
         1      10.4  
         2       9.3  
         3      18.5  
         4      12.9  
         ...  
        195     7.6  
        196     9.7  
        197    12.8  
        198    25.5  
        199    13.4  
        Name: sales, Length: 200, dtype: float64
```

```
In [11]: from sklearn.model_selection import train_test_split  
         x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.33,random_state=42)
```

```
In [12]: x_test.head(5)
```

```
Out[12]:
```

| | TV | radio | newspaper |
|-----|-------|-------|-----------|
| 95 | 163.3 | 31.6 | 52.9 |
| 15 | 195.4 | 47.7 | 52.9 |
| 30 | 292.9 | 28.3 | 43.2 |
| 158 | 11.7 | 36.9 | 45.2 |
| 128 | 220.3 | 49.0 | 3.2 |

```
In [13]: y_test.head(5)
```

```
Out[13]: 95      16.9  
         15      22.4  
         30      21.4  
         158     7.3  
         128     24.7  
        Name: sales, dtype: float64
```

```
In [14]: x_train.head(5)
```

```
Out[14]:
```

| | TV | radio | newspaper |
|-----|-------|-------|-----------|
| 42 | 293.6 | 27.7 | 1.8 |
| 189 | 18.7 | 12.1 | 23.4 |
| 90 | 134.3 | 4.9 | 9.3 |
| 136 | 25.6 | 39.0 | 9.3 |
| 51 | 100.4 | 9.6 | 3.6 |

```
In [15]: y_train.head(5)
```

```
Out[15]: 42      20.7
189      6.7
90      11.2
136      9.5
51      10.7
Name: sales, dtype: float64
```

```
In [18]: from sklearn.linear_model import Lasso
from sklearn.model_selection import GridSearchCV
lasso = Lasso()
parameters = {'alpha': [1e-15, 1e-10, 1e-8, 1e-4, 1e-3, 1e-2, 1, 5, 10, 20]}
lasso_regressor = GridSearchCV(lasso, parameters)
lasso_regressor.fit(x_train, y_train)
```

```
Out[18]: GridSearchCV(estimator=Lasso(),
                      param_grid={'alpha': [1e-15, 1e-10, 1e-08, 0.0001, 0.001, 0.01, 1,
                                             5, 10, 20]})
```

**In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.
On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.**

```
In [19]: lasso_regressor.best_params_
```

```
Out[19]: {'alpha': 1}
```


```
In [20]: lasso=Lasso(alpha=0.01)
lasso.fit(x_train,y_train)
y_pred_lasso=lasso.predict(x_test)
```

```
In [21]: from sklearn.metrics import r2_score
r2_score(y_test,y_pred_lasso)
```

```
Out[21]: 0.8555927456329158
```

```
In [22]: import seaborn as sns  
import matplotlib.pyplot as mp  
sns.boxplot(data1.sales)
```

Out[22]: <Axes: >



In []: