# Nitrile Exam Gloves, Powder-Free, Medium, Blue

Item # DEM-1001 | Prepared per OSHA HCS 29 CFR 1910.1200 | Rev. 1.0

## 1. Identification

| | |
|---|---|
| **Product name** | Nitrile Exam Gloves, Powder-Free, Medium, Blue |
| **Item #** | DEM-1001 |
| **Recommended use** | Single-use patient examination gloves for clinical and dental procedures. |
| **Restrictions on use** | Not for surgical use. Do not reuse. |
| **Manufacturer** | Demo Manufacturer01, 100 Demo Way, Anytown, USA |
| **Phone** | (555) 010-0100 |
| **Emergency phone** | (555) 010-0199 (24 hours) |

## 2. Hazard(s) Identification

| | |
|---|---|
| **Classification** | Not classified as hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is a manufactured article and does not release hazardous substances under normal conditions of use. |
| **Label elements** | Signal word: None. Hazard pictograms: None. Hazard statements: None. |
| **Other hazards** | May cause allergic skin reactions in individuals sensitive to rubber processing chemicals (accelerators). |

## 3. Composition / Information on Ingredients

| | |
|---|---|
| **Acrylonitrile-butadiene rubber (nitrile)** | CAS 9003-18-3, primary component |
| **Other components** | Pigment, processing aids and accelerators in trace amounts |
| **Hazardous ingredients** | None at reportable concentrations. |

## 4. First-Aid Measures

| | |
|---|---|
| **Skin contact** | Not expected to cause irritation. If redness, itching or rash occurs, remove gloves, wash hands with soap and water, and seek medical attention if symptoms persist. |
| **Eye contact** | Not expected under normal use. If particles or debris enter the eye, rinse with water for several minutes. Seek medical attention if irritation persists. |
| **Inhalation** | Not a likely route of exposure. |
| **Ingestion** | Not a likely route of exposure. If swallowed, seek medical advice. |

# Nitrile Exam Gloves, Powder-Free, Medium, Blue

Item # DEM-1001 | Prepared per OSHA HCS 29 CFR 1910.1200 | Rev. 1.0

## 5. Fire-Fighting Measures

| | |
|---|---|
| **Extinguishing media** | Water spray, foam, dry chemical or carbon dioxide. |
| **Specific hazards** | Combustion may produce carbon monoxide, carbon dioxide, nitrogen oxides and hydrogen cyanide. |
| **Protective equipment** | Firefighters should wear self-contained breathing apparatus and full protective gear. |

## 6. Accidental Release Measures

| | |
|---|---|
| **Procedures** | No special measures required. Collect product and place in a suitable container for reuse or disposal. |

## 7. Handling and Storage

| | |
|---|---|
| **Handling** | Handle in accordance with good hygiene practices. Single-use only; do not reuse. |
| **Storage** | Store in original packaging in a cool, dry place away from direct sunlight, ozone sources and heat. |

## 8. Exposure Controls / Personal Protection

| | |
|---|---|
| **Exposure limits** | No occupational exposure limits established for this product. |
| **Engineering controls** | None required. |
| **Personal protection** | None required for handling the unused product. |

## 9. Physical and Chemical Properties

| | |
|---|---|
| **Appearance** | Blue, flexible glove; powder-free with textured fingertips |
| **Physical state** | Solid |
| **Odor** | Odorless to slight characteristic odor |
| **Solubility in water** | Insoluble |
| **Flash point / flammability** | Not applicable (solid article); combustible if exposed to fire |

## 10. Stability and Reactivity

| | |
|---|---|
| **Chemical stability** | Stable under recommended storage conditions. |
| **Conditions to avoid** | Excessive heat, open flame and prolonged direct sunlight. |
| **Incompatible materials** | Strong oxidizing agents. |
| **Hazardous decomposition** | Carbon monoxide, carbon dioxide, nitrogen oxides and hydrogen cyanide when burned. |

# Nitrile Exam Gloves, Powder-Free, Medium, Blue

Item # DEM-1001 | Prepared per OSHA HCS 29 CFR 1910.1200 | Rev. 1.0

## 11. Toxicological Information

| | |
|---|---|
| **Acute toxicity** | Not expected to be toxic under normal conditions of use. |
| **Sensitization** | Natural rubber latex free. Residual accelerators may cause Type IV (delayed) allergic contact dermatitis in sensitive individuals. |
| **Carcinogenicity** | No components listed as carcinogens by IARC, NTP or OSHA. |

## 12. Ecological Information

| | |
|---|---|
| **Ecotoxicity** | Not expected to be harmful to aquatic life. |
| **Persistence** | Not readily biodegradable. |

## 13. Disposal Considerations

| | |
|---|---|
| **Unused product** | Dispose of in accordance with federal, state and local regulations. |
| **Used product** | Items contaminated with blood, body fluids or other infectious material must be handled and disposed of as regulated medical waste. |

## 14. Transport Information

| | |
|---|---|
| **DOT** | Not regulated as a hazardous material. |
| **IATA / IMDG** | Not regulated. |

## 15. Regulatory Information

| | |
|---|---|
| **OSHA** | Not hazardous under 29 CFR 1910.1200. |
| **FDA** | Regulated by the FDA as a patient examination glove (21 CFR 880.6250). |
| **TSCA** | All components are listed or exempt. |

## 16. Other Information

| | |
|---|---|
| **Date prepared** | October 28, 2026 |
| **Revision** | 1.0 |
| **Disclaimer** | The information in this sheet is believed to be accurate as of the date prepared and is provided for demonstration purposes only. It is not a substitute for the manufacturer's official documentation. |