## In [2]:

```
import pandas as pd
import numpy as np
from sklearn import preprocessing
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="white")
sns.set(style="whitegrid",color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

# In [3]:

df=pd.read\_csv(r"C:\Users\RAMADEVI SURIPAKA\Downloads\used\_cars\_data.csv")
df

# Out[3]:

	S.No.	Name	Location	Year	Kilometers_Driven	Fuel_Type	Transmission	Owr
0	0	Maruti Wagon R LXI CNG	Mumbai	2010	72000	CNG	Manual	
1	1	Hyundai Creta 1.6 CRDi SX Option	Pune	2015	41000	Diesel	Manual	
2	2	Honda Jazz V	Chennai	2011	46000	Petrol	Manual	
3	3	Maruti Ertiga VDI	Chennai	2012	87000	Diesel	Manual	
4	4	Audi A4 New 2.0 TDI Multitronic	Coimbatore	2013	40670	Diesel	Automatic	
7248	7248	Volkswagen Vento Diesel Trendline	Hyderabad	2011	89411	Diesel	Manual	
7249	7249	Volkswagen Polo GT TSI	Mumbai	2015	59000	Petrol	Automatic	
7250	7250	Nissan Micra Diesel XV	Kolkata	2012	28000	Diesel	Manual	
7251	7251	Volkswagen Polo GT TSI	Pune	2013	52262	Petrol	Automatic	
7252	7252	Mercedes- Benz E- Class 2009- 2013 E 220 CDI Avan	Kochi	2014	72443	Diesel	Automatic	
7253 1	rows ×	14 columns						

7253 rows × 14 columns

localhost:8888/notebooks/Downloads/cars data.ipynb

# In [4]:

df.head()

# Out[4]:

	S.No.	Name	Location	Year	Kilometers_Driven	Fuel_Type	Transmission	Owner_T
0	0	Maruti Wagon R LXI CNG	Mumbai	2010	72000	CNG	Manual	F
1	1	Hyundai Creta 1.6 CRDi SX Option	Pune	2015	41000	Diesel	Manual	F
2	2	Honda Jazz V	Chennai	2011	46000	Petrol	Manual	F
3	3	Maruti Ertiga VDI	Chennai	2012	87000	Diesel	Manual	F
4	4	Audi A4 New 2.0 TDI Multitronic	Coimbatore	2013	40670	Diesel	Automatic	Sec
4								•

# In [5]:

df.shape

# Out[5]:

(7253, 14)

# In [6]:

df.describe()

# Out[6]:

	S.No.	Year	Kilometers_Driven	Seats	Price
count	7253.000000	7253.000000	7.253000e+03	7200.000000	6019.000000
mean	3626.000000	2013.365366	5.869906e+04	5.279722	9.479468
std	2093.905084	3.254421	8.442772e+04	0.811660	11.187917
min	0.000000	1996.000000	1.710000e+02	0.000000	0.440000
25%	1813.000000	2011.000000	3.400000e+04	5.000000	3.500000
50%	3626.000000	2014.000000	5.341600e+04	5.000000	5.640000
75%	5439.000000	2016.000000	7.300000e+04	5.000000	9.950000
max	7252.000000	2019.000000	6.500000e+06	10.000000	160.000000

## In [7]:

## df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 7253 entries, 0 to 7252
Data columns (total 14 columns):

#	Column	Non-Null Count	Dtype
0	S.No.	7253 non-null	int64
1	Name	7253 non-null	object
2	Location	7253 non-null	object
3	Year	7253 non-null	int64
4	Kilometers_Driven	7253 non-null	int64
5	Fuel_Type	7253 non-null	object
6	Transmission	7253 non-null	object
7	Owner_Type	7253 non-null	object
8	Mileage	7251 non-null	object
9	Engine	7207 non-null	object
10	Power	7207 non-null	object
11	Seats	7200 non-null	float64
12	New_Price	1006 non-null	object
13	Price	6019 non-null	float64
	67 (64/6)	64/3)   1 1 1/6)	

dtypes: float64(2), int64(3), object(9)

memory usage: 793.4+ KB

### In [8]:


### df.isnull().sum()

## Out[8]:

S.No. 0 Name 0 0 Location Year 0 Kilometers\_Driven 0 Fuel\_Type 0 Transmission 0 Owner\_Type 0 Mileage 2 Engine 46 Power 46 53 Seats New\_Price 6247 Price 1234 dtype: int64

### In [9]:

```
ax=df["Seats"].hist(bins=10,density=True,stacked=True,color='blue',alpha=0.6)
df["Seats"].plot(kind='density',color='violet')
ax.set(xlabel='Seats')
plt.xlim(-0,25)
plt.show()
```



### In [10]:

```
print(df["Seats"].mean(skipna=True))
print(df["Seats"].median(skipna=True))
```

5.27972222222222

5.0

#### In [11]:

```
print(df["New_Price"].isnull().sum()/df.shape[0])
print(df["Price"].isnull().sum()/df.shape[0])
print(df["Mileage"].isnull().sum()/df.shape[0])
print(df["Engine"].isnull().sum()/df.shape[0])
print(df["Power"].isnull().sum()/df.shape[0])
```


- 0.8612987729215497
- 0.1701364952433476
- 0.0002757479663587481
- 0.006342203226251206
- 0.006342203226251206

#### In [14]:

```
print(df['Engine'].value_counts())
sns.countplot(x='Engine',data=df,palette='Set3')
plt.xlim(-0,45)
plt.show()
Engine
```

1197 CC 732 1248 CC 610 1498 CC 370 998 CC 309 1198 CC 281 1489 CC 1 1422 CC 1 2706 CC 1 1978 CC 1 1389 CC 1

Name: count, Length: 150, dtype: int64



### In [16]:

```
data=df.copy()
data['Seats'].fillna(df['Seats'].median(skipna=True),inplace=True)
data.drop('New_Price',axis=1,inplace=True)
data['Price'].fillna(df['Price'].median(skipna=True),inplace=True)
data['Mileage'].fillna(df['Mileage'].value_counts().idxmax(),inplace=True)
data.drop('Engine',axis=1,inplace=True)
data.drop('Power',axis=1,inplace=True)
```

### TO FIND THE MISSING VALUES

# In [17]:

data.isnull().sum()

# Out[17]:

S.No. 0 Name 0 Location 0 Year 0 Kilometers\_Driven 0 Fuel\_Type 0 0 Transmission Owner\_Type 0 0 Mileage Seats 0 Price 0 dtype: int64

# In [18]:


data.head()

# Out[18]:

	S.No.	Name	Location	Year	Kilometers_Driven	Fuel_Type	Transmission	Owner_T
0	0	Maruti Wagon R LXI CNG	Mumbai	2010	72000	CNG	Manual	F
1	1	Hyundai Creta 1.6 CRDi SX Option	Pune	2015	41000	Diesel	Manual	F
2	2	Honda Jazz V	Chennai	2011	46000	Petrol	Manual	F
3	3	Maruti Ertiga VDI	Chennai	2012	87000	Diesel	Manual	F
4	4	Audi A4 New 2.0 TDI Multitronic	Coimbatore	2013	40670	Diesel	Automatic	Sec
4								<b>&gt;</b>

### In [19]:

```
plt.figure(figsize=(15,8))
ax=df["Price"].hist(bins=10,density=True,stacked=True,color='blue',alpha=0.6)
df["Price"].plot(kind='density',color='teal')
ax.legend(['Mileage','Seats'])
ax.set(xlabel='Price')
plt.xlim(-9,80)
plt.show()
```



### In [21]:

```
training=pd.get_dummies(data,columns=["S.No."])
final_train=training
final_train.head()
```

### Out[21]:

	Name	Location	Year	Kilometers_Driven	Fuel_Type	Transmission	Owner_Type	Mi
0	Maruti Wagon R LXI CNG	Mumbai	2010	72000	CNG	Manual	First	
1	Hyundai Creta 1.6 CRDi SX Option	Pune	2015	41000	Diesel	Manual	First	
2	Honda Jazz V	Chennai	2011	46000	Petrol	Manual	First	
3	Maruti Ertiga VDI	Chennai	2012	87000	Diesel	Manual	First	
4	Audi A4 New 2.0 TDI Multitronic	Coimbatore	2013	40670	Diesel	Automatic	Second	

#### 5 rows × 7263 columns

**→** 

## **EXPLORATORY DATA ANALASYS**


# In [23]:

```
sns.barplot(x='Price',y='Year',data=final_train,color='mediumturquoise')
plt.show()
```



# In [25]:

```
import seaborn as sns
import matplotlib.pyplot as plt
sns.barplot(x='Year',y='Seats',data=df,color='aquamarine')
plt.show()
```



## In [ ]: