

NIM : G.211.22.0060

[illegible]

The screenshot shows the Postman REST client interface. The top bar includes navigation icons, a search bar, and buttons for 'Invite', 'Upgrade', and 'No environment'. The left sidebar shows 'My Workspace' with a collection named 'REST API basics: CRUD, test & variable'. The main area displays a POST request to 'localhost:8000/api/user-profile'. The 'Authorization' tab is selected, showing a 'Bearer Token' header. A warning message states: 'Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables.' The 'Body' tab is selected, showing a JSON response with user details.

Request:

- Method: POST
- URL: localhost:8000/api/user-profile
- Authorization: Bearer Token


Response:

```


{
  "id": 1,
  "name": "admin",
  "email": "admin@gmail.com",
  "email_verified_at": null,
  "password": "$2y$10$Xo0e4suc/gN6XvKE1td3Bek7buF7Ez88zsu7mKVmy3f5Q0Knnf4y",
  "remember_token": null,
  "created_at": "2024-11-14T09:24:38.000000Z",
  "updated_at": "2024-11-14T09:24:38.000000Z"
}

```

Request POST localhost:8000/api/refresh



Request POST localhost:8000/api/logout



Request GET localhost:8000/api/wisata (tanpa Auth)

