M.RAMAKRISHNA RAJU

2400031163 s-3

```
MINGW64:/c/Users/ramak/fsad-skill1

ramak@RAMKI MINGW64 ~ (master)
$ mkdir fsad-skill1

ramak@RAMKI MINGW64 ~ (master)
$ ^[[200~cd fsad-skill1
bash: $'\E[200~cd': command not found

ramak@RAMKI MINGW64 ~ (master)
$ cd fsad-skill1

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git init
Initialized empty Git repository in C:/Users/ramak/fsad-skill1/.git/

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git config --global user.name "ramki"

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git config --global user.email "ramakrishnamanivelthi@gmail.com"

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=ramki
user.email=ramakrishnamanivelthi@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ notepad main.java


ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
```

MINGW64:/c/Users/ramak/fsad-skill1

```
ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ notepad main.java


ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ notepad notes.txt

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        main.java
        notes.txt

nothing added to commit but untracked files present (use "git add" to track)

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git add .

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git commit -m "Initial commit - added main.java and notes.txt"
[master (root-commit) 49079f5] Initial commit - added main.java and notes.txt
 2 files changed, 11 insertions(+)
 create mode 100644 main.java
 create mode 100644 notes.txt

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git remote add origin https://github.com/Ramakrishna7733/FSAD-WORKBOOK.git

ramak@RAMKI MINGW64 ~/fsad-skill1 (master)
$ git branch -M main

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 20 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 499 bytes | 249.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ramakrishna7733/FSAD-WORKBOOK.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git checkout -b feature-update
Switched to a new branch 'feature-update'

ramak@RAMKI MINGW64 ~/fsad-skill1 (feature-update)
$ git add .
g
ramak@RAMKI MINGW64 ~/fsad-skill1 (feature-update)
$ git commit -m "Feature update-modified notes.txt"
On branch feature-update
nothing to commit, working tree clean
```

```
ramak@RAMKI MINGW64 ~/fsad-skill1 (feature-update)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git checkout -b bug-fix
Switched to a new branch 'bug-fix'

ramak@RAMKI MINGW64 ~/fsad-skill1 (bug-fix)
$ git add .

ramak@RAMKI MINGW64 ~/fsad-skill1 (bug-fix)
$ git commit -m "Bug fix-updated main.java"
On branch bug-fix
nothing to commit, working tree clean

ramak@RAMKI MINGW64 ~/fsad-skill1 (bug-fix)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git merge feature-update
Already up to date.

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git merge bug-fix
Already up to date.

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git push origin main
Everything up-to-date

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git push origin feature-update
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-update' on GitHub by visiting:
remote:      https://github.com/Ramakrishna7733/FSAD-WORKBOOK/pull/new/feature-u
pdate
remote:
To https://github.com/Ramakrishna7733/FSAD-WORKBOOK.git
 * [new branch]      feature-update -> feature-update

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git push origin bug-fix
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'bug-fix' on GitHub by visiting:
remote:      https://github.com/Ramakrishna7733/FSAD-WORKBOOK/pull/new/bug-fix
remote:
To https://github.com/Ramakrishna7733/FSAD-WORKBOOK.git
 * [new branch]      bug-fix -> bug-fix

ramak@RAMKI MINGW64 ~/fsad-skill1 (main)
$ git log --oneline --graph --all
* 49079f5 (HEAD -> main, origin/main, origin/feature-update, origin/bug-fix, fea
ture-update, bug-fix) Initial commit - added main.java and notes.txt
```


Ramakrishna7733 / FSAD-WORKBOOK
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
FSAD-WORKBOOK
Public
Pin
Watch 0
Fork 0
Star 0
main
3 Branches
0 Tags
Go to file
t
Add file
Code
About
No description, website, or topics provided.
Activity
0 stars
0 watching
0 forks
Ramki-M Initial commit — added main.java and notes.txt
49079f5 · 23 minutes ago
1 Commit
main.java
Initial commit — added main.java and notes.txt
23 minutes ago
notes.txt
Initial commit — added main.java and notes.txt
23 minutes ago
README
Add a README
Help people interested in this repository understand your project.
Add a README
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Languages
Java 100.0%
Suggested workflows
Based on your tech stack
Scala
Configure


Ramakrishna7733 / FSAD-WORKBOOK
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
Branches
New branch
Overview
Yours
Active
Stale
All
Search branches...
Default
Branch
Updated
Check status
Behind
Ahead
Pull request
main
20 minutes ago
Default
Your branches
bug-fix
14 minutes ago
0
0
feature-update
15 minutes ago
0
0
Active branches
bug-fix
14 minutes ago
0
0
feature-update
15 minutes ago
0
0

Viva voce:

1.Why is Git used in development?

Git is used for:

- Version control
- Tracking changes in source code
- Collaboration among developers

2.What information is stored in Git configuration?

Git stores:

- Username
- Email ID
- Editor preference
- Default branch name
- Merge & diff settings

3.What is Maven and why is it used?

Maven is a **build automation & dependency management tool** for Java projects.

It is used to:

- Download libraries automatically
- Manage project structure
- Handle builds & packaging

4.What is the role of POM.xml?

pom.xml = Project Object Model file

It contains:

- Project details (name, version, group id)
- Dependencies (libraries)
- Build plugins

5.Explain Maven Build Life Cycle

Maven has three main life cycles:

1) Clean

clean → removes previous build files

2) Default / Build

Common phases (in order):

validate

compile

test

package

verify

install

deploy

3) Site

Generates project documentation.