EXP.NO: 5	Write a Servlet to demonstrate the difference between HTTP GET and POST methods by creating a form and handling requests accordingly.
DATE:05/03/2025	

AIM:

To demonstrate the difference between the HTTP GET and POST methods by creating a form in an HTML page and handling the form submissions using two different HTTP methods in a Java Servlet.

ALGORITHM:

1. Input:

- The user fills out a web form with their **name** and **email**.
- The form will use both **GET** and **POST** methods for data submission.

2. Steps for Creating and Handling the HTTP GET and POST Requests:

1. **Create an HTML Form:**
   - Design an HTMLform with two input fields: one for the **name** and one for the **email**.
   - Create two buttons to allow the user to submit the form using **GET** or **POST** methods.
   - Use the action attribute to define the **Servlet URL** and specify the form method (either GET or POST).
2. **Create the Servlet to Handle GET and POST Requests:**
   - Write a Java Servlet class that will handle **bothGETandPOSTrequests**.
   - The servlet will have two methods:
     - doGet() to handle the GET requests.
     - doPost() to handle the POST requests.
   - In both methods, retrieve the form data using request.getParameter().
   - In the doGet() method, process and display the data in the URL.

- In the doPost() method, process and display the data in the HTTP request body.

3. **Handle GET Requests in the Servlet:**
   - In the doGet() method, use request.getParameter() to retrieve the name and email submitted via GET.
   - Output the data as a response, including the **name** and **email** in the URL (visible to the user).
4. **Handle POST Requests in the Servlet:**
   - In the doPost()method, use request.getParameter() to retrieve the name and email submittedviaPOST.
   - Output the dataasaresponse, displaying the **name** and **email** without exposing themintheURL (more secure).
5. **Return the Output:**
   - The Servlet shouldreturn an HTML page displaying the **name** and **email** entered by the user.
   - For the **GET method**, the output should be visible in the URL.
   - For the **POST method**, the output should be visible in the response body, not the URL.
6. **Deploy and Test the Servlet:**
   - Compile the Servlet class and deploy it to a **Servlet container** (like **Apache Tomcat**).
   - Test the form using **GET** and **POST** methods to see the difference in data submission.
7. **Observe and Compare GET and POST Results:**
   - Test the**GET method**: The form data is sentinthe URL.
   - Test the **POST method**: The form data is sentinthe HTTP request body, not visible in the URL.

Program :

Index.html :

```
<form action="MethodServlet" method="get">
 Enter Name: <   input type="text" name="name">
   <button type="submit">Send via GET</button>
</form>


<br>


<form action="MethodServlet" method="post">
   Enter Name:< input type="text" name="name">
   <button type="submit">Send via POST</button>
</form>
```

Servlet program:

```
package com.get;      // ⚠keep your actual package name


import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
```

```
@WebServlet("/MethodServlet") // VERY IMPORTANT
public class MethodServlet extends HttpServlet {

   protected void doGet(HttpServletRequest request,          HttpServletResponse
response)
          throws ServletException, IOException {

       String name = request.getParameter("name");

       response.setContentType("text/html");
       PrintWriter out = response.getWriter();

       out.println("<html><body                          style='text-align:center;font-
family:Arial;background:#e3f2fd;'>");
       out.println("<h1 style='color:blue;'>GET Method Used</h1>");
       out.println("<h2>Hello " + name + "</h2>");
       out.println("</body></html>");
   }

   protected void doPost(HttpServletRequest request,          HttpServletResponse
response)
          throws ServletException, IOException {

       String name = request.getParameter("name");
```

```
        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        out.println("<html><body style='text-align:center;font-family:Arial;background:#ffebee;'>");
        out.println("<h1 style='color:red;'>POST Method Used</h1>");
        out.println("<h2>Hello " + name + "</h2>");
        out.println("</body></html>");
    }
}
```

Output:




Web-Technology/exp-5/server
Projects - Canva
web exp4.pdf - A4
Result
Ask Gemini
127.0.0.1:8000/MethodServlet?name=Pravin
School
GET Method Used
Hello Pravin
Show desktop
34°C
Sunny
Search
ENG
IN
10:40
19-04-2026


Web-Technology/exp-5/server
Projects - Canva
web exp4.pdf - A4
Result
Ask Gemini
127.0.0.1:8000/MethodServlet
School
POST Method Used
Hello Pravin
34°C
Sunny
Search
ENG
IN
10:41
19-04-2026

RESULT:

A Servlet is created to demonstrate the difference between HTTP GET and POST methods by creating a form and handling requests accordingly.