

Tablename	columns	datatype	description
location	location_id	Int	specifies the location id
	location_name	Varchar(75)	specifies the location name
	location_address	Varchar(75)	specifies the location address
	latitude	Varchar(75)	specifies the latitude
	longitude	Varchar(75)	specifies the longitude
	drop_off_point	Varchar(75)	specifies the drop off point
vehicle	vehicle_id	Int	specifies the vehicle_id
	vehicle_plate	Varchar(75)	specifies the vehicle_plate
	model	Varchar(75)	specifies the model
	make	Varchar(75)	specifies the make
Payment	person_id	Int	Unique Id of a person
	payment_id	Int	specifies the payment id
	payment_method	Varchar(100)	specifies the payment method
	cardtype	Varchar(50)	specifies the card type
	CVV	Int	specifies the CVV number of the card
	Name_of_Card	varchar(100)	specifies the Name on the Card
Staff	Staff_id	Int	specifies the staff id
	person_id	Int	specifies the person id
	position	Varchar(75)	specifies the position
	is_admin	Varchar(1)	specifies the current admin
Delivery	delivery_id	Int	specifies the delivery id
	driver_id	Int	specifies the driver id
	vehicle_id	Int	specifies the vehicle id
	delivery_time	DateTime	specifies the delivery date and time
Item_file	order_id	Int	specifies the order id
	items_id	Int	specifies the items id
	quantity	Int	specifies the quantity
	special_instructions	Varchar(75)	specifies any special instructions
Order	order_id	Int	specifies the order id
	person_id	Int	specifies the person id
	delivery_id	Int	specifies the delivery id
	location_id	Int	specifies the location id
	driver_id	Int	specifies the driver id
	restaurant_id	Int	specifies the restaurant id
	total_price	Float	specifies the total price
	delivery_charge	Float	specifies the delivery charge
Rating	restaurant_id	Int	specifies the restaurant id
	driver_id	Int	specifies the driver id
	rating	Int	specifies the rating
	picture	BLOB	specifies the picture
	comments	Varchar(1000)	specifies the comments
Person	person_id	Int	specifies the person id
	person_name	Varchar(300)	specifies the person name
	person_email	Varchar(150)	specifies the person email
	cell	BIGINT	specifies the cell

Student	student_id	Int	specifies the student id
	person_id	Int	specifies the person id
	graduation_year	Int	specifies the graduation year
	major	Varchar(75)	specifies the major
	type	Varchar(75)	specifies the student type
menu	restaurant_id	Int	specifies the restaurant id
	items_id	Int	specifies the item id
	Items	Varchar(75)	specifies the items in the menu
Invoice	Payment_id	Int	specifies the payment id
	Invoice_id	Int	specifies the invoice id
	flat_fee	Float	specifies the flat fee
	Tip	Float	specifies the tip
	Total_cost	Float	specifies the total cost
Restaurant	restaurant_id	Int	specifies the restaurant id
	location	Varchar(75)	specifies the location
	restaurant_name	Varchar(75)	specifies the restaurant name
	schedule	Varchar(75)	specifies the schedule
	website	Varchar(75)	specifies the website
faculty	faculty_id	Int	specifies the faculty id
	person_id	Int	specifies the person id
	title	Varchar(75)	specifies the title
	degree_college	Varchar(75)	specifies the degree
	highest_degree	Varchar(75)	
restaurant_rating	restaurant_id	Int	specifies the restaurant id
	order_id	Int	specifies the order id
	food_quality	Int	specifies the quality of the food.
	service	Int	specifies the service
	atmosphere	Int	specifies the atmosphere
	affordability	Int	specifies the affordability
	restaurant total rating	Float	specifies the total rating
driver_rating	driver_id	Int	specifies the driver id
	order_id	Int	specifies the order id
	rating	Int	specifies the rating for the driver