


Roll: 2420090043

Name : R. Rahul

## Git and GitHub (Commits)

1. Install **Git** on the system.
2. Open **Command Prompt** or Git Bash.
3. Create a new project folder.



```
MINGW64/c/Users/ykran
ykranthi@MINGW64 ~$ git --version
git version 2.55.0.windows.3

ykranthi@MINGW64 ~$ ls
AppData/
Application Data/
Contacts/
Cookies/
Desktop/
Documents/
Downloads/
Favorites/
Frontend/
Links/
Local Settings/
My Documents/
NTUSER.DAT
NTUSER.DAT{d24ba537-83a7-11f1-9917-e988d371d801}.TM.b1f
NTUSER.DAT{d24ba537-83a7-11f1-9917-e988d371d801}.TMContainer00000000000000000001.regtrans-ms
NTUSER.DAT{d24ba537-83a7-11f1-9917-e988d371d801}.TMContainer00000000000000000002.regtrans-ms
NetHood/
OneDrive/
PrintHood/
Recent/
'Saved Games'/
Searches/
SendTo/
'Start Menu'/
Templates/
ansei/
glass-memory-game/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini

ykranthi@MINGW64 ~$ git config --global user.name "kranthi-826-ai"

ykranthi@MINGW64 ~$ git config --global user.email "y.kranthi826@gmail.com"
git: 'config' is not a git command. See 'git --help'.


The most similar command is
  config

ykranthi@MINGW64 ~$ git config --global user.email "y.kranthi826@gmail.com"

ykranthi@MINGW64 ~$
```

4. Open the folder in the terminal.

## 5. Initialize Git using git init.



```
MINGW64/c/Users/ykran
NetHood
OneDrive/
PrintHood
Recent
'Saved Games'/
Searches/
SendTo
'Start Menu'a
Templates
ansel/
glass-memory-game/
ntuser.dat.LOG1
ntuser.dat.LOG2
ntuser.ini

ykranthi@MINGW64 ~$ git config --global user.name "kranthi-826-ai"

ykranthi@MINGW64 ~$ git config --global user.email "y.kranthi826@gmail.com"
git: 'config' is not a git command. See 'git --help'.


The most similar command is
    config

ykranthi@MINGW64 ~$ git config --global user.email "y.kranthi826@gmail.com"

ykranthi@MINGW64 ~$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=kranthi-826-ai
user.email=y.kranthi826@gmail.com

ykranthi@MINGW64 ~$
```


## 6. Open the folder in the terminal.



## 7. Initialize Git using git init.


## 8. Create or add project files.

## 9. Check the files using git status.




## 10. Add the files using git add .

## 11. Create a commit using git commit -m "Initial commit"



## Create a repository on GitHub.

12. Connect the local repository with GitHub using git remote add origin.




The screenshot shows the Visual Studio Code interface. The Explorer panel on the left shows a project named 'KLH-CSE-2026-27-2420030539' with files 'Abstract(TEAM-08).pdf' and 'README.md'. The main editor area shows the 'README.md' file with the content: '1 PROJECT FILE OF ASE' and '2'. The Terminal panel at the bottom shows the following commands and output:

```
ykrane@KRANTHI MINGW64 ~/Desktop/git
$ git clone https://github.com/kranthi-826-ai/KLH-CSE-2026-27-2420030539.git
Cloning into 'KLH-CSE-2026-27-2420030539'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), 408.10 KiB | 281.00 KiB/s, done.

ykrane@KRANTHI MINGW64 ~/Desktop/git
$
```

13. Push the files using git push.



The screenshot shows the Visual Studio Code interface. The Explorer panel on the left shows the same project as in the previous screenshot. The main editor area shows the 'README.md' file. The Terminal panel at the bottom shows the following commands and output:

```
ykrane@KRANTHI MINGW64 ~/Desktop/git
$ git clone https://github.com/kranthi-826-ai/KLH-CSE-2026-27-2420030539.git
Cloning into 'KLH-CSE-2026-27-2420030539'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), 408.10 KiB | 281.00 KiB/s, done.


ykrane@KRANTHI MINGW64 ~/Desktop/git
$ cd KLH-CSE-2026-27-2420030539

ykrane@KRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

ykrane@KRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$
```

## 14. Git status



The screenshot shows the Visual Studio Code interface with a terminal window open. The terminal displays the output of the 'git status' command. The Explorer panel on the left shows the file structure of the project, including 'README.md' which is marked as modified (M). The terminal output shows that the branch 'main' is up to date with 'origin/main' and the working tree is clean. It also shows the changes not staged for commit, which include the modification of 'README.md'.

```
KLH-CSE-2026-27-2420030539 > ① README.md
1 PROJECT FILE OF ASE
2 | step1:

ykrane@KRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

ykrane@KRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

ykrane@KRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$
```

## 15. Push the files using git push.

```
KLH-CSE-2026-27-2420030539 > index.html > h2
1 <h2> ASE Project
2 </h2>


ykranthi@KCRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git add .

ykranthi@KCRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git commit -m "added index.html and edited readme file"
[main 3dc398d] added index.html and edited readme file
2 files changed, 3 insertions(+)
create mode 100644 index.html

ykranthi@KCRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$ git push origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 20 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 400 bytes | 400.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ykranthi-826-ai/KLH-CSE-2026-27-2420030539.git
f177969..3dc398d main -> main

ykranthi@KCRANTHI MINGW64 ~/Desktop/git/KLH-CSE-2026-27-2420030539 (main)
$
```

## 16. Check the commits on GitHub.



## Outcome:

Successfully learned how to create Git commits and upload a project to GitHub.