The academicons package High quality icons of online academic profiles

Diogo A. B. Fernandes* (LATEX code) James Walsh (font and icons design)

v1.8.6, released on 16 April 2018

Abstract

The academicons package provides specific ($\!$ A)T_EX bindings with the free $\!$ Academicons font, allowing access to 76 high quality icons of online academic profiles.

1 Description

The academicons package provides access in (LA)TEX to 76 high quality icons of online academic profiles included in the free *Academicons* font. This package requires the fontspec package and either the XH(LA)TEX or Lua(LA)TEX engine to load the *Academicons* font from the system, which requires installing the bundled academicons.ttf font file. As new releases come out, it is recommended to install the bundled font version as there may be differences between the package and previous font versions or newest font versions not yet contemplated in the package.

The *Academicons* font was designed by James Walsh and released¹ under the open SIL Open Font License². This package is a redistribution of the free *Academicons* font with specific bindings for (A)TEX. It is inspired and based on the fontawesome³ package.

2 Usage

\aiicon

The academicons package provides the generic \aiicon command to access icons, which takes as mandatory argument the \(\lambda name \rangle \) of the desired icon. It also provides individual direct commands for each specific icon. The full list of icons and their respective names and direct commands can be found below. For example, \aiicon{googlescholar} yields the same result as \aiGoogleScholar.

^{*}Email: diogoabfernandes@gmail.com

¹See http://jpswalsh.github.io/academicons/.

²Available at http://scripts.sil.org/OFL.

³Available at http://www.ctan.org/pkg/fontawesome.

2.1 Academicons Icons

Icon	Name $(\langle name \rangle)$	Direct Command
A	academia	\aiAcademia
A	$a cademia\hbox{-} square$	\aiAcademiaSquare
\Rightarrow	acclaim	\aiAcclaim
	acclaim-square	\aiAcclaimSquare
•	acm	\aiACM
(acm- $square$	\aiACMSquare
•	acmdl	\aiACMDL
DL	a cm dl-square	\aiACMDLSquare
j @	ads	\aiADS
	ads- $square$	\aiADSSquare
\Box	arxiv	\aiarXiv
	arxiv-square	\aiarXivSquare
$R\chi$	biorxiv	\aibioRxiv
R_X	biorxiv-square	\aibioRxivSquare
[]	ceur	\aiCEUR
•	ceur- $square$	\aiCEURSquare
S	course ra	\aiCoursera
ထ	$course ra\hbox{-} square$	\aiCourseraSquare
cv	cv	\aiCV
cv	cv- $square$	\aiCVSquare
<i>ે</i>	dataverse	\aidataverse
ð	$data verse \hbox{-} square$	\aidataverseSquare
k	dblp	\aidblp
Ŋ	dblp- $square$	\aidblpSquare
(depsy	\aiDepsy
(d)	$depsy\mbox{-}square$	\aiDepsySquare
45 1	doi	\aiDoi
doi	$doi ext{-}square$	\aiDoiSquare
(2)	dryad	\aiDryad
(2)	dryad- $square$	\aiDryadSquare
<u> </u>	$ideas ext{-}repec$	\aiIdeasRepec
[Q]	ideas-repec-square	\aiIdeasRepecSquare
	figshare	\aiFigshare
	figshare- $square$	\aiFigshareSquare
3	google scholar	\aiGoogleScholar
প্ত	google scholar-square	\aiGoogleScholarSquare
•	ieee	\aiIEEE
♦	ieee-square	\aiIEEESquare
(1)	impacts tory	\aiImpactstory
(3)	impacts tory-square	\aiImpactstorySquare
Ŕ	inspire	\aiInspire
Ŕ	inspire- $square$	\aiInspireSquare

Icon	Name $(\langle name \rangle)$	Direct Command
9	lattes	\aiLattes
9	lattes-square	\aiLattesSquare
mo	$\it mathover flow$	\aiMathOverflow
mo	$mathover flow\mbox{-}square$	\aiMathOverflowSquare
**	mendeley	\aiMendeley
	$mendeley\mbox{-}square$	\aiMendeleySquare
8	open- $access$	\aiOpenAccess
8	$open\hbox{-}access\hbox{-}square$	\aiOpenAccessSquare
(orcid	\aiOrcid
D	$orcid ext{-}square$	\aiOrcidSquare
	osf	\aiOSF
₩	osf- $square$	\aiOSFSquare
Ø	overleaf	\aiOverleaf
6	over leaf- $square$	\aiOverleafSquare
IP	philpapers	\aiPhilPapers
P	philp a per s-square	\aiPhilPapersSquare
ρ	piazza	\aiPiazza
Ρ	piazza-square	\aiPiazzaSquare
p	publons	\aiPublons
P	$publons\hbox{-} square$	\aiPublonsSquare
M	pubmed	\aiPubMed
M	pubmed-square	\aiPubMedSquare
R	researcherid	\aiResearcherID
R	researcher id-square	\arrows aiResearcherIDSquare
R^{G}	research gate	\aiResearchGate
\mathbb{R}^{6}	research gate-square	\arrows aiResearchGateSquare
Ψ	scirate	\aiSciRate
Ψ	$scirate ext{-} square$	\aiSciRateSquare
Γ	$semantic\hbox{-} scholar$	\aiSemanticScholar
	$semantic\hbox{-}scholar\hbox{-}square$	\arrowvert aiSemanticScholarSquare
<u> 2</u>	springer	\aiSpringer
<u> </u>	$springer\mbox{-}square$	\aiSpringerSquare
Z	zotero	\aiZotero
Z	zotero- $square$	\aiZoteroSquare

3 Change History

v1.4.0	v1.4.0-1
General: First public release	
(version number set to match	General: Fix release: corrected a
the included academicons.ttf	few typos and errors in the
fort remains)	1

v1.6.0	v1.8.0
General: Major release of v1.6.0. \dots 1	General: Major release of v1.8.0 1
v1.6.0-1	v1.8.0-1
General: Better documentation 1 v1.7.0	General: Enhancement release:
General: Major release of v1.7.0 1	adjusted \newfontfamily to
v1.7.1	account for the font installed via tlmgr
General: Fix release: corrected a bug in the style file 1	v1.8.3
v1.7.2	General: Release of v1.8.3. \dots 1
General: Fix release: corrected a	v1.8.6
bug in the style file. $\dots 1$	General: Release of v1.8.6 1