
Table of Contents

Import data	1
FBSmodspec	1
This part does OLA, which doesn't work?	12

Import data

```
[x, fs] = audioread('resources/Cessna.wav');  
x = mean(x,2);  
x = x.';
```

FBSmodspec


```
nsegments_in = 10; % select number of segments to process  
Nw = 512;  
segmentlen = fs;  
xlen = length(x);  
nsegments_total = floor(xlen/segmentlen);  
  
nsegments = min(nsegments_in,nsegments_total);  
  
start_pos = 1;  
  
for segmentind = 1:nsegments  
    end_pos = start_pos + segmentlen - 1;  
  
    x_segment = x(start_pos:end_pos);  
    fbsmodspec(x_segment, Nw, fs, start_pos,end_pos);  
    start_pos = start_pos + segmentlen;  
end  
  
% %% In loop  
% nsegments_in = 10; % select number of segments to process  
% Nw = 512;  
% segmentlen = fs;  
% xlen = length(x);  
% nsegments_total = floor(xlen/segmentlen);  
%  
% nsegments = min(nsegments_in,nsegments_total);  
%  
% start_pos = 1;  
%  
% for segmentind = 1:nsegments  
%     end_pos = start_pos + segmentlen - 1;  
%  
%     x_segment = x(start_pos:end_pos);  
%     modspec(x_segment, Nw, fs, start_pos,end_pos);
```



```



%      start_pos = start_pos + segmentlen;
% end



% %% Perform filter bank analysis and plots modulation spectrum
% start_pos = 800000;
% count_frames = 80000;
% x = x(start_pos:start_pos+count_frames);
% x_len = length(x);
% n = (0:x_len-1);
%
% Nw = 512; %2048 with overlap of 1/4
% N = Nw;
% spectrumFBS = FBS_Analysis(x,fs,Nw, 0, 0);
%
% modspecgram = fft(spectrumFBS,size(spectrumFBS,2),2);
% msg_half = modspecgram(1:ceil(size(spectrumFBS,1)/2) + 1,:); %0 to
256
% figure;
% imagesc(20*log10(abs(msg_half)));



```


































This part does OLA, which doesn't work?

```
% Perform STFT hop_size = Nw/2; %spectrum = stft(x,2048,256,0,hann(2048)); spectrum =
stft(x,Nw,hop_size,0,hamming(Nw)); music = abs(spectrum); sphase = spectrum./(abs(spectrum)+eps);
% Finally, plot the positive half of the result figure; f = linspace(0,1,N)*(fs/2); % actual frequency axis in
Hz t = n / fs; % actual time axis in seconds imagesc(t,f,20*log(music)); axis xy; colormap(jet); xlabel('time
(s)', 'FontName', 'Arial', 'FontSize', 15); ylabel('frequency (Hz)', 'FontName', 'Arial', 'FontSize', 15);
title('STFT', 'FontName', 'Arial', 'FontSize', 15);
```

```
%% Perform mod specgram modspecgram = fft(spectrum,size(spectrum,2),2); figure;
imagesc(20*log10(abs(modspecgram)));
```

Published with MATLAB® R2015a