


TU API


IT 325 WEB SERVICE

ID: 07999092 MAJOR: IT MINOR : BA

MECHERGUI RAMI

E-MAIL: RAMIMECHERGUI@TBS.U-TUNIS.TN





TECHNOLOGIES USED

TECH :
FRONTEND



Bootstrap

TU API
BACKEND



DATABASE




SQLite




<https://tuapifinalversion.herokuapp.com/>



<https://github.com/RamiMechergui/tuapifinalversion>



CONTENTS



1- GETTING STARTED WITH TU API

1-1 – OVERVIEW

1-2 – HOW TO USE TU API

1-3 – GETTING ACCESS TOKEN

1-4 – USE CASE DIAGRAM


1-5 – SEQUENCE DIAGRAM

2- USER ENDPOINTS


3- ADMIN ENDPOINTS

4- ERROR CODE TABLE

1- GETTING STARTED WITH TU API



- **1.1- OVERVIEW**
- THE TU API IS USED TO GET DATA ABOUT **TUNISIAN UNIVERSITIES** . OUR API RETURNS **JSON-ENCODED** RESPONSES, AND USES STANDARD HTTP RESPONSE CODES AND AUTHENTICATION.(SOURCE OF DATA WWW.MES.TN)



1.2- HOW TO USE TU API

- **METHOD 1:**
- FIRST OF ALL , YOU HAVE TO SIGN UP AND THEN LOGIN , AS SHOW BELOW :

Join Today, TU API

Username
Rami Mechergui

Email
ramimechergui@tbs.u-tunis.tn

Password
.....

Confirm Password
.....

Sign Up

© 2022 Copyright: Developed By Mechergui Rami

Log In


Email
ramimechergui@tbs.u-tunis.tn

Password
.....

Remember Me

Login

Need An Account? [Sign Up Now](#)



**AFTER SIGNING UP PRESS
ON GET MY ACCESS TOKEN:
A NEW WINDOW WILL BE DISPLAYED**

◀ Mechergui Rami

Get My access token

History


Log out

Access Token

X

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ1c2VybmFtZSI6InJhbWkiLCJlbWFpbCI6InN0cmVldC5jaGVya0BnbWFpbC5jb20iLCJwYXNzd29yZCI6IjU0ODExMjg5IiwZXhwIjoxNjU4NDczMzExfQ.vlNK88C9SQdYWaTU2Y1gNuaHwCWZDDg-8Lp6NUW0cYY

close



METHOD 2: YOU HAVE TO SEND A FORM BASED REQUEST

http://127.0.0.1:5000/GetToken


Save ▾  

POST  http://127.0.0.1:5000/GetToken 

Params Authorization Headers (9) **Body**  Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	email	ramimechergui@tbs.u-tunis.tn	→		
<input checked="" type="checkbox"/>	password	5481121			
	Key	Value	Description		



ENDPOINT : /GETTOKEN HTTP VERB : POST VALID RESPONSE :

- { "ACCESS TOKEN": "EYJ0EXAIOIJKV1QILCJHBGCIOIJIUZI1NIJ9.EYJ1C2VYBMFTZSI6IK1LY2HLCMD1ASBSYW1PIIWIZW1HAWWIOIJYYW1PBWVJAGVYZ3VPQHRICY51LXR1BMLZLNUIIWICGFZC3DVCMQIOII1NDGXMTI4OSISIMV4CCI6MTY1ODCXMZI3NN0.FDWI0ITRQB52NPOAFYESUATOTWSNKW_KK6BVAVQEUAW" }

ERROR CODE 403 (FORBIDDEN)

{ "RESPONSE": "WRONG EMAIL OR PASSWORD" }



IF TOKEN IS NOT PROVIDED : ERROR CODE 401 (UNAUTHORIZED)

{ "MESSAGE": "TOKEN IS MISSING" }



IF TOKEN IS INVALID : ERROR CODE 401 (UNAUTHORIZED)

{ "MESSAGE": "TOKEN IS INVALID !!" }


1-4 – USE CASE DIAGRAM




1-5 – SEQUENCE DIAGRAM




2- USER ENDPOINTS




http verb	Endpoint	Description
GET	/user/list_of_universities	Returns the list of Tunisian universities { "List of tunisian univeristies" : ["University of Ezzitouna", "University of Tunis", "University of Tunis el manar", "University of Carthage", "University of Manouba", "University of Jendouba", "University of Sousse", "University of Monastir", "University of Kairouan", "University of Sfax", "University of Gabes", "University of Gafsa", "Directorate General for Technology Studies (DGET)", "Virtual University",] }




GET	/user/list_of_universities/UniversityName	Returns the number of students with university from 2014 to 2020 <pre>{ "University of Ezzitouna": [{"2014_2015": "2443"}, {"2015_2016": "2418"}, {"2016_2017": "2475"}, {"2017_2018": "2400"}, {"2018_2019": "2566"}, {"2019_2020": "2555"}]}</pre>
GET	/user/rates	Returns the list of rates that we gathered information about <pre>{ "List of rates": ["Success", "Drop_out", "Number of Drop_outs"]}</pre>



GET	/user/rates/:Status	Returns the rates of specified status from 2014 to 2019 Success : [{"2014_2015": "66.1%"}, {"2015_2016": "70.2%"}, {"2016_2017": "70.8%"}, {"2017_2018": "72.9%"}, {"2018_2019": "71.1%"}, {"2019_2020": "Not yet"}]]
GET	/user/rates/<status>/<year1>-<year2>	Returns the rates of specified status in a specific year Success : {"2016_2017": "70.8%"}]
GET	/user/total_Cost_per_student	Returns the list of total expenditures from 2014 to 2019 Total expenditures : [{"2014_2015": "1340928 TND"}, {"2015_2016": "1276863 TND"}, {"2016_2017": "1431661 TND"}, {"2017_2018": "1486969 TND"}, {"2018_2019": "1644664 TND"}] }



GET	/user/total_Cost_per_studen t/<year1>-<year2>	Returns the total expenditure in a specific year <pre>{ "Total expenditures" : [{"2015_2016": "1276863 TND"}] }</pre>
GET	/user/Total_Number_Of_Stu dent	Returns the number of students in public and private from 2014 to 2020 <pre>{"Total Number of students(Public & Private)": [{"2014_2015": "322625"}, {"2015_2016": "294486"}, {"2016_2017": "282204"}, {"2017_2018": "272261"}, {"2018_2019": "267154"}, {"2019_2020": "269424"}]}</pre>
GET	/user/Prop-private-total- student	Returns the proportion of students in the private sector in relation to total number <pre>{"Proportion of students in the private sector in relation to total student": [{"2014_2015": "9,4%"}, {"2015_2016": "10,4%"}, {"2016_2017": "11,1%"}, {"2017_2018": "11,5%"}, {"2018_2019": "12,5%"}, {"2019_2020": "12,9%"}]</pre>



GET

/user/N-Of-Stu-per-100-student


Get the number of students per 100 thousands inhabitant

```
{ "Number of students per 100 thousand  
inhabitants" : [
```

```
    {"2014_2015": "2892"},  
    {"2015_2016": "2622"},  
    {"2016_2017": "2467"},  
    {"2017_2018": "2351"},  
    {"2018_2019": "2279"},  
    {"2019_2020": "2301"}
```

```
]
```

```
}
```



IN ORDER TO HAVE ACCESS TO ADMIN ENDPOINTS THE SECRET KEY SHOULD BE PROVIDED IN THE HEADER

Type API Key

The authorization header will be automatically generated when you send the request.

[Learn more about authorization](#)

Key secret_key

Value 5791628bb0b13ce0c676dfde280ba245

Add to Header


!

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [Learn more about variables](#)



3- ADMIN ENDPOINTS

DELETE	/admin/users/delete? <u>email=example@gmail.com</u>	Delete a user with the specified email { "Response": "User Deleted Sucessfully" }
	***email of the user to delete	
PUT	/admin/University_Name?ye ar1=2015 &year2=2016 &New_Stat=2480 ** year1 ** year2 *New_Stat	Update the data of university table { "response": "Item modified Sucessfully" }




PUT

/admin/rates/Success?
year1=2016&
year2=2017&
New_Stat=0

Update the data of rates table

```
{  
    "response": "Item modified Sucessfully"  
}
```



4- ERROR CODE TABLE

CODE		DESCRIPTION
2XX	OK	EVERYTHING WORKED AS EXPECTED
4XX	BAD REQUEST	The request was unacceptable, often due to missing a required parameter
401	UNAUTHORIZED	Unauthorized No valid API key provided
402	REQUEST FAILED	The parameters were valid but the request failed
403	FORBIDDEN	The API key doesn't have permissions to perform the request
404	NOT FOUND	The requested resource doesn't exist
500,502,503,504	SERVER ERROR	Something went wrong on the serve