

# Breaking Bad Database-Tables

## User\_table

```
breakingbad=> SELECT * FROM user_table;
 id | role_id | username | email      | password | adress
-----+-----+-----+-----+-----+-----
  1 |      1 | yac      | yac@atg.se | 1234     | LidingÅ
(1 rad)
```

## Role\_table

```
breakingbad=> SELECT * FROM role_table;
 id | permission_id | customer_id | role_name
-----+-----+-----+-----
  1 |              | 3          | customer
(1 rad)
```

## Permission\_table

```
breakingbad=> SELECT * FROM permission;
 id | permission_status | auth
-----+-----+-----
  1 | root              | full permission
  2 | b2c               | guest
  3 | customer          | guest
(3 rader)
```

```
breakingbad=> |
```

## Customer\_table

```
breakingbad=> SELECT * FROM customer;
 id | user_id | category_id | receipt   | history | chatt | member_lv1
-----+-----+-----+-----+-----+-----+-----
  1 |      1 |             | no receipt | empty   | empty | gold_member
(1 rad)
```

## Join\_table

```
breakingbad=> DROP TABLE join_table;
DROP TABLE
breakingbad=> SELECT * FROM join_table;
 id | customer_id | customer_service_id
-----+-----+-----
  1 |           1 |                  1
(1 rad)
```

Customer\_service\_table

```
breakingbad=> SELECT * FROM customer_service_table;
 id | user_id |      message
-----+-----+-----
  1 |       1 | super nice service
(1 rad)
```

Community\_table

```
 id | user_id | category_id |      post      |      chatt
-----+-----+-----+-----+-----
  1 |       1 |           1 | Wow, what a nice dog | chatt with yac
(1 rad)
```

Category\_table

```
breakingbad=> SELECT * FROM category_table;
 id | customer_id | category_name
-----+-----+-----
  1 |           1 | Dog
(1 rad)
```

Member\_benefits\_table

```
breakingbad=> SELECT * FROM "memberBenefits_table";
 id | event_id | customer_id | bonusladder | offers
-----+-----+-----+-----+-----
  1 |         1 |           1 |           1 | none
(1 rad)
```

Event\_table

```
breakingbad=> SELECT * FROM event;
  id | customer_id | category_id |      event_name
-----+-----+-----+-----
  1 |          1 |          1 | Fröga vetrin
(1 rad)
```

## Customer\_service\_ticket\_table

```
breakingbad=> SELECT * FROM cs_ticket;
  id | order_id | customer_service_id |      issue_open      | issue_closed
-----+-----+-----+-----+-----
  1 |        2 |          1 | 2022-02-09 15:09:39.019628+01 |
(1 rad)
```

## Order\_table

```
breakingbad=> SELECT * FROM "order";
  id | order_status_id | product_id | user_id | supplier_id |      date      | total_price
-----+-----+-----+-----+-----+-----+-----
  2 |                |          1 |        1 |            1 | 2022-02-09 14:50:51.157243+01 | 300kr
(1 rad)
```

## Order\_status\_table

```
breakingbad=> SELECT * FROM order_status;
  id | order_id | received | packing |      ready_to_ship      |      sent      | canceled | delayed
-----+-----+-----+-----+-----+-----+-----+-----
  2 |        2 |         |         | 2022-02-09 15:02:58.819561+01 | 2022-02-09 15:02:58.819561+01 |         |
(1 rad)
```

## Supplier\_table

```
breakingbad=> SELECT * FROM supplier_table;
  id | product_id | adress | org_nummer | contact
-----+-----+-----+-----+-----
  1 |          | Lidingsö | 324364_5677 | 0704065759
(1 rad)
```

## Product\_table

```
breakingbad=> SELECT * FROM product;
  id | supplier_id | category_id | description | product_name | quantity | price
-----+-----+-----+-----+-----+-----+-----
  1 |          1 |          1 | dog_food | Royal_canin |          2 | 150kr
(1 rad)
```

## Recommendations\_table

```
breakingbad=> SELECT * FROM recommendations_table;  
id | product_id | user_id | review  
---+-----+-----+-----  
1 | 1 | 1 | Bäststa shoppen ever  
(1 rad)
```