La pregunta es cual es el auto más comprado del mundo
La respuesta fue Toyota Corolla

Author: CAMPOS IBARRA SEBASTIAN Y RAMIRO MUÑOZ
GUADALUPE MEDINA Description: Cuentame un chiste
Input: -
#Output: 3.11 ¿Cuéntame un chiste ? ChatGTP en PicoW (y otras preguntas)…

```
#include <WiFi.h>
#include <WiFiClientSecure.h>

// Replace with your network credentials
const char* ssid = "Sebas";
const char* password = "tec123Interfaz";

// Replace with your API Key and Model ID
const char* api_key =
"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"; const char* model_id
= "davinci";

// Set the hostname and URL for the API
const char* host = "api.openai.com";
const char* url = "/v1/engines/davinci-codex/
completions";

void setup() {
  Serial.begin(115200);
  delay(10);

  // Connect to Wi-Fi
  Serial.println();
  Serial.print("Connecting to ");
  Serial.println(ssid);
  WiFi.begin(ssid, password);
  while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  }
  Serial.println("");
  Serial.println("WiFi connected");

  // Set up secure client
  WiFiClientSecure client;
  client.setInsecure();
  client.setTimeout(10000);
```

```
  // Connect to ChatGPT API
  Serial.print("Connecting to API...");
  if (!client.connect(host, 443)) {
    Serial.println("failed");
    return;
  }
  Serial.println("connected");

  // Build request payload
  String payload = "{";
  payload += "\"prompt\": \"¿Cuál es el animal más rápido del
  mundo?\","; payload += "\"temperature\": 0.7,";
  payload += "\"max_tokens\": 50,";
  payload += "\"n\": 1,";
  payload += "\"stop\": \"\\n\"}";

  // Build HTTP request
  String request = "POST ";
  request += url;
  request += " HTTP/1.1\r\n";
  request += "Host: ";
  request += host;
  request += "\r\n";
  request += "Authorization: Bearer ";
  request += api_key;
  request += "\r\n";
  request += "Content-Type: application/json\r\n";
  request += "Content-Length: ";
  request += payload.length();
  request += "\r\n\r\n";
  request += payload;

  // Send HTTP request
  Serial.println("Sending request...");
  client.print(request);

  // Wait for response from OpenAI API
  Serial.println("Waiting for response...");
  while (client.connected()) {
    if (client.available()) {
      String response = client.readString();
      Serial.print(response);
    }
  }
}
```

```
void loop() {
  // Nothing to do here
}
```