


Trabajo Práctico 1: Introducción a Java - Morales Ramiro

1.

```
java --version  
java 24.0.2 2025-07-15  
Java(TM) SE Runtime Environment (build 24.0.2+12-54)  
Java HotSpot(TM) 64-Bit Server VM (build 24.0.2+12-54, mixed mode, sharing)
```


2.



The screenshot shows an IDE's output window with a dark theme. At the top, there's a tab labeled 'Output' with a close button. Below it, there are two tabs: 'codesUTN - C:\Users\ramam\webs\codesUTN' and 'HolaMundo (run)'. The 'HolaMundo (run)' tab is active. The output text is as follows:

```
run:  
Hola, Java!  
BUILD SUCCESSFUL (total time: 0 seconds)
```


3.



The screenshot shows an IDE's output window with a dark theme. At the top, there's a tab labeled 'Output' with a close button. Below it, there are two tabs: 'codesUTN - C:\Users\ramam\webs\codesUTN' and 'HolaMundo (run)'. The 'HolaMundo (run)' tab is active. The output text is as follows:

```
run:  
Ingrese su edad: 19  
Su edad es: 19  
BUILD SUCCESSFUL (total time: 8 seconds)
```


4.



The screenshot shows the 'Output' window in Visual Studio. The title bar indicates the file path 'C:\Users\ramam\webs\codesUTN' and the active window 'HolaMundo'. The output text is as follows:

```
run:
Ingrese su nombre: Ramiro
Ingrese su edad: 19
Hola, Ramiro
Su edad es: 19 Anios
BUILD SUCCESSFUL (total time: 10 seconds)
```


5.



The screenshot shows the 'Output' window in Visual Studio. The title bar indicates the file path 'C:\Users\ramam\webs\codesUTN' and the active window 'HolaMundo (run)'. The output text is as follows:

```
run:
Ingrese un primer numero: 10
Ingrese un segundo numero: 5
Suma: 15
Resta: 5
Multiplicacion: 50
Division: 2
BUILD SUCCESSFUL (total time: 4 seconds)
```

6.




The screenshot shows the 'Output' window in Visual Studio. The title bar indicates the file path 'C:\Users\ramam\webs\codesUTN' and the active window 'HolaMundo (run)'. The output text is as follows:

```
run:
Nombre: Juan Perez
Edad: 30 Anos
Direccion: Calle Falsa 123
BUILD SUCCESSFUL (total time: 0 seconds)
```

7. En el código todas las líneas son instrucciones, una expresión es valor que se pasa como declaración de la variable

8.

A screenshot of an IDE's output window. The window has a title bar with two tabs: 'codesUTN - C:\Users\ramam\webs\codesUTN' and 'HolaMundo (run)'. The 'HolaMundo (run)' tab is active. The output text is as follows:

```
run:
Ingrese un primer numero: 10
Ingrese un segundo numero: 5
Division de enteros
Division de los numeros ingresados: 2
Division de numeros decimales
Division de los numeros ingresados: 2.0
BUILD SUCCESSFUL (total time: 6 seconds)
```

9. En el código se está queriendo convertir un dato de tipo String a un dato de tipo entero. Lo cual no es posible. Para que el código se compile correctamente hay que cambiar que el input de la variable de nombre sea = scanner.nextLine()

10. El resultado es = 2. Porque resultado = $a / b = 5 / 2$