Vityarthi - Online Course & Edu | CSE0001_Digital_Literacy_Projec | project/README.md at main · R | VIT Bhopal - VTOP | Target Index Search | HackerRar

hackerrank.com/contests/software-engineer-prep-kit/challenges/lookup-with-binary-search/problem?isFullScreen=true

HackerRank | Prepare > Software Engineer Prep Kit > Target Index Search

Problem | Submissions | Discussions

Target Index Search

Given a sorted array of distinct integers and a target value, return the index of the target or -1 if not found.

Example 1

Input:

```
nums = [1, 2, 3, 4, 5]
target = 3
```

Output:

```
2
```

Explanation:

Initialize low = 0, high = 4. Compute mid = (0 + 4) // 2 = 2. nums[2] = 3 matches target, so return 2.

Example 2

Input:

```
nums = [2, 4, 6, 8, 10, 12, 14, 16]
```

Language: Python 3

```python
def binarySearch(nums, target):
    low = 0
    high = len(nums) - 1

    while low <= high:
        # Use floor division to find the middle
        mid = (low + high) // 2

        if nums[mid] == target:
            return mid # Target found!
        elif nums[mid] < target:
            low = mid + 1 # Search the right half
        else:
```

Ln 21, Col 27 • Autocomplete Spaces: 4 Mode: Normal

Test Results

Run Code | Submit Code

All Cases | Custom

✓ All available test cases passed

- ✓ Test Case 1
- ✓ Test Case 2
- ✓ Test Case 3
- ✓ Test Case 4

Compiler Message

Success

Input (stdin)

```
0
5
```

AI Tutor

Light rain Tomorrow | Search | ENG IN | 16:36 29-03-2026

Vityarthi - Online Course & Edu | CSE0001_Digital_Literacy_Projec | project/README.md at main · R | VIT Bhopal - VTOP | Target Index Search | HackerRar

hackerrank.com/contests/software-engineer-prep-kit/challenges/lookup-with-binary-search/problem?isFullScreen=true

HackerRank | Prepare > Software Engineer Prep Kit > Target Index Search

Problem | Submissions | Discussions

Target Index Search

Given a sorted array of distinct integers and a target value, return the index of the target or -1 if not found.

Example 1

Input:

```
nums = [1, 2, 3, 4, 5]
target = 3
```

Output:

```
2
```

Explanation:

Initialize low = 0, high = 4. Compute mid = (0 + 4) // 2 = 2. nums[2] = 3 matches target, so return 2.

Example 2

Input:

```
nums = [2, 4, 6, 8, 10, 12, 14, 16]
```

Language: Python 3

```
#
# Complete the 'binarySearch' function below.
#
# The function is expected to return an INTEGER.
# The function accepts following parameters:
#  1. INTEGER_ARRAY nums
#  2. INTEGER target
#

def binarySearch(nums, target):
    # Write your code here
    low = 0
    high = len(nums) - 1
```

Ln 21, Col 27 • Autocomplete Spaces: 4 Mode: Normal

Test Results | Run Code | Submit Code

All Cases | Custom

✓ All available test cases passed

✓ Test Case 1
✓ Test Case 2
✓ Test Case 3
✓ Test Case 4

Compiler Message

Success

Input (stdin)

```
0
5
```

AI Tutor

Hey, I am an AI assistant.

I can help you with any questions that you have around this coding problem.

Feel free to select any of the prompts below, or ask a question of your own.

What is the input to the function?

Explain the problem statement

What are the concepts used to approach this problem?

Ask me any question

Light rain Tomorrow | Search | ENG IN | 16:36 29-03-2026

Vityarthi - Online Course & Edu | CSE0001_Digital_Literacy_Projec | project/README.md at main · R | VIT Bhopal - VTOP | Target Index Search | HackerRar

hackerrank.com/contests/software-engineer-prep-kit/challenges/lookup-with-binary-search/problem?isFullScreen=true

HackerRank | Prepare > Software Engineer Prep Kit > Target Index Search

Problem | Submissions | Discussions

Target Index Search

Given a sorted array of distinct integers and a target value, return the index of the target or -1 if not found.

Example 1

Input:

```
nums = [1, 2, 3, 4, 5]
target = 3
```

Output:

```
2
```

Explanation:

Initialize low = 0, high = 4. Compute mid = (0 + 4) // 2 = 2. nums[2] = 3 matches target, so return 2.

Example 2

Input:

```
nums = [2, 4, 6, 8, 10, 12, 14, 16]
```

Language: Python 3

```
#
# Complete the 'binarySearch' function below.
#
# The function is expected to return an INTEGER.
# The function accepts following parameters:
#  1. INTEGER_ARRAY nums
#  2. INTEGER target
#

def binarySearch(nums, target):
    # Write your code here
    low = 0
    high = len(nums) - 1
```

Ln 21, Col 27 • Autocomplete Spaces: 4 Mode: Normal

Test Results

Run Code | Submit Code

All Cases | Custom

✓ All available test cases passed

✓ Test Case 1
✓ Test Case 2
✓ Test Case 3
✓ Test Case 4

Compiler Message

Success

Input (stdin)

```
0
5
```

AI Tutor

Light rain Tomorrow | Search | ENG IN | 16:36 29-03-2026