

CE – 101 : C & P F*Computing and Programming
Fundamentals***Batch 2015**

Sir Syed University of Engineering & Technology
Computer Engineering Department
University Road, Karachi-75300, PAKISTAN

*Compiled By:**Syed Atir Iftikhar***CE - 101 : Computing and Programming
Fundamentals****■ Course Objectives:**

- Upon successful completion of this course, the student will be able to:
 - Fundamentals of Computer Engineering and Information Technology
 - Overview of History, Classification and Components of Computers
 - Number Systems and Logic Gates
 - Overview of Software, Operating Systems, Networks and Internet
 - Introduction about Programming
 - Basic Building Blocks, Loop, Decision Making

C & P F

C&PF Books

▪ Text Book:

1. Introduction to Computers (7th Edition)

By Peter Norton

2. Turbo C Programming For The PC (Revised Edition)

By Robert Lafore

▪ Reference Books:

1. Computer, Communications and Information.

By Sarah Hutchinson and Stacey Sawyer

2. Let Us C

By Yashavant Kanetkar

CPF - Chapter No 2 : I/O Devices & Peripherals

2

0

1

4

3

Marks Distribution

▪ Mid Term _____ 20

▪ Lab Work _____ 20

▪ Quiz _____ 5

▪ Assignment + Class Performance _____ 5

▪ Semester Final Paper _____ 50

▪ Total Marks _____ 100

▪ *Performance Bonus* _____ *5 Marks*

CPF - Chapter No 2 : I/O Devices & Peripherals

2

0

1

4

4

2

Course Instructors

- **Syed Aatir Iftikhar**

satirs@hotmail.com

Lecturer, CED

Room No: BF-03

2
0
1
4

7

CPF - Chapter No 2 : I/O Devices & Peripherals

Course Outline

✓ PART A

- History of Computer
- Classification of Computer
- Basic Components
- CPU, I/O, Peripheral Devices, Storage
- Von Neumann Architecture
- Number Systems
- Binary Numbers
- Boolean Logic
- Software
- Operating Systems
- Networks and Internet

✓ PART B

- Types of Programming Languages
- Algorithm
- Flow Chart
- Introduction to C Language Programming
- Basic Building Blocks
- Loops
- Decision Making Statements

2
0
1
4

8


CPF - Chapter No 2 : I/O Devices & Peripherals

4

CE – 101: Computing and Programming Fundamentals

Chapter**2****Batch 2014****I/O Devices & Peripherals****What Computers Do?**

- Four basic functions of computers include:
 - Receive input
 - Process information
 - Produce output
 - Store information



Input Devices

- Computers accept information from the outside world.
- The keyboard is the most common input device.
- Pointing devices like the mouse also receive input.

2
0
1
4

11

CPF - Chapter No 2 : I/O Devices & Peripherals

Process

- The processor, or **central processing unit** (CPU), processes information, and performs all the necessary arithmetic calculations.
- CPU is like the “*brain*” of the computer.

2
0
1
4

12

CPF - Chapter No 2 : I/O Devices & Peripherals

Output Devices

- Computers produce information and send it to the outside world.
- A **video monitor** is a common output device.
- **Printers** also produce output.

2
0
1
4

13

CPF - Chapter No 2 : I/O Devices & Peripherals

Storage Information

- Memory and storage devices are used to store information.
- **Primary storage** is the computer's main memory.
- **Secondary storage** uses disks or other media.

2
0
1
4

14

CPF - Chapter No 2 : I/O Devices & Peripherals

Computer's Core: The CPU and Memory

- When you purchase a computer, the selection of the CPU is a very important choice.
- There are two factors that are very important to computer users are:
 - Compatibility
 - Speed

2
0
1
4

CPF - Chapter No 2 : I/O Devices & Peripherals

15

Compatibility

- Not all software is compatible with any given CPU. Each computer has a unique **instruction set** - a vocabulary of instructions the processor can execute.
- New microprocessors can usually run older software, but new software is not usually compatible with old microprocessors.

2
0
1
4

CPF - Chapter No 2 : I/O Devices & Peripherals

16

8

Speed

- The computer's speed is measured by the speed of its internal clock - a device to synchronize the electric pulses.
- Speed is measured in units called megahertz (MHz).



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

17

Primary Storage: The Computer's Memory

RAM (Random Access Memory):

- RAM is the most common type of primary storage, or computer memory.
- used to store program instructions and data temporarily
- unique addresses and can store in any location
- can quickly retrieve information
- will not remain if power goes off (volatile).

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

18

Primary Storage: The Computer's Memory

▪ ROM

(Read-Only Memory):

- information is stored permanently on a chip.
- contains startup instructions and other permanent data.

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

19

Buses, Ports, and Peripherals

- Information travels between components through groups of wires called **Buses**.



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

20

10

Buses, Ports, and Peripherals

- Peripherals are external devices for receiving input or producing output.
- Example (keyboard, monitor, and mouse).
- Communicate with other parts of the system.
- Ports provide attachment and communication with external devices by means of:
 - **Slots** (For internal attachments)
 - **Ports** (For external attachments)

CPF - Chapter No 2 : I/O Devices & Peripherals

2014

21

The Keyboard

- A standard computer keyboard has about 100 keys.
- Most keyboards use the **QWERTY** layout, named for the first six keys in the top row of letters.



2014


CPF - Chapter No 2 : I/O Devices & Peripherals

22

11

The Omnipresent Keyboard

- Do you know where these keys are located on the keyboard and how to use them?
 - Letters, Numbers, Cursor Keys, Delete Key, Enter (Return) Key, and Function Keys



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

23

Standard Keyboard Layout

- Most keyboards have keys arranged in five groups:
 - Alphanumeric keys
 - Numeric keypad
 - Function keys
 - Modifier keys
 - Cursor-movement keys


CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

24

12

Standard Keyboard Layout



CPF - Chapter No 2 : I/O Devices & Peripherals

25

Working of Keyboard

- 1 Key is pressed on the keyboard.



KEYBOARD
CONTROLLER

KEYBOARD
BUFFER


SYSTEM
SOFTWARE

- 2 The keyboard controller sends the scan code for the key to the keyboard buffer.

- 3 The keyboard controller sends an interrupt request to the system software.

- 4 The system software responds to the interrupt by reading the scan code from the keyboard buffer.

- 5 The system software passes the scan code to the CPU.



CPU

26

13

Pointing Devices



Mouse



Joystick



Touch Screen



Graphics Tablet

2
0
1
4

27

CPF - Chapter No 2 : I/O Devices & Peripherals

Mouse

- The mouse is a pointing device. You use it to move a graphical pointer on the screen.
- The mouse can be used to issue commands, draw, and perform other types of input tasks.



2
0
1
4

28

CPF - Chapter No 2 : I/O Devices & Peripherals

14

Mouse Techniques

- Using the mouse involves five techniques:
 1. **Pointing;**
 - Move the mouse to move the on-screen pointer.
 2. **Clicking**
 - Press and release the left mouse button once.
 3. **Right-clicking**
 - Press and release the right mouse button.
 4. **Double-clicking**
 - Press and release the left mouse button twice.
 5. **Dragging**
 - Hold down the left mouse button as you move the pointer.

2014

Other Pointing Devices

- **Trackball**
 - A trackball is like a mouse turned upside-down. Use your thumb to move the exposed ball and your fingers to press the buttons.



2014

Touchpads or Trackpads

- A touchpad is a touch-sensitive pad that provides the same functionality as a mouse.
 - To use a touchpad, you glide your finger across its surface.
 - Touchpads provide a set of buttons that function like mouse buttons.



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

31

Joystick

- It is also a pointing device.
- It consists of a vertical handle like a gearshift lever mounted on a base with one or two buttons.
- They are primarily used for playing games.
Joysticks are popular for flight simulator and driving games.



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

32

16

Alternative Input Devices

- Light Pens
- Pen-based Systems
- Touch Screens
- Digitizing Tablets

2
0
1
4

33

CPF - Chapter No 2 : I/O Devices & Peripherals

Types of Monitor



CRT
(Cathode Ray Tube)



LCD
(Liquid Crystal Display)

2
0
1
4

34

CPF - Chapter No 2 : I/O Devices & Peripherals

C & P F

Types of Monitor

CRT Monitor	LCD Monitor
1. It is less expensive than a LCD monitor.	1. It is more expensive than a CRT monitor.
2. It takes more desk space.	2. It takes less desk space.
3. It uses more energy than LCD monitor.	3. It uses less energy than CRT monitor.
4. It uses picture tube technology.	4. It uses liquid crystal technology.
5. Its weight is more than LCD.	5. Its weight is less than CRT.
6. It emits harmful radiation.	7. It does not emit harmful radiation.

CPF - Chapter No 2 : I/O Devices & Peripherals

2

0

1

4

35

CRT Monitors


- In CRT monitors, electrons are fired at phosphor dots on the screen.
- The dots are grouped into pixels, which glow when struck by electrons.
- In color CRTs, each pixel contains a red, green, and blue dot. These glow at varying intensities to produce color images.

CPF - Chapter No 2 : I/O Devices & Peripherals

36

18

CRT Monitors



CPF - Chapter No 2 : I/O Devices & Peripherals

2014

37

Flat-Panel Displays Monitors

- Most flat-panel monitors use liquid crystal display (LCD) technology or Electro-luminescent (EL).
- Passive matrix LCD uses a transistor for each row and column of pixels.
- Active matrix LCD uses a transistor for each pixel on the screen.
- Thin-film transistor displays use multiple transistors for each pixel.

CPF - Chapter No 2 : I/O Devices & Peripherals

2014

38

19

Factors affecting Screen Clarity

- Resolution
- Refresh Rate
- Dot Pitch



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

39

Resolution

- **Resolution** is the number of pixels on the screen, expressed as a matrix. Example such as 600x800.
- A 17" monitor offers resolutions from 640x480 up to 1280x1024.
- The **Video Graphics Array (VGA)** standard is 640x480. Super VGA (SVGA) monitors provide resolutions of 800x600, 1024x768 or higher.
- **Resolution (image sharpness) is important.**

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

40

20

Refresh Rate

- **Refresh Rate** is the number of times each second that the electron guns scan the screen's pixels.
- Refresh rate is measured in Hertz (Hz), or cycles per second.
- Look for a refresh rate of 72 Hz or higher.
- A slower rate may cause eyestrain.


2
0
1
4

CPF - Chapter No 2 : I/O Devices & Peripherals

41

Refresh Rate

- 1 The electron gun scans from left to right,



- 2 and from top to bottom,

- 3 refreshing every phosphor dot in a zig-zag pattern.

Fast scanning = Quick refresh (less flicker)

2
0
1
4

CPF - Chapter No 2 : I/O Devices & Peripherals

42


21

Dot Pitch

- **Dot Pitch** is the distance between the phosphor dots that make up a single pixel.
- In color monitors, three dots (red, green, and blue) comprise each pixel.
- Look for a dot pitch no greater than .31 millimeter.

2014

Dot Pitch




2014

Phosphor Dot Color Mixing

Video Controller

- The video controller is an interface between the monitor and the CPU.
- The video controller determines many aspects of a monitor's performance, such as resolution or the number of colors displayed.
- The video controller contains its own on-board processor and memory, called video RAM (VRAM).



CPF - Chapter No 2 : I/O Devices & Peripherals

2


0

1

4

45

Video Controller



CPF - Chapter No 2 : I/O Devices & Peripherals

2

0

1

4

46

23

Standards of Monitors

- VGA: Video Graphic Array-
 - Supports 16 x 256 colors depending on the resolution
 - At 320 x 200 pixels: 256 colors
 - At 640 x 480 pixels: 16 colors
- SVGA: Super VGA-
 - 800 x 600 pixels and 1024 x 768 pixels – 256 colors
- XGA: Extended Graphic Array-
 - 16.7 million colors at 1024 x 768 pixels

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

47

Printer : Paper Output

- In computer, paper output is sometimes called **Hard Copy**.
- Hard copy come from one of two kinds of printers:
 - Impact Printers
 - Non-Impact Printers



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

48

24

Printer Categories

Printers fall into two categories:

- **Impact printers** use a device to strike an inked ribbon, pressing ink from the ribbon onto the paper.
- **Non-impact printers** use different methods to place ink (or another substance) on the page.

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

49

Impact Printers

- **Line Printers**
 - Used by mainframes for massive jobs
 - Limited characters available
- **Dot-Matrix Printers**
 - Image formed from dots printed on paper
 - Good for text and graphics
 - Inexpensive

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

50

25

Non-Impact Printers

▪ Laser Printers

- Image transferred to paper with laser beam
- Faster and more expensive than dot-matrix
- High-resolution hard copy

2014

CPF - Chapter No 2 : I/O Devices & Peripherals

51

Other Non-Impact Printers

▪ Ink-Jet Printers

- Dots of ink are sprayed onto the paper to form the image
- High-resolution hard copy
- Some models print can print color photographs

2014

CPF - Chapter No 2 : I/O Devices & Peripherals

52

26

Other Non-Impact Printers

■ Plotters

- Image transferred to paper with ink pens
- Very high resolution
- Excellent for scientific and engineering applications
- They are mostly used for print-outs that are too large to be printed by printers.



2

0

1

4

53

CPF - Chapter No 2 : I/O Devices & Peripherals

Printer Quality

When evaluating printers, consider four criteria:

- 1. Image quality**– Measured in dots per inch (dpi). Most printers produce 300 – 600 dpi.
- 2. Speed**– Measured in pages per minute (ppm) or characters per second (cps).
- 3. Initial cost**– Consumer printers cost \$250 or less, but professional printers can cost thousands of dollars.
- 4. Cost of operation**– This refers to the cost of supplies used by the printer.

2

0

1

4

54

CPF - Chapter No 2 : I/O Devices & Peripherals

Ink-jet Printers

- Ink jet printers are an example of non-impact printers.
- The printer sprays tiny droplets of ink onto the paper.
- Ink jet printers are available for color and black-and-white printing.
- Ink jet printers offer speeds of (2 – 4 pages per minute ppm) and resolution (300 – 600 dots per inch dpi), comparable to low-end laser printers.

2
0
1
4

55

CPF - Chapter No 2 : I/O Devices & Peripherals

Laser Printer


- Laser printers are non-impact printers.
- They use heat and pressure to bond particles of toner to paper.
- Laser printers provide resolutions from 300 – 1200 dpi and higher.
- Black-and-white laser printers usually produce 4 – 16 ppm.
- Laser printers produce higher-quality print than ink jet printers, but are more costly.

2
0
1
4

56

CPF - Chapter No 2 : I/O Devices & Peripherals

Laser Printer Working



CPF - Chapter No 2 : I/O Devices & Peripherals

2014

57

Secondary Storage: Input and Output

- Peripherals with both input and output functions.
- This form of storage is semi-permanent
- Examples include:
 - Magnetic tape
 - Magnetic disks
 - Optical disks



CPF - Chapter No 2 : I/O Devices & Peripherals

2014

58

29

Magnetic Tape

- Magnetic tape is a common form of storage for mainframe computers.
 - Information is accessed sequentially
 - Massive storage for low cost but retrieval is slow
 - DAT (Digital Audio Tape) is preferred for storage on small computers



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

59

Magnetic Tape



Hard Disk



Floppy Disk



Zip Disks and Zip Drive

CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

60

30

Hard Disks

- Hard disks are:
 - Rigid, magnetically sensitive metal disks.
 - Designed so that information can be randomly accessed
 - Designed for large storage capacity
 - Able to access data quickly
 - Not removable from the drive




CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

61

Diskettes

- Diskettes are:
 - Flexible, magnetically sensitive plastic disks
 - Information can be randomly accessed.
 - Has limited storage capacity
 - Access of data not as quick as hard disks
 - Removable from the drive



CPF - Chapter No 2 : I/O Devices & Peripherals

2
0
1
4

62

31

CD-ROM

- CD-ROM and magneto-optical disks provide:
 - Random access of information
 - A high storage capacity
 - Are removable from the drive



CPF - Chapter No 2 : I/O Devices & Peripherals

2014

63

Von Neumann Architecture

- All computers more or less based on the same basic design, the Von Neumann Architecture.
- Model for designing and building computers, based on the following three characteristics:
- The computer consists of four main sub-systems:
 1. Memory
 2. ALU (Arithmetic/Logic Unit)
 3. Control Unit
 4. Input/Output System (I/O)
- Program is stored in memory during execution.
- Program instructions are executed sequentially.

CPF - Chapter No 2 : I/O Devices & Peripherals

2014

64

32

