

**INSTITUTE OF DISTANCE AND OPEN LEARNING UNIVERSITY OF  
MUMBAI DR. SHANKAR DAYAL SHRAMA BHAVAN,  
VIDYANAGARI,  
SANTACRUZ(E), MUMBAI-98**



**Project Report On  
Users social networking website**

**SUBMITTED BY**

**Mr. Girish Ganesh Shenoy**

**Application Id: 131150**

**DATE OF SUBMISSION**

**28th Aug, 2022**

**Under the guidance of Milind Thorat**

**Users Social networking website**

**Submitted in partial fulfillment of the requirements for qualifying  
M.C.A Semester VI Examination**

**University of Mumbai**



## **CERTIFICATE**

**This is to certify that the Project titled  
Users social networking website**

**Done by**

**Mr. Girish Ganesh Shenoy**

**in partial fulfillment for M.C.A. SEM VI Examination has been found satisfactory. This  
report had not been submitted for any other examination and does not form part of any  
other course undergone by the candidate.**

**Signature of Internal Guide  
Guided By**

**Signature of External Examiner  
Examined By**

**Signature of Coordinator  
Certified By**

## **ACKNOWLEDGEMENT**

It gives me a great pleasure to present my project on “Uses Social Networking Website”. This is my milestone in M.C.A.

I would like to express my sincere thanks to all the Teachers who helped us throughout the project. I would like to acknowledge the help and guidance provided by Girish Shenoy in all places during the presentation of this project.

## **INDEX**

<b>Sr. No.</b>	<b>Content</b>
1	Introduction
2	Project Outline
3	PROPOSED SYSTEM AND IT'S ADVANTAGE
4	ADVANTAGE OF PROPOSED SYSTEM
5	FEASIBILITY STUDY
6	METHODOLOGY USED
7	SYSTEM REQUIREMENT SPECIFICATION
8	GANTT CHART
9	SYSTEM ANALYSIS
10	ER DIAGRAM
11	CLASS DIAGRAM
12	OBJECT DIAGRAM
13	SEQUENCE DIAGRAM
14	ACTIVITY DIAGRAM
15	STATE DIAGRAM
16	SYSTEM DESIGN
17	DATA DICTIONARY
18	SYSTEM CODING
19	FUTURE ENHANCEMENTS
20	REFERNCES

# INTRODUCTION

This project is developed to manage the activities of “**Users Social networking Website**” to help users to efficiently communicate with others.

There are numerous products available that allow for real time chatting over the Internet. The purpose of this project is to implement a

“**Users Social Networking Website**” that will allow users to engage in public & private conversations. This project is to create a website with a server and clients to enable the clients to chat with many other clients.

The idea of this project comes from the way to provide the users with efficient and user friendly approach to be in contact with each other.

The social networking website is an online community designed to make social life more active and stimulating. The social network can help you maintain existing relationships with people and share pictures and messages, and establish new ones by reaching out to people you've never met before.

## PROJECT OUTLINE

This project is to create a server and clients to enable the users to chat with many other users. This project is going to be a text communication website plus posting images on their particular timeline. The system to be developed here is a chat facility. It is a centralized system. It is a client server system with centralized database server.

There is a two way communication between different users and server. It allows users to find other logged in users. For making use of this chat facility the user has to register him first on a website. The user has to provide his personal information as first name, last name, email, gender date of birth, username, password with his/her profile picture that will be displayed on his/her profile.

After having an authorized account the user has to login with username and password. The user can post various images and text that will be visible to his/her friend. The user can search for his/her friends and send them a friend request. They can chat or send messages to the users in their friend list. The user can update their profile information

## **PROPOSED SYSTEM AND IT'S ADVANTAGE**

- Online chatting can be a great tool to stay in contact with friends or family who may live far away. While calling each other and talking for hours can be a rather costly expense, online chatting is free. People can chat for hours.
- One benefit of online chatting is the ability to meet new people anonymously with similar interest from their home.
- People can share their personal information about their personal events with their friends. They can post images or text related with it.
- We reserve the right to disclose your personally identifiable information as required by law and when we believe that disclosure doing so in the Company's interest to protect its property or other legal rights or the rights or property of others.
- We will keep personally identifiable Information of our users for as long as they are registered subscribers or users of our products and services, and as permitted by law.
- As a registered user, you can access your account with a unique user name and a password as selected by you. You are responsible for keeping your password confidential. To ensure better security, we recommend that you choose a strong password containing alphabets, numbers, special characters, and that you can change your password periodically.

## **ADVANTAGE OF PROPOSED SYSTEM:**

- Only authorized user can access the website.
- It allows easy insertion, deletion and updating of records.
- It allows to do error checking on all inputs
- Any enhancement can be done on website in future.
- It is a quick response application that can store each detail of every transaction.
- It saves lots of time.
- Easy to use and understand.
- Interfaces are user friendly.



## FEASIBILITY STUDY

- **Operational Feasibility:**

The proposed system is operationally feasible as it would increase the throughput and reduce the response time to some extent. The efficiency in providing the required information to the end user as well as the management is a feature of the proposed system that make is acceptable by all. The system also has a user friendly GUI that would enable the user to get acquainted to it easily and in short time.

- **Economic Feasibility:**

After doing a thorough cost/benefit analysis the authorities and the management have quoted that the proposed system would be economically feasible considering the following aspects:

- The system will save time.
- At the same time the system will require less manual as compared to the current system.

## METHODOLOGY USED

The Waterfall Model was the first Process Model to be introduced. It is also referred to as a **linear-sequential life cycle model**. It is very simple to understand and use. In a waterfall model, each phase must be completed before the next phase can begin and there is no overlapping in the phases.


The Waterfall model is the earliest SDLC approach that was used for software development.

The waterfall Model illustrates the software development process in a linear sequential flow. This means that any phase in the development process begins only if the previous phase is complete. In this waterfall model, the phases do not overlap.

### Waterfall Model – Design

Waterfall approach was first SDLC Model to be used widely in Software Engineering to ensure success of the project. In "The Waterfall" approach, the whole process of software development is divided into separate phases. In this Waterfall model, typically, the outcome of one phase acts as the input for the next phase sequentially.

The following illustration is a representation of the different phases of the Waterfall Model.



The sequential phases in Waterfall model are –

- **Requirement Gathering and analysis** – All possible requirements of the system to be developed are captured in this phase and documented in a requirement specification document.
- **System Design** – The requirement specifications from first phase are studied in this phase and the system design is prepared. This system design helps in specifying hardware and system requirements and helps in defining the overall system architecture.
- **Implementation** – With inputs from the system design, the system is first developed in small programs called units, which are integrated in the next phase. Each unit is developed and tested for its functionality, which is referred to as Unit Testing.
- **Integration and Testing** – All the units developed in the implementation phase are integrated into a system after testing of each unit. Post integration the entire system is tested for any faults and failures.
- **Deployment of system** – Once the functional and non-functional testing is done; the product is deployed in the customer environment or released into the market.
- **Maintenance** – There are some issues which come up in the client environment. To fix those issues, patches are released. Also to enhance the product some better versions are released. Maintenance is done to deliver these changes in the customer environment.

## Waterfall Model - Advantages

- Easy to manage due to the rigidity of the model. Each phase has specific deliverables and a review process.
- Phases are processed and completed one at a time.
- Works well for smaller projects where requirements are very well understood.
- Clearly defined stages.
- Well understood milestones.
- Easy to arrange tasks.
- Process and results are well documented.

## SYSTEM REQUIREMENT SPECIFICATION

<b>Processor Type</b>	AMD E1-6010 APU 1.35 GHz / Intel® Core™2 Duo Processor E7500
<b>System RAM</b>	2GB Minimum
<b>Input Device</b>	Basic Keyboard and scroll Mouse
<b>Output Device</b>	Standard Color Monitor
<b>Storage Device</b>	80 GB HDD Minimum
<b>Operating System</b>	Microsoft Windows 7/10
<b>Front End</b>	HTML5/CSS3/Javascript /Jquery
<b>Back End</b>	MySQL /PHP

# GANTT CHART

Tasks	MAY				MAY				JUNE				JULY				AUGUST			
	1	2	3	4	11	12	13	14	9	10	11	12	14	15	16	17	1	2	3	4
Planning Phase																				
Defining Problem																				
Data Gathering																				
Analysis of Data																				
System Design																				
Rework on System Design																				
Database Design																				
Rework on Database Design																				
Program Coding																				
Testing																				
Project Documentation																				



Planned



Actual

# SYSTEM ANALYSIS

## EVENT LIST

- Users register him/her to use the website services
- Users make a login
- User searches for friends.
- User sends friend request.
- User accept/delete friend request.
- User updates profile.
- User sends messages to his/her friends.

- User post some images, audio, videos and text .

.

**EVENT TABLE**

<b>Sr. No.</b>	<b>Event</b>	<b>Trigger</b>	<b>Source</b>	<b>Activity</b>	<b>Response</b>	<b>Destination</b>
1	User Registration	Adds new User	User	Adding New User	New User Added	User
2	Search friends	Searches friends	User	Showing the list of search result	Displayed the search result	User




---

**Users social networking website**

3	Send Message	Sends message to friends.	User	Sending Message	Message Sent	System
4	Post Information	Posts Information	User	Posting Information	Information Posted	System
5	Password recovery	Provide Recovery Information	User	Password Recovering	Password recovered	System
6	Update profile	Provide Update information	User	Updating profile	Profile Updated	System


# ER DIAGRAM




# OBJECT DIAGRAM




# CLASS DIAGRAM




## USE CASE DIAGRAM



## ACTIVITY DIAGRAM




# SEQUENCE DIAGRAM




## STATE DIAGRAM

### Login







## Search friend



## Profile state




## Chat state




# SYSTEM DESIGN

## COMPONENT DIAGRAM



## DEPLOYMENT DIAGRAM



## DATA DICTIONARY

**accounter**

Column	Type	Null	Default	Links to
accounter_id ( <i>Primary</i> )	int(11)	No		
accounter_first_name	varchar(15)	No		
accounter_last_name	varchar(15)	No		
accounter_email	varchar(30)	No		
accounter_password	text	No		
accounter_contact	bigint(20)	No		
accounter_gender	varchar(8)	No		
accounter_join_date	datetime	No	CURRENT_TIMESTAMP	
status	int(11)	No	0	

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	accounter_id	4	A	No	
accounter_email	BTREE	Yes	No	accounter_email	4	A	No	

**accounter\_details**

Column	Type	Null	Default	Links to
accounter_deatils_id ( <i>Primary</i> )	int(11)	No		
accounter_address	text	No		
accounter_cover_photo	varchar(200)	No	cover.jpg	
accounter_dp	varchar(200)	No		
accounter_nationality	varchar(20)	No		
accounter_language	text	No		
accounter_id	int(11)	No		accounter -> accounter_id
accounter_DOB	date	No		

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	accounter_deatils_id	2	A	No	

## Users Social networking website

### background

Column	Type	Null	Default	Links to
accounter_id	int(11)	No		accounter -> accounter_id
background_img	text	No		

### comments

Column	Type	Null	Default	Links to
comment_id ( <i>Primary</i> )	int(11)	No		
post_id	int(11)	No		post -> post_id
accounter_id	int(11)	No		accounter -> accounter_id
comment_desc	text	No		
comment_date	datetime	No	CURRENT_TIMESTAMP	

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	comment_id	45	A	No	

### friend

Column	Type	Null	Default	Links to
froms	int(11)	No		accounter -> accounter_id
tos	int(11)	No		accounter -> accounter_id
status	int(11)	No	0	

### groups

Column	Type	Null	Default	Links to	Comments
group_id ( <i>Primary</i> )	int(11)	No			
group_name	varchar(20)	No			
group_desc	varchar(500)	No			
accounter_id	int(11)	No			
status	int(11)	No			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	group_id	0	A	No	

## Users social networking website

### likes

Column	Type	Null	Default	Links to
post_id	int(11)	No		post -> post_id
accounter_id	int(11)	No		accounter -> accounter_id

### message

Column	Type	Null	Default	Links to
message_id ( <i>Primary</i> )	int(11)	No		
sender_id	int(11)	No		accounter -> accounter_id
receiver_id	int(11)	No		accounter -> accounter_id
message	varchar(500)	No		
message_date	datetime	No	CURRENT_TIMESTAMP	

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	message_id	13	A	No	

### post

Column	Type	Null	Default	Links to
post_id ( <i>Primary</i> )	int(11)	No		
post_description	text	No		
post_date	datetime	No	CURRENT_TIMESTAMP	
post_img	text	No		
accounter_id	int(11)	No		accounter -> accounter_id
post_video	varchar(100)	No		
post_audio	text	No		

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	post_id	5	A	No	

### unlike

Column	Type	Null	Default	Links to
post_id	int(11)	No		post -> post_id
accounter_id	int(11)	No		accounter -> accounter_id

## SYSTEM CODING

### INDEX.PHP

```
<html>
<head>
<title>GirishS9 Connect</title>
  <meta name="viewport" content="width=device-width,initial-scale=1">

  <link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
  <link      rel="stylesheet"      type="text/css"      href="css\font-awesome-
4.7.0\css\font.css">
  <link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
    <script src="css/2/thumbnail-slider.js" type="text/javascript"></script>
  <script type="text/javascript" src="js/jquery.js"></script>
  <script type="text/javascript" src="js/bootstrap.min.js"></script>
  <script type="text/javascript">
    $(document).ready(function(){
      // $("#login").modal('show');

      $(".signUp").click(function(){

        $("#signup").modal('show');

      });

      $(".login").click(function(){

        $("#login").modal('show');
      });
    });
  </script>
</head>
</html>
```



```
$("#banner").modal('show');

window.setTimeout(function()
{
    $("#banner").modal('hide');

},5000);

$('.textName').keypress(function (e) {
var regex = new RegExp("^[a-zA-Z]+$");
var str = String.fromCharCode(!e.charCode ? e.which : e.charCode);
if (regex.test(str)) {
    return true;
}
else
{
    e.preventDefault();
    alert('Please Enter Alphabate');
    return false;
}
});

});
</script>
<script type="text/javascript">
    function checkPasswordStrength() {
        var number = /[0-9]/;
        var alphabets = /[a-zA-Z]/;
        var special_characters = /[~!,@,#,$,%,^,&,*,-,_,+','=',>,<]/;

        if($('#password').val().length<6) {
            $('#password-strength-status').removeClass();
            $('#password-strength-status').addClass('weak-password');
            $('#password-strength-status').html("Weak (should be atleast 6 characters.)");
        } else {
```

```
        if($('#password').val().match(number)                                &&
$('#password').val().match(alphabets)                                     &&
$('#password').val().match(special_characters)) {
            $('#password-strength-status').removeClass();
            $('#password-strength-status').addClass('strong-password');
            $('#password-strength-status').html("Strong");
        } else {
            $('#password-strength-status').removeClass();
            $('#password-strength-status').addClass('medium-password');
            $('#password-strength-status').html("Medium (should include
alphabets, numbers and special characters.)");
        }
    }
}
</script>
<style type="text/css">
    #password-strength-status {padding: 5px 10px;color: #FFFFFF; border-
radius:4px;margin-top:5px;}
    .medium-password{background-color: #E4DB11;border:#BBB418 1px solid;}
    .weak-password{background-color: #FF6600;border:#AA4502 1px solid;}
    .strong-password{background-color: #12CC1A;border:#0FA015 1px solid;}
    .head
    {
        height: auto;
        width: 60px;
        border-radius: 50%;
        text-align: center;
        line-height: 60px;
        background-image: url('images/abc.jpg');
    }
    .bo
    {
        border: 1px solid gray;
    }
    .signup
    {
        height: auto;
        width: 22%;}
```

## MAIN.PHP

<?PHP

Session\_start();

```
class Connection
{
    public $con;
    public function __construct()
    {
        $this->con=mysqli_connect("localhost","root","","db_girishconnect");

        if($this->con!=true)
        {
            echo "error in connection";
        }
    }
}
```

```
class User extends Connection
{
    public
    $accounter_first_name,$accounter_last_name,$accounter_email,$accounter_password,$accounter_contact,$accounter_gender;
    public $i=0;
    public function registrationUser()
    {
        $this->accounter_first_name=$_POST['fname'];
        $this->accounter_last_name=$_POST['lname'];
        $this->accounter_email=$_POST['email'];
        $this->accounter_password=sha1($_POST['password']);
        $this->accounter_contact=$_POST['cnt'];
        $this->accounter_gender=$_POST['gender'];
    }
}
```

```
// echo "$this->accounter_first_name,$this->accounter_last_name,$this->accounter_email,$this->accounter_password,$this->accounter_contact,$this->accounter_gender";

$query="insert into
accounter(accounter_first_name,accounter_last_name,accounter_email,accounter_password,accounter_contact,accounter_gender) values('$this->accounter_first_name','$this->accounter_last_name','$this->accounter_email','$this->accounter_password','$this->accounter_contact','$this->accounter_gender')";

$run=mysqli_query($this->con,$query);

if($run==true)
{
    header('location:index.php?status=1');
    $msg1="welcome to SkyConnect ur email email: ".$this->accounter_email." password: ".$_POST['password'];
    $data = array('username' => 'gra0-ahmad', 'password' => 'ahmad','type'=>'0','dlr'=>'1','source'=>'022751','message'=>$msg1,'destination'=>$this->accounter_contact);
    $str = http_build_query($data);
    $url=
"http://smsstore.graciassoft.com:8080/sendsms/bulksms?$str";
    // echo "$url";

    // header("Location: $url");
    $ch = curl_init();
    $header = array("Content-Type:application/json",
"Accept:application/json");
    curl_setopt($ch, CURLOPT_URL, $url);
    curl_setopt($ch, CURLOPT_HTTPHEADER, $header);
    curl_setopt($ch, CURLOPT_POST, 1);
    curl_setopt($ch, CURLOPT_POSTFIELDS, $str);
```

```
$response = curl_exec($ch);
$httpCode = curl_getinfo($ch, CURLINFO_HTTP_CODE);
$responseBody = json_decode($response);
curl_close($ch);

}
else
{
    header('location:index.php?status=2');
}
}

public function loginUser()
{

    $useremail=$_POST['email'];
    $userpassword=sha1($_POST['pass']);

    // echo "$useremail";
    // echo "$pass";

    $query="select count(*) from account where
account_email='$useremail' and account_password='$userpassword'";
}
```

## Audio.php

```
<?php

include 'main.php';

if(!isset($_SESSION['id']))
{
    header('location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<title style="text-transform: capitalize;">

    <?php

        $u->titleName();

    ?>
</title>
<meta name="viewport" content="width=device-width,initial-scale=1">
    <link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css/font-awesome-
4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
<link rel="stylesheet" type="text/css" href="css/navbar.css">
<link rel="stylesheet" type="text/css" href="css/sidenav.css">
<style type="text/css">

</style>
```

```
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-ui.js"></script>
<script type="text/javascript" src="js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/homescript.js"></script>
</head>
<body style="background-image: url('background/<?php $u->fetchBack()
?>');background-size: 1364px 680px">
<!-- 'navigation' -->
<?php

    include 'nav.php';
?>
<!-- end navigation -->

<div class="container-fluid" style="margin-top: 50px;">
<div class="row">
    <!--left menu section -->
    <!-- user intro section -->
        <div class="col-md-3 p w3-hide-small" style="font-size:
18px;padding: 5px 0px 0px 10px;background-color:;" >
            <?php
                include 'sidenav.php';
            ?>
        </div>
    <!-- end menu section -->
        <div class="col-md-9" style="">

            <?php

                $u->showAudios();
            ?>
        </div>
```

## Home.php

```
<?php
// session_start();
include 'main.php';

if(!isset($_SESSION['id']))
{
header('location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width,initial-scale=1">
<link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<title style="text-transform: capitalize;">

<?php

$u->titleName();

?>
</title>
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css\font-awesome-
4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
<style type="text/css">
body
{
```



```
/*overflow-x: hidden; */
overflow: hidden;
overflow-y: hidden;
background-color: #ccc;
}
.left-inner-addon input
{
padding-left: 30px;
width: 100%;
font-size: 16px;
}
.left-inner-addon i
{
position: absolute;
padding: 10px 12px;
left: 15px;
/*pointer-events: none;*/
}

.luc i
{
color: skyblue;
}

.p
{
border-right: 5px solid #ccc;
}

.p p
{
padding-bottom: 10px;
padding-top: 5px;
border-bottom: 1px solid #ccc;
}
```

## Files.php

```
<?php

include 'main.php';

if(!isset($_SESSION['id']))
{
header('location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width,initial-scale=1">
<link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<title style="text-transform: capitalize;">

<?php

$u->titleName();

?>
</title>
<style type="text/css">
.change:hover
{
top: -2px;
}

.change:hover .img1
{
transform: rotateY(180deg);
transition: 2s;
```

```
}

.zoom
{
overflow: hidden;
}
.zoom img
{
transition: 2s;
}
.zoom img:hover
{
transform: scale(1.2,1.2);

}
#scroll::-webkit-scrollbar {
width: 8px;
}

#scroll::-webkit-scrollbar-track {
-webkit-box-shadow: inset 0 0 6px rgba(0,0,0,0.3);
}

#scroll::-webkit-scrollbar-thumb {
background-color: darkgrey;
border-radius: 10px;
outline: 1px solid slategrey;
}
</style>
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="css/scroll.css">
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css/font-awesome-
4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
<link rel="stylesheet" type="text/css" href="css/navbar.css">
<link rel="stylesheet" type="text/css" href="css/sidenav.css">
```

## Friend.php

```
<?php

include 'main.php';

if(!isset($_SESSION['id']))
{
    header('location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width,initial-scale=1">
<link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<title style="text-transform: capitalize;">

    <?php

        $u->titleName();

    ?>
</title>
<style type="text/css">
    .change:hover
    {
        top: -2px;
    }

    .change:hover .img1
    {
        transform: rotateY(180deg);
        transition: 2s;
    }
</style>
```

```
.zoom
{
    overflow: hidden;
}
.zoom img
{
    transition: 2s;
}
.zoom img:hover
{
    transform: scale(1.2,1.2);
}
#scroll::-webkit-scrollbar
{
    width: 8px;
}

#scroll::-webkit-scrollbar-track {
    -webkit-box-shadow: inset 0 0 6px rgba(0,0,0,0.3);
}

#scroll::-webkit-scrollbar-thumb {
    background-color: darkgrey;
    border-radius: 10px;
    outline: 1px solid slategrey;
}
</style>
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="css/scroll.css">
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css/font-awesome-4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
<link rel="stylesheet" type="text/css" href="css/navbar.css">
<link rel="stylesheet" type="text/css" href="css/sidenav.css">
```

## Games.php

```
<!DOCTYPE html>
<html>
<head>
<?php
    include 'main.php';
    if(!isset($_SESSION['id']))
    {
        header('location:index.php');
    }
?>

<title></title>
<title>Girish S9 Connect</title>
<meta name="viewport" content="width=device-width,initial-scale=1">

<link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<title style="text-transform: capitalize;">

    <?php

        $u->titleName();

    ?>
</title>
<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css\font-awesome-
4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
    <script src="css/2/thumbnail-slider.js" type="text/javascript"></script>
<script type="text/javascript" src="js/jquery.js"></script>
```

```
<script type="text/javascript" src="js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/canvas.js"></script>
<script type="text/javascript" src="js/exportchart.js"></script>
<script type="text/javascript">
    // alert(g);
```

```
var a=<?php $u->totalPost(); ?>;
var b=<?php $u->totalFriends(); ?>;
var c=<?php $u->totalLikes(); ?>;
var d=<?php $u->totalUnLikes(); ?>;
var e=<?php $u->totalcomment(); ?>;
var f=<?php $u->totalmessage(); ?>;
```

```
</script>
```

```
<style type="text/css">
```

```
.left-inner-addon input
```

```
{
    padding-left: 30px;
    width: 100%;
    font-size: 16px;
    /*text-transform: capitalize;*/
    /*padding-left: */
}
```

## Message.php

```
<?php

include 'main.php';

if(!isset($_SESSION['id']))
{
header('location:index.php');
}
?>
<!DOCTYPE html>
<html>
<head>
<title style="text-transform: capitalize;">

<?php

$u->titleName();

?>
</title>
<style type="text/css">
body
{
overflow: hidden;
}
#hoveractive tr:hover
{
opacity: 1;
/*font-size: 20px;*/
}
</style>
<meta name="viewport" content="width=device-width,initial-scale=1">
<link rel="shortcut icon" href="propic/<?php $u->picname(); ?>"
type="image/x-icon">

<link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
```



```
<!-- <link rel="stylesheet" type="text/css" href="css/style.css"> -->
<link rel="stylesheet" type="text/css" href="css\font-awesome-
4.7.0\css\font.css">
<link href="css/2/thumbnail-slider.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="css/w3.css">
<link rel="stylesheet" type="text/css" href="css/navbar.css">
<link rel="stylesheet" type="text/css" href="css/sidenav.css">
<style type="text/css">
#scroll::-webkit-scrollbar {
width: 10px;
}

#scroll::-webkit-scrollbar-track {
-webkit-box-shadow: inset 0 0 6px rgba(0,0,0,0.3);
}

#scroll::-webkit-scrollbar-thumb
{
background-color: darkgrey;
outline: 1px solid slategrey;
}

#scroll1::-webkit-scrollbar {
width: 5px;
}

#scroll1::-webkit-scrollbar-track {
-webkit-box-shadow: inset 0 0 6px rgba(0,0,0,0.6);
}

#scroll1::-webkit-scrollbar-thumb {
background-color: green;
outline: 1px solid slategrey;
}
</style>
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/jquery-ui.js"></script>
```

```
<script type="text/javascript" src="js/bootstrap.min.js"></script>
<script type="text/javascript" src="js/homescript.js"></script>
<script type="text/javascript" src="js/msg.js"></script>
<script type="text/javascript">
```

```
setInterval(function(){
$("#scroll").load('autofetchmsg.php');
$(".scroll12").load('autofetchmsg.php');

},1000);
```

### Nav.php

```
<nav class="navbar navbar-inverse navbar-fixed-top">
<div class="navbar-header">
    <button class="navbar-toggle" data-toggle="collapse" data-
target="#myhomeNav">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
    </button>
    <a href="home.php" class="navbar-brand akash"
style="color:white;"><span style="text-transform:;"><span style="font-
family:Old English Text MT;color:red;font-weight: bold;font-size:
40px;">G</span>irish<span><sub><span style="color: red;font-weight:
bold;font-family: Old English Text MT;font-size:
22px;">C</span>onnect</sub></a>

</div>
<div class="collapse navbar-collapse " id="myhomeNav">

    <form class="navbar-form pull-left text-center" name="f">
        <div class="col-sm-4 text-center w3-hide-small">
            <div class="form-group left-inner-addon">
```

```
<i class="fa fa-search"></i>
<input type="text" name="search_name" id="search123"
class="form-control search123" placeholder="Search" style="border-radius:
10px;" onkeyup="searchFriends_()">
</div>

</div>
<div class="col-md-12 w3-hide-large w3-hide-medium text-center ">



    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<a href="home.php" style="font-size: 25px;"><i class="fa fa-home"></i></a>
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<a href="#" style="font-size: 25px;"><i class="fa fa-users friend1" ><?php
        $u->showFriendRequest();

        ?>
    </i></a>
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~
    <!-- <a href="#" style="font-size: 25px;"><i class="fa fa-comments"><span class="badge btn-danger" style="background-color: red;">3</span></i></a> -->
</div>
</form>
<ul class="nav navbar-nav pull-right w3-hide-small w3-hide-medium" style="font-size: 20px;">
    <li ><a href="home.php" ><i class="fa fa-home"></i></a></li>
    <li><a href="#"><i class="fa fa-users friend1" ><?php
        $u->showFriendRequest();

        ?>
    </i>
</a></li>

    <li><a href="logout.php" style="font-size: 16px;padding-top: 17px;"><i class="fa fa-sign-out"></i>&nbsp;logout</a></li>
```

## SCREEN LAYOUT



## Users social networking website

Prem Patil

Profile

My Newsfeed

Friends

Message

Images

Videos

audio

View Activity Graph

Drop Box

logout



cisco

Prem Patil

Email

prempatil5@gmail.com

Contact

8938923898

Gender

male

Address

mumbai

Nationality

indian

Language

english

## **FUTURE ENHANCEMENT**

- Facility of audio and video chatting will be provided.
- Security performance will be improved.
- Facility to post news and add will be provided.
- Option for providing feedback will be added.
- Facility for group chatting will be provided.

## REFERNECES

1. <https://www.w3schools.com>
2. <https://www.mysql.com>
3. <https://www.tutorialspoint.com>