```html
<!DOCTYPE html>
<html>

<head>
    <title>Portfolio - Ramkumar</title>
    <link

href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@400;700&family=Roboto
:wght@300;400&display=swap"
        rel="stylesheet">
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }

        body {
            font-family: 'Roboto', Arial, sans-serif;
            background: linear-gradient(135deg, #1a1a1a, #4a4a4a);
            color: #fff;
            line-height: 1.6;
            overflow-x: hidden;
        }

        header {
            background: rgba(0, 0, 0, 0.9);
            padding: 2rem;
            display: flex;
            justify-content: space-between;
            align-items: center;
            border-bottom: 5px solid #ff6f61;
            position: relative;
        }

        .header-content h1 {
            font-family: 'Playfair Display', serif;
            font-size: 3.5rem;
            font-weight: 700;
            color: #ff6f61;
            text-transform: uppercase;
            letter-spacing: 2px;
            text-shadow: 2px 2px 10px rgba(255, 111, 97, 0.5);
        }
```

```css
.header-content p {
    font-size: 1.2rem;
    color: #ffd700;
    margin-top: 0.5rem;
}

.profile-picture {
    width: 130px;
    height: 130px;
    border-radius: 50%;
    border: 4px solid #ff6f61;
    object-fit: cover;
    box-shadow: 0 0 20px rgba(255, 111, 97, 0.6);
    transition: transform 0.4s ease;
}

.profile-picture:hover {
    transform: scale(1.15) rotate(5deg);
}

nav {
    background: #2d2d2d;
    padding: 1rem;
    text-align: center;
    position: sticky;
    top: 0;
    z-index: 10;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.5);
}

nav ul {
    list-style: none;
}

nav ul li {
    display: inline-block;
    margin: 0 30px;
}

nav ul li a {
    color: #ffd700;
    text-decoration: none;
    font-family: 'Playfair Display', serif;
```

```css
      font-size: 1.3rem;
      font-weight: 400;
      padding: 8px 15px;
      border-radius: 25px;
      transition: all 0.3s ease;
}

nav ul li a:hover {
      background: #ff6f61;
      color: #fff;
      transform: scale(1.1);
}

.container {
      max-width: 1200px;
      margin: 2rem auto;
      padding: 0 2rem;
      display: grid;
      grid-template-columns: 1fr 1fr;
      gap: 2.5rem;
      position: relative;
      perspective: 1000px;
}

.section-content {
      background: rgba(255, 255, 255, 0.95);
      color: #333;
      padding: 2.5rem;
      border-radius: 15px;
      box-shadow: 0 6px 20px rgba(0, 0, 0, 0.4);
      transition: transform 0.6s ease, opacity 0.4s ease;
      transform-style: preserve-3d;
      position: relative;
      backface-visibility: hidden;
}

.section-content.hidden {
      transform: rotateY(90deg);
      opacity: 0;
      position: absolute;
      top: 0;
      width: 100%;
}
```

```css
.section-content.visible {
    transform: rotateY(0deg);
    opacity: 1;
}

.section-content h2 {
    font-family: 'Playfair Display', serif;
    font-size: 2rem;
    color: #ff6f61;
    margin-bottom: 1rem;
    border-bottom: 3px solid #ffd700;
    padding-bottom: 0.5rem;
}

.section-content p,
.section-content ul {
    font-size: 1.1rem;
    color: #444;
}

ul {
    list-style-type: square;
    padding-left: 25px;
    margin-top: 0.8rem;
}

.download-button {
    display: inline-block;
    background: #ff6f61;
    color: #fff;
    padding: 0.8rem 2rem;
    text-decoration: none;
    font-size: 1.1rem;
    border-radius: 30px;
    margin-top: 1.5rem;
    transition: all 0.3s ease;
}

.download-button:hover {
    background: #ffd700;
    color: #2d2d2d;
    transform: scale(1.1);
}
```

```css
    footer {
        background: #2d2d2d;
        padding: 1.5rem;
        text-align: center;
        font-size: 1rem;
        color: #ffd700;
        position: relative;
        width: 100%;
    }

    .full-width {
        grid-column: 1 / -1;
    }
  </style>
</head>

<body>
  <header>
    <div class="header-content">
      <h1>RAMKUMAR</h1>
      <p>I'm a B.Sc Computer Science Student</p>
    </div>
    <img src="Ramkumar.Pdf" alt="Ramkumar  Picture" class="profile-picture">
  </header>

  <nav>
    <ul>
      <li><a href="#about">About</a></li>
      <li><a href="#education">Education</a></li>
      <li><a href="#skills">Skills</a></li>
      <li><a href="#projects">Projects</a></li>
      <li><a href="#resume">Resume</a></li>
    </ul>
  </nav>

  <div class="container">
    <section id="about" class="section-content visible">
      <h2>About Me</h2>
      <p>I am an energetic and passionate individual who loves video editing, playing
badminton, and diving into
        Bible books during my downtime. I'm committed to my college studies, always excited
to explore new
        concepts, and aim to maintain a perfect balance between my academic pursuits,
hobbies, and staying
```

```html
        active.</p>
    </section>

    <section id="education" class="section-content hidden">
        <h2>Education</h2>
        <p>Dr Ambedkar Govt College</p>
    </section>

    <section id="skills" class="section-content hidden">
        <h2>Skills</h2>
        <ul>
            <li>Python</li>
            <li>Java</li>
            <li>CSS</li>
            <li>PHP</li>
            <li>JavaScript</li>
            <li>HTML</li>
        </ul>
    </section>

    <section id="projects" class="section-content hidden">
        <h2>Projects</h2>
        <ul>
            <li><a href="#">Digital Portfolio</a></li>
        </ul>
    </section>

    <section id="resume" class="section-content hidden full-width">
        <h2>Resume</h2>
        <center>
            <a href="Ramkumar G.Pdf" target="_blank" class="download-button">Download
CV</a>
        </center>
    </section>
</div>

<footer>
    <p>© 2025 Ramkumar</p>
</footer>

<script>
    const sections = document.querySelectorAll('.section-content');
    const navLinks = document.querySelectorAll('nav a');
```

```
function showSection(targetId) {
    sections.forEach(section => {
        if (section.id === targetId) {
            section.classList.remove('hidden');
            section.classList.add('visible');
        } else {
            section.classList.remove('visible');
            section.classList.add('hidden');
        }
    });
}

navLinks.forEach(link => {
    link.addEventListener('click', function (e) {
        e.preventDefault();
        const targetId = this.getAttribute('href').substring(1);
        showSection(targetId);
    });
});

// Initially show only the "About" section
showSection('about');
</script>
</body>

</html>
```