02 June 2025 03:06 PM

◇ Basic Setup Commands

Command	Purpose
git config --global user.name "Your Name"	Sets your Git username (global setting).
git config --global user.email "you@example.com"	Sets your Git email (global setting).
git config --list	Shows current Git configuration.

◇ Repository Initialization & Cloning

Command	Purpose
git init	Initializes a new Git repository in the current folder.
git clone <url>	Clones a remote repository to your local machine.
git clone <url> <folder>	Clones repo into a specific folder.

Branching :
==========

git branch	Lists all branches.
git branch -M newBranchName	Rename current branches.
git branch <branch>	Creates a new branch.

git checkout <branch> Switches to the specified branch.

git checkout -b <branch> Creates and switches to a new branch.

git branch -d <branch> Deletes a branch.

git branch -D <branch> Force deletes a branch.

Staging and commiting :
==========

git status Shows the status of files in the working directory.

git add <file> Stages a file for commit.

git add . Stages all changed files.

git commit -m "message" Commits staged changes with a message.

git commit -am "message" Adds and commits changes in tracked files.

◇ Merging & Rebasing

Command	Purpose
git merge <branch>	Merges the specified branch into the current branch.
git rebase <branch>	Reapplies commits on top of another base tip.

◇ Remote Repositories

Command	Purpose
git remote -v	Shows remote URLs.
git remote add origin <url>	Adds a remote named origin.
git push -u origin <branch>	Pushes branch to remote and sets upstream.
git push	Pushes commits to the remote repo.
git pull	Fetches and merges changes from the remote repo.
git fetch	Downloads objects and refs from another repo.

◇ Undoing Changes

Command	Purpose
git reset <file>	Unstages a file.
git reset --hard	Resets index and working tree. DANGER: discards changes.
git reset --soft HEAD~1	Undo last commit but keep changes staged.
git checkout -- <file>	Discards changes in the working directory.
git revert <commit>	Creates a new commit to reverse changes.

◇ Log & History

Command	Purpose
git log	Shows commit history.
git log --oneline	Shows compact one-line summary of commits.
git log --graph	Visual commit history.
git diff	Shows unstaged changes.
git diff --staged	Shows staged changes.

◇ Tagging

Command	Purpose
git tag	Lists all tags.
git tag <name>	Creates a new tag.
git tag -d <tag>	Deletes a tag.
git push origin <tag>	Pushes a tag to remote.

◇ Stash (Temporary Storage)

Command	Purpose
git stash	Saves uncommitted changes temporarily.
git stash apply	Reapplies stashed changes.
git stash pop	Reapplies and removes the stash.
git stash list	Shows stash history.

◇ Others

Command	Purpose
git show	Shows details of a commit.
git blame <file>	Shows who changed what and when in a file.
git clean -f	Removes untracked files.
git archive	Creates an archive of files.