

Question: Write a Java Program to implement customer order and receiver order and normal order.


Steps for Execution


- 1.Open IntelliJ IDEA / Eclipse / VS Code.
- 2.Create a Java project.
- 3.Create a package named javaprograms.
- 4.Create a class named CustomerAndReceiver.
- 5.Enter the given code and save it.
- 6.Run the CustomerAndReceiver class.
- 7.The program creates Customer, SpecialOrder, and NormalOrder objects.
- 8.The order details and operations are displayed.

Algorithm

- 1.Start.
- 2.Create a Customer object and assign name and location.
- 3.Create a SpecialOrder object and assign date and order number.
- 4.Create a NormalOrder object and assign date and order number.
- 5.Display customer details and send the order.
- 6.Confirm, close, and dispatch the special order.
- 7.Confirm, close, dispatch, and receive the normal order.
- 8.Display that the customer received the order.
- 9.Stop.

UML Class Diagram





Code:

```
package javaprograms;
```

```
class Customer {
    String name;
    String location;

    void sendOrder() {
        System.out.println(name + " sent the order.");
    }

    void receiveOrder() {
        System.out.println(name + " received the order.");
    }
}

class Order {
    String date;
    String number;

    void confirm() {
        System.out.println("Order confirmed.");
    }

    void close() {
        System.out.println("Order closed.");
    }
}

class SpecialOrder extends Order {

    void dispatch() {
        System.out.println("Special order dispatched.");
    }
}

class NormalOrder extends Order {

    void dispatch() {
        System.out.println("Normal order dispatched.");
    }

    void receive() {
        System.out.println("Normal order received.");
    }
}
```

```

    }
}

public class CustomerAndReceiver {
    public static void main(String[] args) {

        Customer c = new Customer();
        c.name = "priya";
        c.location = "Visakhapatnam";

        SpecialOrder so = new SpecialOrder();
        so.date = "25-01-2023";
        so.number = "S103";

        NormalOrder no = new NormalOrder();
        no.date = "18-07-2025";
        no.number = "N102";

        System.out.println("Customer: " + c.name);
        System.out.println("Location: " + c.location);
        c.sendOrder();

        System.out.println("Special Order");
        System.out.println("Date: " + so.date);
        System.out.println("Number: " + so.number);
        so.confirm();
        so.close();
        so.dispatch();

        System.out.println("Normal Order");
        System.out.println("Date: " + no.date);
        System.out.println("Number: " + no.number);
        no.confirm();
        no.close();
        no.dispatch();
        no.receive();

        c.receiveOrder();
    }
}

```

output:

Priya - Visakhapatnam

Priya sent the order.

Special Order: S103

Order confirmed.

Order closed.

Special order dispatched.

Normal Order: N102

Order confirmed.

Order closed.

Normal order dispatched.

Normal order received.

Priya received the order.