

Question

Write a Java program to demonstrate the handling of `NegativeArraySizeException` using try-catch.


Steps for Execution


1. Open a Java IDE such as Eclipse, IntelliJ IDEA, or NetBeans.
2. Create a package named `javapractice`.
3. Create a Java class named `NegativeArray`.
4. Write the given program in the class.
5. Compile the program.
6. Run the program.
7. The program attempts to create an array with size -5.
8. Java throws `NegativeArraySizeException`.
9. The catch block handles the exception.
10. The message "**Array size cannot be negative**" is displayed.

Algorithm

1. **Start**
2. Enter the `main()` method.
3. Start a try block.
4. Display "Creating array".
5. Create an integer array with size -5.
6. If a `NegativeArraySizeException` occurs, control moves to the catch block.
7. Display "Array size cannot be negative".
8. **Stop**

UML Class Diagram





Code

```
package javapractice;
```

```
public class NegativeArray {  
    public static void main(String[] args) {  
        try {  
            System.out.println("Creating array");  
            int arr[] = new int[-5];  
        }  
        catch (NegativeArraySizeException e) {  
            System.out.println("Array size cannot be negative");  
        }  
    }  
}
```

Output

```
Creating array
```

```
Array size cannot be negative
```

Result: The program successfully demonstrates handling of `NegativeArraySizeException` using a try-catch block.

