

DEVELOPER HANDOVER

RAMS Digital Website

How the site is built, how the design system works, what every UI element is called, and which button goes where.

REPOSITORY	<code>github.com/RamsD2026/Rams-Website</code>
PRODUCTION	<code>rams-website-ebon.vercel.app</code>
FRAMEWORK	<code>Next.js 16.2.12 · React 19.2.4 · Tailwind CSS v4</code>
PAGES	<code>41 static routes</code>
DOCUMENT	<code>September 2026</code>

Contents

- | | | | |
|---|--|---|---|
| 1 | The stack, and how to run it | 6 | Navigation map — every link and where it goes |
| 2 | How the repository is organised | 7 | Where the words live (content model) |
| 3 | The design system | 8 | Common tasks, step by step |
| 4 | UI element glossary — what things are called | 9 | Known issues and cleanup list |
| 5 | Page anatomy — the three page templates | | |

How to read this document

Chapters 1–2 get a new developer running the site. Chapter 3 is the design system — read it before writing any new page, because almost every visual decision is already made and written down. Chapter 4 names the recurring UI elements so the team can talk about them. Chapter 5 shows how pages are assembled from those elements. Chapter 6 is the link map. Chapters 7–8 are "how do I change X". Chapter 9 is the honest list of what is unfinished.

Two source-of-truth documents already exist in the repository and stay authoritative: `docs/typography.md` (the font system and the full type scale) and `docs/section-header.md` (section rhythm, header anatomy, card values). This handover summarises both and adds everything they do not cover.

1 • The stack, and how to run it

PIECE	WHAT IT IS
Next.js 16.2.12	App Router, all pages statically prerendered at build. Not the Next.js most developers know — read <code>node_modules/next/dist/docs/</code> before assuming an API exists.
React 19.2.4	Server components by default; anything with motion or state carries <code>"use client"</code> .
Tailwind CSS v4	Configured in CSS, not a JS config file. Design tokens live in <code>src/app/globals.css</code> under <code>@theme</code> .
framer-motion	Every entrance animation and most interactive motion.
lucide-react / @heroicons	Two icon sets. Lucide is the default; heroicons-solid is used only by the coloured-tile treatment.
three / @react-three	Only the Digital Twin 3D scene and a few hero widgets.
Vercel	Hosting. Project <code>rams-website</code> . Production deploys from the <code>master</code> branch.

Commands

COMMAND	DOES
<code>npm run dev</code>	Development server on <code>localhost:3000</code> . Also prints a network address for testing on a phone.
<code>npm run build</code>	Production build. Must pass before pushing; it type-checks and prerenders all 41 routes.
<code>npm run lint</code>	ESLint. The project is kept at zero warnings — <code>npx eslint --max-warnings=0 <path></code> is the check used on every change.
<code>npx tsc --noEmit -p .</code>	Type check on its own, faster than a full build.

Deployment

Pushing to GitHub deploys automatically. The working branch is `main`; Vercel's production branch is `master`, so every release is pushed twice:

```
git push origin main
git push origin main:master ← this is the one that goes live
```

A production build takes roughly 80 seconds. The live URL is `rams-website-ebon.vercel.app`; the team address `rams-website-rams-digital-s-projects.vercel.app` serves the same deployment.

File size limit. GitHub rejects any file over 100 MB, so raw video masters cannot be committed. Hero videos are re-encoded before they ship — see the recipe in chapter 8.

2 · How the repository is organised

```
src/
├─ app/                routes – one folder per URL, each with page.tsx
│  └─ globals.css      design tokens – colour, type, spacing, container
│     └─ layout.tsx     fonts, header, footer, metadata
├─ components/
│  └─ layout/           navbar, mega menu, mobile drawer, footer
│     └─ sections/      the site – one folder per page family
│        └─ ui/          logo, buttons, 3D widgets, background effects
├─ data/               customer logo list, map geometry
└─ lib/navigation.ts    the menus – every nav link on the site

public/Product/        product screenshots and hero videos
public/clients/         customer logos (light) · clients-dark/ (for dark heroes)
docs/                  typography.md, section-header.md
next.config.ts          redirects for every URL that has moved
```

The naming convention that explains everything

Each page family owns a folder in `src/components/sections/`, and every component in it carries the family's prefix. Learn the prefix and you know where a section lives.

FOLDER	PAGE	PREFIX
rds	/platform/irds	RdsHero, RdsProblem, RdsCapabilities...
meps	/platform/meps	MepsHero...
twin	/platform/digital-twin	TwinHero...
rts	/platform/rtss	RtsHero...
imd	/platform/imds	ImdHero...
atos	/platform/ai-operational-intelligence	AtsHero...
ams	/platform/security (AIMS)	AmsHero...
ibis	/platform/ibis	IbisHero... (one file, Ibis.tsx)
irds	/solutions/rack-safety-intelligence	IrdHero... (<i>solution page, not platform</i>)
mhe	/solutions/mhe-intelligence	MheHero...
inv	/solutions/inventory-intelligence	InvHero...
wex	/solutions/warehouse-execution	WexHero...
dia	/solutions/mhe-diagnostics	DiaHero...
aims	/solutions/management-intelligence	AimsHero...
services	all five /services pages	ServiceShell + service-data (see ch. 5)
rackiq	shared kit , not a page	Section, SURFACE, ProductFrame, SHOTS...

Watch this trap: `sections/irds/` is the **solutions** page; the **platform** IRDS page is `sections/rds/`. Four folders are dead code from earlier versions and import nowhere: `dtw`, `imds`, `irdsp`, `rtss` — superseded by `twin`, `imd`, `irdsx` and `rts`. Do not edit them expecting a change on the site.

The shared kit — `sections/rackiq/rackiq-shared.tsx`

Imported by 212 files. Everything in it is the vocabulary the whole site is written in:

- `<Section surface="...">` — the section wrapper: background, padding, container.
- `SURFACE` — the eight legal backgrounds (chapter 3).
- `EASE` — the one easing curve used site-wide.
- `ProductFrame` / `ProductVideo` — browser chrome around a screenshot or a video.
- `SHOTS` — the registry of 15 product screenshots with dimensions and alt text.

3 · The design system

Tokens live in `src/app/globals.css`. Values below are the shipped ones.

3.1 Colour — a 45 / 20 / 20 / 10 / 5 palette

The ratio is the rule: carbon dominates, orange is 5% and reserved for calls to action and critical emphasis. An orange headline or an orange card fill is out of system.

carbon #0E0E0F · 45%	graphite #33363A · 20%	steel #D9DBDD · 20%	off-white #F3F1EC · 10%	signal-orange #FF6A00 · 5%
---	---	--	--	---

Risk colours (RAG) — meaning, never decoration

rag-green #54DE91	rag-amber #FFBE47	rag-red #FF6C6C	orange-hover #E55F00
--	--	--	---

Secondary palette (electric-cyan, neon-lime, hazard-yellow, forest-green, warm-beige) exists in tokens and is used sparingly — mostly in diagrams and coloured icon tiles.

3.2 Type — three families, one scale

ROLE	FAMILY	WHERE IT IS USED
Headings	IBM Plex Sans	Every <code>h1</code> – <code>h6</code> , automatically. No utility class needed.
Body & UI	Roboto	Everything else — 13–16px is where most of the site lives.
Labels	Roboto Mono	Eyebrows, kickers, metric captions, the file path in product chrome. Labels, never code.

ELEMENT	SIZE (MOBILE → DESKTOP)
Page <code>h1</code> (hero)	56 / 84 / 112px · leading 1.06 · tracking -0.045em
Section heading — default	40 / 60 / 78px · leading 1.0 · tracking -0.04em
Section heading — compact	36 / 54 / 68px (use when the visual below is a wide dashboard)
Section subline	14 / 15px · leading 1.55 · max-width 880px
Eyebrow	11px mono · 0.22em tracking · uppercase · signal-orange
Card title	20–22px semibold · tracking -0.02em
Card body	14–14.5px · leading 1.6 · graphite at 65%

Weights in the system: **700** headings and stats, **600** card titles, buttons, nav, **500** dense supporting text. 300/800/900 are not part of it.

3.3 Layout

- `.rams-container` — max-width **1280px**, side padding 24px (20px tablet, 16px phone). Every section uses it.
- Section padding — `pt-28 sm:pt-36 lg:pt-44` and the same at the bottom.
- Content measures — 900px for a centred header, 1180px for a wide one, 880px for a subline.

3.4 Surfaces, and the one rule about them

A section never picks a colour; it picks a *surface*. There are eight, and **no two adjacent sections may share one** — that alternation is what gives a long page its rhythm.

SURFACE	VALUE	USED FOR
white	#FFFFFF	default light section
offWhite	#F5F5F7	light section next to a white one
warm	rgba(245,245,247,0.6)	proof / results bands
ink	#08080A	flat dark band
inkTeal	#0B1619	dark plane behind light product panels
darkTop	radial 80% 100% at 50% 0%	heroes — light at the top, falling away
darkMid	as above, 60% stop	mid-page dark sections
darkBottom	radial at 50% 100%	closing CTA — glow rises from the foot

3.5 The section header — every section opens the same way

EYEBROW	mono caps, orange, two or three words, no punctuation
Heading line one	bold, tight, carries the weight
second line.	dimmed on light / white gradient on dark
Supporting sentence.	one or two lines, never three

Use `<SectionHeader>` rather than retyping classes. Props: `eyebrow`, `top`, `bottom`, `body`, `tone` (light/dark), `size` (default / compact / long), `width` (default / wide), `align` (center / left — opt-in, used once, on the privacy page). Aim for 20–26 characters per heading line.

3.6 The card — one card, used everywhere

PROPERTY	VALUE
radius	12px
border	1px solid #E8E8ED
shadow	0 1px 2px rgba(0,0,0,.02), 0 8px 24px -12px rgba(0,0,0,.06)
icon tile	48×48, radius 8, orange at 8% fill / 18% border
icon	22px, stroke 2
hover	-4px lift + orange border shine

The border shine

The hover signature of the whole site: a conic-gradient arc travelling around the card's border over 2.4s. It is implemented as a `::before` with mask-composite, driven by an `@property` angle variable.

Every instance needs its own namespace — `rdscap`, `certx`, `mhecap`, `svc` ... CSS `@property` and `@keyframes` are global however local the `<style>` tag looks, so two sections sharing a name will fight. Copy an existing block and rename the variable.

3.7 Motion

- One curve: `EASE = [0.22, 1, 0.36, 1]`. Do not introduce another.
- Sections animate on scroll with `whileInView` and `viewport={{ once: true }}` — they never replay.
- Heroes animate on load with `animate`, because they are above the fold.

- Entrance pattern: opacity $0 \rightarrow 1$ with a 12–24px rise, 0.5–0.95s, staggered 0.06–0.1s per card.
- Anything looping (pulses, scanning sweeps, marquees) must respect `prefers-reduced-motion`.
- Never `Math.random()` in render — the server and client would disagree and the page would flicker on load. Every "random" layout on this site is written down.

4 · UI element glossary — what things are called

Use these names in tickets and reviews; they are the names in the code.

NAME	WHAT IT LOOKS LIKE	WHERE
Pill eyebrow	Rounded outline chip with an orange dot and mono caps label, above a hero headline.	Every hero
Stats band	Full-width dark strip of 4–5 ruled cells, each a figure, a heading and a line.	Under solution heroes
Product frame	Browser chrome — three dots and a URL path — wrapping a screenshot (<code>ProductFrame</code>) or a looping video (<code>ProductVideo</code>).	Platform heroes, experience sections
Device frame	The larger 28px-radius shell with 14px padding and a deep shadow, holding a live "twin" view at 16:10.	Solution heroes
Twin view	The contents of a device frame: header line, LIVE pill, KPI pills, a drawn SVG plan on the left and a scrolling feed on the right.	Rack safety, MHE, IBIS heroes
Coloured tiles	Grid of 12–16 items, each a saturated icon tile in its own hue with a heading and a line. Tints are written down, never generated.	Platform "overview" sections
Capability rail	Numbered circles on a hairline that stops short of both ends, one step under each.	"How it works" sections
Sticky capability scroll	A pinned product screen that changes as the list beside it scrolls.	IRDS platform page
Lens rows	Tone-coded rows (red / amber / green) with a dot, a title, a line and a short action label.	Risk classification, variance classes
Area map	Dark card holding a grid of bays with coloured dots and a legend — the "where is the problem" picture.	Rack inspection service page
Event feed	Continuously scrolling list of ticked / flagged rows inside a product view.	Solution heroes
Bento	Grid of unequal cards — a 4×2 of outputs plus one full-width tile.	Service deliverables
Integration wells	Three cards each holding a 196px "widget well" that draws a miniature of the connected system, over a 5-node rail.	Platform integrations sections
Filter bar	Segmented pill of tabs on the left, search box on the right (<code>stacked</code> puts search underneath).	Case studies, videos, insights, clients

Mega menu	Full-width panel under the header: link columns on the left, a featured card on the right.	Header
Closing band	The dark section that ends nearly every page: pill, two-line heading, subtitle, two buttons, glow rising from the foot.	Every page
Client strip	Row of customer logos. Light pages use <code>public/clients/</code> ; dark heroes use the flat-white set in <code>public/clients-dark/</code> .	Heroes, About
Coming-soon screen	Full-screen dark aurora with letter-spaced "COMING SOON" and a label naming the page.	Careers, Technical notes, IRTS

Buttons

KIND	STYLE
Primary	Solid <code>signal-orange</code> , white text, semibold 14px, rounded-full, lifts 1px on hover. One per view.
Secondary on dark	Transparent with a white 15% border; fills to 6% white on hover.
Secondary on light	White with an inset steel ring; fills to <code>#F5F5F7</code> on hover.
Text link	Orange, semibold, with a chevron that slides right on hover.

5 · Page anatomy — the three page templates

5.1 Platform pages — the ten-section spine

Eight module pages all run the same sequence. Once you know it, every platform page is readable at a glance.

1 Hero	dark · pill, huge headline, two buttons, product frame, client strip
2 Problem	light · four cards – what goes wrong today
3 Overview	light · coloured tiles – what the module contains
4 How	light · clickable auto-advancing rail + a drawn canvas
5 Capabilities	light · sticky product screens beside a scrolling list
6 Experience	dark · the product itself, with a static / live switch
7 Outcomes	light · what changes, with the measure named
8 Integrations	light · three widget wells over a 5-node rail
9 FAQ	light · accordion
10 Close	dark · the closing band

Pages: irds · meps · digital-twin · rtss · imds · ai-operational-intelligence (ATOS) · security (AIMS) · ibis. Digital Twin adds a layers section; MEPS, IMDS and AIMS swap section 3 for a fixed-canvas "capture" diagram.

5.2 Solution pages — the business-problem spine

Hero → Stats band → Capabilities → Feature panels → Workflow → [page-specific section] → Analytics → Built for → Proven results → Close
--

Pages: rack-safety-intelligence · mhe-intelligence · inventory-intelligence · warehouse-execution · mhe-diagnostics · management-intelligence.

5.3 Service pages — one page rendered five times

The five `/services` pages are **data, not code**. Each is an entry in `service-data.ts` holding an ordered list of tagged section blocks; `ServiceShell.tsx` renders whatever it finds and computes the background of each section so the alternation rule holds automatically.

KIND	RENDERS AS
problem	Four numbered cards — the argument the page opens with
grid	Plain card grid, or coloured tiles when <code>tiles: true</code>
modes	Two or three wide cards — delivery routes, plans, engagement models
process	Numbered steps on the dark band
lens	Tone-coded RAG rows
deliverables	Numbered register beside a callout tile
faq	Accordion
flow	Chain of steps, then a decision splitting into two paths (<i>rack inspection</i>)
ragmap	Area map plus priority rows (<i>rack inspection</i>)
standards	Dark card of standard chips (<i>rack inspection</i>)

Adding a service is therefore a data change: add an object to `SERVICES` and a three-line route folder. Nothing in the shell changes.

5.4 Resources and company pages

- **Index pages** (case studies, videos, insights, webinars, downloads) share a shape: light hero → latest → filter bar + grid → related → FAQ → close.
- **Certifications** is the longest page on the site: 15 sections built from the platform card vocabulary.
- **Contact** is deliberately short — hero with the form, then FAQ.
- **Privacy** uses a tabbed reader: contents on the left, one clause shown at a time on the right.

6 · Navigation map — every link and where it goes

Read this first. The site's primary call to action, `/book-a-demo`, **has no page**. It is referenced 49 times — on essentially every module hero, every closing band, and in the mobile drawer — and returns a 404 in production today. `/contact` (50 references, including the announcement bar and most secondary buttons) also has no page; the real address is `/company/contact`. Building those two routes, or adding two redirects, is the highest-value fix available on this site.

6.1 The header

- **Announcement bar** — 40px carbon strip above the navbar: announcement text, a language selector, and links to Contact, Support and Platform login.
- **Navbar** — seven menus, a ROI calculator button (the one standing CTA), a search icon, and the mobile hamburger.
- **Opening a menu** — hover with intent: 150ms to open, 120ms to close, instant when moving between menus. Focus opens it too; Escape, a click outside, or leaving the bar closes it.
- **Transparency** — over a dark hero the bar is transparent and the logo is white. A page with a light hero marks itself `data-hero-tone="light"` and the bar goes solid immediately, otherwise white-on-white would vanish. Opening any menu also makes it solid.
- **Scroll** — hides on scroll down past 80px, returns on scroll up or when the pointer nears the top of the window.

The four mega-menu layouts

LAYOUT	USED BY	SHAPE
standard	Solutions, Platform, Services, Company	links split into two columns, divider, featured card on the right
hardware	Hardware	five equal columns, one per family — no featured card
industries	Clients	two columns of anchors into <code>/industries</code> , plus featured card
resources	Resources	one column per group (Learn / Reference), plus featured card

6.2 Menu by menu

Solutions → `/solutions` (no page)

LABEL	GOES TO
Rack Safety and Intelligence	<code>/solutions/rack-safety-intelligence</code>
MHE Safety and Productivity	<code>/solutions/mhe-intelligence</code>
Inventory Intelligence	<code>/solutions/inventory-intelligence</code>
Warehouse Execution	<code>/solutions/warehouse-execution</code>
MHE Diagnostics and Maintenance	<code>/solutions/mhe-diagnostics</code>
Management Intelligence	<code>/solutions/management-intelligence</code>
Featured: Start Assessment	<code>/find-your-starting-point</code> X dead

Platform → `/platform` (no page)

LABEL	GOES TO
Digital Twin	/platform/digital-twin
IRDS	/platform/irds
MEPS	/platform/meps
RTSS	/platform/rtss
IMDS	/platform/imds
ATOS	/platform/ai-operational-intelligence
AIMS	/platform/security
IBIS	/platform/ibis
IRTS	/platform/irts (coming-soon page)
Featured: Explore Platform	/platform X dead

Note the two mismatches a newcomer will trip on: **ATOS** lives at /ai-operational-intelligence and **AIMS** lives at /security . Nine links split five left, four right — the panel halves the list automatically.

Services → /services ✓

LABEL	GOES TO
Rack Inspection Services	/services/rack-inspection
Structural Verification	/services/structural-verification
Inventory Reconciliation and Audit	/services/inventory-audit
MHE Productivity Assessment	/services/mhe-productivity-assessment
Deployment and Support	/services/deployment-support
Featured: Request Quote	/services/request-quote → redirects to /company/contact

Clients → /industries ✓

Nine anchors into the single industries page — all resolve: #warehousing #3pl #ecommerce #cold-storage #manufacturing #automotive #fmcg #food-beverage #pharmaceuticals

Resources → /resources (no page)

LABEL	GOES TO
Case Studies	/resources/case-studies
Blogs	/resources/insights
Videos	/resources/videos
Webinars	/resources/webinars
Technical Notes	/resources/technical-notes (coming-soon page)
Downloads	/resources/downloads
Glossary / Compliance Guides	/resources/compliance-guides

Frequently Asked Questions	/resources/faqs
Featured: Read Report	/resources/warehouse-ai-report-2026 X dead

Company → /company (no page)

LABEL	GOES TO
About RAMS	/company/about
Leadership	/company/leadership X dead
Customers	/company/customers X dead
Certifications and Security	/company/certifications
Partners	/company/partners
Careers	/company/careers (coming-soon page)
Contact Us	/company/contact

Hardware → /hardware (no page)

Every link in the Hardware menu is dead. Five groups — AI Vision, OmniBox, Location Intelligence, Sensor Stack, Guided Inspection — and 19 links pointing at /hardware/* routes that were never built, plus two # placeholders. The menu opens and looks complete. Either build the tree, point the links at the platform pages that cover the same ground, or remove the menu.

6.3 The footer

Six link columns (Solutions, Platform, Hardware, Industries, Company, Resources), the registered entity and Pune address, email and two phone numbers — all working mailto: and tel: links — four social icons, the compliance badges (SOC 2, SOC 2 Type I, ISO 27001), and a legal row.

FOOTER LINK	STATUS
/solutions/rack-intelligence	X dead — the real route is rack-safety-intelligence
/platform/execution-engine · /platform/integrations	X dead
/hardware/* (five links)	X dead
/company/customers	X dead
/resources/docs · /whitepapers · /blog · /support	X dead
/legal/terms · /legal/cookies · /legal/accessibility · /sitemap	X dead — only /legal/privacy is built
Social links (LinkedIn, X, YouTube, GitHub)	Placeholder handles — verify before launch

6.4 Redirects — next.config.ts

Twenty-one redirects, all permanent (308) except the quote one:

FROM	TO
------	----

/platform/iros	/platform/ibis
/services/operational-assessment	/services
/services/mhe-productivity	/services/mhe-productivity-assessment
/services/request-quote	/company/contact (temporary, 307)
/company/newsroom	/resources/insights
/industries/* (16 spellings)	/industries#<anchor>

The rule the project follows: a **URL that has ever been public never dies** — it redirects. Keep that up.

6.5 Two things that look like features but are not wired

- **The header search icon** has no handler and no search implementation.
- **The language selector** (announcement bar) and the **region selector** (footer) change local state only; the site is English-only.
- **A second navigation system exists** — `navigation-v2.ts` with `MegaMenuV2Panel` — behind a `localStorage` flag whose switcher is never rendered. Editing it changes nothing a visitor sees. **Edit** `navigation.ts`.

7 • Where the words live

Most copy is in data files, not in JSX. Editing text rarely means editing a component.

FILE	CONTROLS
src/lib/navigation.ts	Every menu label, link and description; the featured card in each menu
components/layout/Footer.tsx	Footer columns, legal row, address, socials, compliance badges
sections/services/service-data.ts	All five service pages, end to end
sections/ibis/ibis-data.ts	The IBIS platform page
sections/faqs/faq-data.ts	The 50-answer FAQ library, topics and product map
sections/faqs/kit-data.ts	"What comes with each solution" — hardware and modules per solution
sections/industries/industry-data.ts	The nine industries
sections/industries/industry-clients.ts	Which client logo appears under which industry
sections/certifications/cert-data.ts	The trust-centre copy
sections/legal/legal-data.ts	The privacy policy clauses
sections/cases/case-data.ts	Case studies and their filter categories
data/clients.ts	The 59 customer logos (shared by every strip)
sections/rackiq/rackiq-shared.tsx	SHOTS — product screenshots with sizes and alt text

Editorial rules the site is written under. No invented customer figures or named-customer claims. Never ship a third-party logo the company does not have rights to. Certification badges show only what RAMS actually holds. Where a page describes what the platform *can* do, the hedge ("supported", "where available", "confirmed during implementation") is deliberate and should survive editing.

8 · Common tasks, step by step

Add a page to the menu

1. Create `src/app/<path>/page.tsx` exporting `metadata` and a default component.
2. Add the link to the right group in `src/lib/navigation.ts`.
3. If a menu column now looks lopsided, note that the panel splits links down the middle automatically (9 links → 5 left, 4 right).

Rename or move a page

1. Rename the route folder and the component folder together, keeping the prefix convention.
2. Update every import, CSS namespace and link.
3. **Add a redirect** in `next.config.ts` from the old path — permanent (308). Never leave an old URL dead.
4. Delete `.next/types` if the type checker complains about a route that no longer exists.

Swap a hero video

1. Compress first. Source masters are 80–130 MB; what ships is 4–7 MB:

```
npm i -D ffmpeg-static (then remove it again when finished)
ffmpeg -i in.mp4 -an -vf "scale=1920:-2" -c:v libx264 -crf 30 \
  -preset medium -pix_fmt yuv420p -movflags +faststart out.mp4
ffmpeg -ss 2 -i out.mp4 -frames:v 1 -q:v 6 poster.jpg
```

- Save to `public/Product/...` with a **new filename** — the CDN caches by path, so overwriting can keep serving the old cut.
- Render it with `<ProductVideo src poster path />`; always silent, looping, `playsInline`.

Add a product screenshot

1. Put the file in `public/Product/...`.
2. Register it in `SHOTS` with its real pixel dimensions and a descriptive alt text.
3. Render with `<ProductFrame shot="key" path="app.ams.digital/..." />`.

Build a new section

1. Wrap it in `<Section surface="...">` and check the surface differs from its neighbours.
2. Open with `<SectionHeader>`.
3. Use the standard card values; if it hovers, copy an existing shine block and rename its namespace.
4. Keep motion on the shared `EASE`, `whileInView`, `once: true`.

Before every push

```
npx tsc --noEmit -p . # types
npx eslint --max-warnings=0 <paths> # lint, zero warnings
npm run build # prerender all routes
git push origin main && git push origin main:master
```

9 · Known issues and cleanup list

Nothing here is a secret; all of it is worth fixing, in roughly this order.

ISSUE	DETAIL AND FIX
The main CTA is a 404	<code>/book-a-demo</code> has no page and is linked 49 times — nearly every hero and closing band. <code>/contact</code> (50 references) has no page either; the built route is <code>/company/contact</code> . Two redirects would fix both in five minutes. This is the single most valuable change on the list.
The Hardware menu is entirely dead	19 links to <code>/hardware/*</code> routes that do not exist, plus two <code>#</code> placeholders, and a featured card the hardware layout never renders.
Stale duplicate page	<code>/platform/overview</code> serves an older MEPS page under a misleading URL and is not in the menu. Delete it or redirect it to <code>/platform/meps</code> .
font-mono token is broken	In <code>globals.css</code> , <code>--font-mono</code> points at <code>var(--font-geist-mono)</code> , which does not exist (leftover from the starter template), and <code>--font-sans</code> is self-referential. Result: roughly 200 <code>font-mono</code> labels across the site render in Roboto, not Roboto Mono. Fix is one line: <code>--font-mono: "Roboto Mono", ui-monospace, monospace;</code> . Documented at the end of <code>docs/typography.md</code> .
Placeholder certification badges	The certifications hero shows the two real SOC 2 badges plus five placeholder seals labelled "Certification 03–07". Replace with real certificates or remove before any campaign drives traffic there.
Placeholder video on the MEPS hero	<code>/Product/irds/hero.mp4</code> is third-party footage (Atlassian Jira), not a RAMS product. Replace with a MEPS recording.
Unverified proof figures	Solution pages carry "proven results" numbers. Several are illustrative. Confirm each with the business before it is treated as a public claim.
Privacy policy is a draft	<code>/legal/privacy</code> was written from the code's actual behaviour but has not been through legal review. <code>/legal/terms</code> , <code>/legal/cookies</code> and <code>/legal/accessibility</code> are linked from the footer but do not exist yet.
Dead component folders	<code>sections/dtw</code> , <code>sections/imds</code> , <code>sections/irdsp</code> , <code>sections/rtss</code> import nowhere. Safe to delete once someone confirms nothing is planned for them.
navigation-v2.ts	A second menu definition exists alongside <code>navigation.ts</code> . Check which one actually renders before editing menus — editing the wrong file is the most common time-waster in this repo.
Large source files in <code>public/</code>	Uncompressed video masters (80–130 MB) and <code>logo.rar</code> sit in <code>public/</code> untracked. They cannot be committed and should be moved to shared storage.
Client logo set	Logos are grouped by industry in <code>industry-clients.ts</code> . Only seven of the 59 carry a sector label in the source pack; the rest were grouped by each company's known industry and should be confirmed by RAMS.

The one habit that matters most

Nearly every component in this repository opens with a comment explaining *why* it looks the way it does — which earlier version failed, what the reference page does, why a number is what it is. When you change something, update that comment. It is the reason the design system has survived this many hands, and it is faster to read than the code beneath it.