



MISH 21

SAFETY FORMS

CRANE SUSPENDED WORK PLATFORM PERMIT AND JHA

MHC INDUSTRIAL SAFETY AND HEALTH PROGRAM (MISH) — FORMS LIBRARY

FORM IDENTIFICATION & CONTROL

FORM NUMBER

MISH 21

REVISION

1.0

{{FORM_SECTION_LABEL}}

MISH 21

CATEGORY

Safety Forms

EFFECTIVE DATE

June 2026

DOCUMENT OWNER

Safety Officer (Matt Ramsey)

{{FORM_BRIEFING_HEAD}}

- ★ Authority: {{FORM_BRIEFING_AUTHORITY}}
- ★ Use: {{FORM_BRIEFING_USE}}
- ★ Retention: {{FORM_BRIEFING_RETENTION}}
- ★ Revision Control: {{FORM_BRIEFING_REVISION}}

REFERENCE



MISH 21

COMPANY CONTACT

MH Construction, Inc.

3111 N Capitol Ave.

Pasco, WA 99301

(509) 308-6489 • www.mhc-gc.com

WA Lic: MHCONCI907R7 • OR Lic: 194331 • ID Lic: RCE-49250

ACCREDITATION & TRUST



Crane Suspended Work Platform Permit and JHA

MISH 21

MH CONSTRUCTION, INC.

Industrial Safety & Health Program (MISH)

FORM-MISH-21 | Crane Suspended Work Platform Permit and JHA

Rev. 3 | Effective: 04/07/2026 | Safety Officer: Matt Ramsey

Project Name / Number:		Job Site Address:	
Date:		Supervisor / Foreman:	
Employee Name(s):		Subcontractor:	

PART 1: WORK AUTHORIZATION PERMIT

Permit Number: [DATE]-[MISH21]-[SEQ]

Pre-work Conditions Checklist:

- ☐ Trial lift performed and documented
- ☐ Proof testing of platform completed
- ☐ Crane set up on firm, level footing
- ☐ Outriggers fully extended and blocked
- ☐ Wind speed verified within safe limits (<20 mph)
- ☐ Load capacity verified (platform + personnel + tools < 50% of crane capacity)
- ☐ Anti-two-block device operational
- ☐ Controlled load lowering capability verified
- ☐ Positive locking hooks on all rigging
- ☐ Communication system established between operator and platform
- ☐ Fall protection systems inspected and ready
- ☐ Pre-lift meeting conducted with all involved personnel

Work Authorization:

Work Description	Location	Start Time	End Time	Authorized By

Required Controls Checklist:

- ☐ Personal Fall Arrest Systems (PFAS) required for all occupants
- ☐ Lanyards attached to designated anchor points only
- ☐ Hard hats with chin straps required
- ☐ Tools and materials secured from falling
- ☐ Barricades erected below lift area
- ☐ Tag lines used to control platform

PART 2: JOB HAZARD ANALYSIS (JHA)

Task Description: _____

Pre-task Hazard Identification:

☐ Fall from elevation	☐ Pinch points / crushing
☐ Struck by falling objects	☐ Weather hazards (wind, lightning)
☐ Crane tip-over	☐ Rigging failure
☐ Power line contact	☐ Communication failure

Required PPE:

☐ Hard Hat	☐ Full Body Harness
☐ Safety Glasses	☐ Shock-absorbing Lanyard
☐ High-Vis Vest	☐ Work Gloves
☐ Steel-toe Boots	☐ Hearing Protection

Step #	Task Step Description	Potential Hazard	Hazard Control Measure	Responsible Party

1	Crane Setup	Tip-over, uneven ground	Verify firm footing, outriggers fully extended and blocked	Operator
2	Rigging Platform	Rigging failure, dropped platform	Inspect all rigging, use positive locking hooks, shackle pins secured	Rigger
3	Trial Lift	Platform instability, interference	Perform trial lift with anticipated weight, check clearances	Operator / Rigger
4	Personnel Boarding	Slips, trips, falls	Board only when platform is grounded and stable, tie-off immediately	All Personnel
5	Hoisting Personnel	Falls, struck by, contact with structures	Maintain 100% tie-off, clear communication, smooth operation, tag lines	Operator / Occupants
6				
7				
8				
9				
10				

EMERGENCY CONTACTS: Nearest Hospital: _____ | Emergency Number: 911 | Site First Aid Location: _____

Permit Closure:

☐ Work completed ☐ Area restored

Permit closed by: _____ Signature: _____ Date/Time: _____

Regulatory Authority

OSHA: 29 CFR 1926 Subpart CC; 29 CFR 1926.1431 Hoisting Personnel

WISHA: WAC 296-155-547 Personnel Lifting Platforms; WAC 296-155-548 Design and Installation Requirements; WAC 296-155-549 Personnel Lifting Hoisting Equipment; WAC 296-155-551 Inspections Maintenance and Testing; WAC 296-155-552 Employer Responsibilities

AGC: Safety and Health Manual Ch. 15 Cranes and Rigging

This form supports compliance with the above regulations. Retain completed forms for minimum 3 years per 29 CFR 1904.33 and WAC 296-27.

Prepared by: _____ | Title: _____ | Date: _____

Reviewed by: _____ | Title: _____ | Date: _____