



MISH 42

SAFETY FORMS

COLD WEATHER OPERATIONS SAFETY CHECKLIST

MHC INDUSTRIAL SAFETY AND HEALTH PROGRAM (MISH) — FORMS LIBRARY

FORM IDENTIFICATION & CONTROL

FORM NUMBER

MISH 42

REVISION

1.0

{{FORM_SECTION_LABEL}}

MISH 42

CATEGORY

Safety Forms

EFFECTIVE DATE

June 2026

DOCUMENT OWNER

Safety Officer (Matt Ramsey)

{{FORM_BRIEFING_HEAD}}

- ★ Authority: {{FORM_BRIEFING_AUTHORITY}}
- ★ Use: {{FORM_BRIEFING_USE}}
- ★ Retention: {{FORM_BRIEFING_RETENTION}}
- ★ Revision Control: {{FORM_BRIEFING_REVISION}}

REFERENCE



MISH 42

COMPANY CONTACT

MH Construction, Inc.

3111 N Capitol Ave.

Pasco, WA 99301

(509) 308-6489 • www.mhc-gc.com

WA Lic: MHCONCI907R7 • OR Lic: 194331 • ID Lic: RCE-49250

ACCREDITATION & TRUST



Cold Weather Operations Safety Checklist

MISH 42

MH CONSTRUCTION, INC.

Industrial Safety & Health Program (MISH)

FORM-MISH-42: Cold Weather Operations Safety Checklist

Rev. 3 | Effective: 04/07/2026 | Safety Officer: Matt Ramsey

Project Name / Number:		Job Site Address:	
Date:		Supervisor / Foreman:	
Employee Name(s):		Subcontractor:	

Inspection Frequency Note: Inspections must be conducted prior to the start of each shift during cold weather operations, as required by WAC 296-155-110 and WAC 296-62-095.

Item #	Inspection Item	Pass	Fail	N/A	Corrective Action Required
1	Workers are trained on cold stress hazards and symptoms (WAC 296-62-095)	☐	☐	☐	
2	Appropriate cold weather PPE is provided and worn (WAC 296-155-200)	☐	☐	☐	
3	Warm areas are available for breaks (WAC 296-62-095)	☐	☐	☐	
4	Work/rest schedules are adjusted for temperature/wind chill (WAC 296-62-095)	☐	☐	☐	
5	Buddy system is implemented for cold weather work (WAC 296-62-095)	☐	☐	☐	
6	Heaters are properly ventilated to prevent CO exposure (WAC 296-155-400)	☐	☐	☐	

7	Combustible materials are kept away from heaters (WAC 296-155-270)	☐	☐	☐	
8	Fire extinguishers are available near heating units (WAC 296-155-260)	☐	☐	☐	
9	Walkways and work areas are cleared of snow and ice (WAC 296-155-110)	☐	☐	☐	
10	Sand or salt is applied to slippery surfaces (WAC 296-155-110)	☐	☐	☐	
11	Equipment is winterized and operating properly (WAC 296-155-600)	☐	☐	☐	
12	Vehicles have emergency winter survival kits (WAC 296-155-610)	☐	☐	☐	
13	Scaffolds are cleared of snow and ice before use (WAC 296-874-200)	☐	☐	☐	
14	Ladders are free of ice and snow (WAC 296-876-400)	☐	☐	☐	
15	Materials are protected from freezing if required (WAC 296-155-110)	☐	☐	☐	
16	Adequate lighting is provided for shorter daylight hours (WAC 296-155-165)	☐	☐	☐	
17	First aid kits are stocked and accessible (WAC 296-155-120)	☐	☐	☐	
18	Emergency communication methods are established (WAC 296-155-120)	☐	☐	☐	
19	Workers are monitored for signs of frostbite/hypothermia (WAC 296-62-095)	☐	☐	☐	

20	Warm liquids are available for workers (WAC 296-62-095)	☐	☐	☐	
----	---	--------------------------	--------------------------	--------------------------	--

Deficiency Log

Item #	Description of Deficiency	Corrective Action	Assigned To	Due Date	Completed Date

Inspector Name:	Signature:	Date:
Supervisor Review:	Signature:	Date:

Regulatory Authority

OSHA: 29 CFR 1926.20; OSH Act General Duty Clause Section 5(a)(1) Employer must provide a workplace free from recognized hazards

WISHA: WAC 296-155-110 Accident Prevention Program; WAC 296-62-095 Temperature Extremes Cold Stress

AGC: Safety and Health Manual Ch. 19 Environmental Hazards

This form supports compliance with the above regulations. Retain completed forms for minimum 3 years per 29 CFR 1904.33 and WAC 296-27.

Prepared by: _____ | Title: _____ | Date: _____

Reviewed by: _____ | Title: _____ | Date: _____