



MISH 10

SAFETY FORMS

PPE ISSUANCE AND INSPECTION LOG

MHC INDUSTRIAL SAFETY AND HEALTH PROGRAM (MISH) — FORMS LIBRARY

FORM IDENTIFICATION & CONTROL

FORM NUMBER

MISH 10

REVISION

1.0

{{FORM_SECTION_LABEL}}

MISH 10

CATEGORY

Safety Forms

EFFECTIVE DATE

June 2026

DOCUMENT OWNER

Safety Officer (Matt Ramsey)

{{FORM_BRIEFING_HEAD}}

- ★ Authority: {{FORM_BRIEFING_AUTHORITY}}
- ★ Use: {{FORM_BRIEFING_USE}}
- ★ Retention: {{FORM_BRIEFING_RETENTION}}
- ★ Revision Control: {{FORM_BRIEFING_REVISION}}

REFERENCE



MISH 10

COMPANY CONTACT

MH Construction, Inc.

3111 N Capitol Ave.

Pasco, WA 99301

(509) 308-6489 • www.mhc-gc.com

WA Lic: MHCONCI907R7 • OR Lic: 194331 • ID Lic: RCE-49250

ACCREDITATION & TRUST



PPE Issuance and Inspection Log

MISH 10

MH CONSTRUCTION, INC.

Industrial Safety & Health Program (MISH)

FORM-MISH-10 | PPE Issuance and Inspection Log

Rev. 3 | Effective: 04/07/2026 | Safety Officer: Matt Ramsey

Project Name / Number:		Job Site Address:	
Date:		Supervisor / Foreman:	
Employee Name(s):		Subcontractor:	

INSPECTION CHECKLIST

Inspection Frequency: Prior to each use and periodically during use as required by 29 CFR 1926.95(a) and WAC 296-155-200(1).

Item #	Inspection Item	Pass	Fail	N/A	Corrective Action Required
1	Hard hat shell free of cracks, dents, or damage (29 CFR 1926.100)	☐	☐	☐	
2	Hard hat suspension system intact and properly adjusted (WAC 296-155-205)	☐	☐	☐	
3	Safety glasses/goggles free of scratches that impair vision (29 CFR 1926.102)	☐	☐	☐	
4	Face shield clean and securely attached to headgear (WAC 296-155-215)	☐	☐	☐	
5	Hearing protection (earplugs/muffs) clean and in good condition (WAC 296-155-210)	☐	☐	☐	

6	Safety boots/shoes have intact soles and toe protection (WAC 296-155-212)	☐	☐	☐	
7	High-visibility apparel clean, reflective, and not faded (29 CFR 1926.201)	☐	☐	☐	
8	Gloves appropriate for task and free of holes/tears (29 CFR 1926.95)	☐	☐	☐	
9	Respirator facepiece clean and pliable (if applicable) (29 CFR 1926.103)	☐	☐	☐	
10	Respirator straps elastic and intact (if applicable) (WAC 296-842)	☐	☐	☐	
11	Fall protection harness webbing free of cuts/fraying (29 CFR 1926.502)	☐	☐	☐	
12	Fall protection D-rings and hardware free of rust/distortion (WAC 296-155-24609)	☐	☐	☐	
13	Lanyards and shock absorbers intact and not deployed (29 CFR 1926.502)	☐	☐	☐	
14	Specialty PPE (welding hood, chemical suit) in good condition (29 CFR 1926.95)	☐	☐	☐	
15	All PPE properly stored when not in use (WAC 296-155-200)	☐	☐	☐	

DEFICIENCY LOG

Item #	Description of Deficiency	Corrective Action	Assigned To	Due Date	Completed Date

Inspector Name	Signature	Date

Supervisor Review	Signature	Date

ACKNOWLEDGMENT

MH Construction requires all employees to wear appropriate Personal Protective Equipment (PPE) in all designated work areas and when performing tasks with identified hazards. PPE must be inspected prior to each use to ensure it is in safe working condition. Defective or damaged PPE must be immediately removed from service and reported to a supervisor for replacement. This policy complies with the requirements set forth in 29 CFR 1926 Subpart E and WAC 296-155-200.

I acknowledge that I have read, understand, and agree to comply with the MH Construction PPE Issuance and Inspection Policy as required by 29 CFR 1926 Subpart E and WAC 296-155-200.

Employee Name (print)	Signature	Date	Supervisor Signature	Date

Regulatory Authority

OSHA: 29 CFR 1926 Subpart E; 29 CFR 1926.95 PPE Criteria; 29 CFR 1926.100 Head Protection; 29 CFR 1926.102 Eye and Face Protection

WISHA: WAC 296-155-200 General PPE Requirements; WAC 296-155-205 Head Protection; WAC 296-155-210 Hearing Protection; WAC 296-155-212 Foot Protection; WAC 296-155-215 Eye and Face Protection

AGC: Safety and Health Manual Ch. 6 PPE

This form supports compliance with the above regulations. Retain completed forms for minimum 3 years per 29 CFR 1904.33 and WAC 296-27.

Prepared by: _____ | Title: _____ | Date: _____

Reviewed by: _____ | Title: _____ | Date: _____