



MISH 44

SAFETY FORMS

STRUCK BY CAUGHT IN PRE TASK JHA

MHC INDUSTRIAL SAFETY AND HEALTH PROGRAM (MISH) — FORMS LIBRARY

FORM IDENTIFICATION & CONTROL

FORM NUMBER

MISH 44

REVISION

1.0

{{FORM_SECTION_LABEL}}

MISH 44

CATEGORY

Safety Forms

EFFECTIVE DATE

June 2026

DOCUMENT OWNER

Safety Officer (Matt Ramsey)

{{FORM_BRIEFING_HEAD}}

- ★ Authority: {{FORM_BRIEFING_AUTHORITY}}
- ★ Use: {{FORM_BRIEFING_USE}}
- ★ Retention: {{FORM_BRIEFING_RETENTION}}
- ★ Revision Control: {{FORM_BRIEFING_REVISION}}

REFERENCE



MISH 44

COMPANY CONTACT

MH Construction, Inc.

3111 N Capitol Ave.

Pasco, WA 99301

(509) 308-6489 • www.mhc-gc.com

WA Lic: MHCONCI907R7 • OR Lic: 194331 • ID Lic: RCE-49250

ACCREDITATION & TRUST



Struck By Caught in Pre Task JHA

MISH 44

MH CONSTRUCTION, INC.

Industrial Safety & Health Program (MISH)

FORM-MISH-44 | MISH 44 | Struck-By Caught-In Pre-Task JHA

Rev. 3 | Effective: 04/07/2026 | Safety Officer: Matt Ramsey

Project Name / Number:		Job Site Address:	
Date:		Supervisor / Foreman:	
Employee Name(s):		Subcontractor:	

Task Description:

Pre-Task Hazard Identification: ☐ Heavy equipment operation in area ☐ Backing vehicles / blind spots ☐ Overhead loads / crane lifts ☐ Excavation / trenching activities ☐ Material handling / staging ☐ Traffic control / public roads ☐ Pinch points / rotating parts ☐ Unsecured materials / tools ☐ Congested work area ☐ Poor visibility / lighting	Required PPE: ☐ Hard Hat ☐ Safety Glasses ☐ High-Visibility Vest (Class 2/3) ☐ Steel/Composite Toe Boots ☐ Work Gloves ☐ Hearing Protection ☐ Face Shield ☐ Fall Protection
---	---

Job Hazard Analysis:

Step #	Task Step Description	Potential Hazard	Hazard Control Measure	Responsible Party
1	Mobilize equipment to work area	Struck by moving equipment, blind spots	Use spotter when backing, high-vis vests required, establish exclusion zone	Operator / Spotter
2	Unload materials from delivery truck	Crushed by falling materials, pinch points	Inspect rigging, stay out of fall zone, use tag lines, clear communication	Rigger / Operator
3	Excavation and trenching	Caught in cave-in, struck by excavator bucket	Shoring/shielding in place, stay out of swing radius, barricade open trenches	Competent Person
4	Working near active roadway	Struck by public traffic	Set up proper traffic control plan (MUTCD), use concrete barriers, flaggers	Traffic Control Supervisor
5	Operating hand/power tools	Caught in rotating parts, struck by flying debris	Guards in place, proper PPE (face shield), no loose clothing/jewelry	Worker
6				
7				
8				
9				
10				

Emergency Information:

Nearest Hospital: _____ Emergency Number: 911

Site First Aid Location: _____

Regulatory Authority

OSHA: 29 CFR 1926 Subpart O; 29 CFR 1926.600 Equipment General; 29 CFR 1926.20; OSH Act General Duty Clause Section 5(a)(1) OSHA Fatal Four

WISHA: WAC 296-155-610 Motor Vehicles on Construction Sites; WAC 296-880 Fall Protection overhead hazards; WAC 296-155-035 General Requirements safe place standards

AGC: Safety and Health Manual Ch. 27 Struck-By and Caught-In Hazards

This form supports compliance with the above regulations. Retain completed forms for minimum 3 years per 29 CFR 1904.33 and WAC 296-27.

Prepared by: _____	Title: _____	Date: _____
Reviewed by: _____	Title: _____	Date: _____