



CONTROLLED ENTERPRISE DOCUMENT

TBT-07.02 | Roofing Hot Asphalt And Kettle Safety

MH Construction, INC Enterprise Management System

Document family: TOOLBOX TALK LIBRARY

Document title: TBT-07.02 | Roofing Hot Asphalt And Kettle Safety

Version: 1.0 | Lifecycle: Rough Draft

Use only after required functional, technical, field-usability, and approval gates are complete.

Control: Version 1.0 | Status Rough Draft | Author and Chief Editor: Matt Ramsey | Co-Editor: Todd Shoeff | Final Approver: Jeremy Thamert

TBT-07.02: Roofing Hot Asphalt & Kettle Safety

CSI Division: Div 07 | Track Assignment: Track 2 Structural & Steel

DIRECTIVE

Roofing kettles must be continuously monitored while firing. Keep fire extinguishers within 25 feet of the kettle.

GENERAL ORDER

Wear long sleeves, heavy gloves, and a face shield when handling hot tar. Do not operate kettles near building air intakes.

Key Hazards & Mitigation (The 'What If')

- Kettle flashes over — use dry chemical extinguisher, shut off fuel source.
- Worker slips carrying hot bucket — maintain clear paths, do not overfill buckets.
- Fumes enter building — shut down kettle, coordinate with HVAC to close intakes.

FIELD INSTRUCTION

Foreman: Ensure a fully charged 20-lb ABC fire extinguisher is stationed at the kettle before lighting.

Attendance Roster (MISH-F-10.1)

Print Name	Signature	Date

Toolbox Talk Documentation & Sign-Off
This Toolbox Talk (TBT) is a mandatory component of the MH Construction, INC Industrial Safety & Health (MISH) Program. All site personnel, including subcontractors and temporary laborers, must attend this briefing before commencing related work activities.

The Site Safety Commander or designated Foreman is responsible for delivering this content, ensuring comprehension, and documenting attendance. Failure to adhere to the safety protocols outlined herein may result in disciplinary action up to and including removal from the jobsite.

By signing the daily attendance log (Form MISH-F-10.1), you acknowledge that you have received, understood, and agree to comply with the safety directives presented in this Toolbox Talk.