



CONTROLLED ENTERPRISE DOCUMENT

TBT-10.02 | Signage And Wayfinding Installation Heights

MH Construction, INC Enterprise Management System

Document family: TOOLBOX TALK LIBRARY

Document title: TBT-10.02 | Signage And Wayfinding Installation Heights

Version: 1.0 | Lifecycle: Rough Draft

Use only after required functional, technical, field-usability, and approval gates are complete.

Control: Version 1.0 | Status Rough Draft | Author and Chief Editor: Matt Ramsey | Co-Editor: Todd Shoeff | Final Approver: Jeremy Thamert

TBT-10.02: Signage & Wayfinding Installation Heights

CSI Division: Div 10 | Track Assignment: Track 3 MEP & Interior

DIRECTIVE

Overhead signage must be securely anchored and installed at the correct ADA height to prevent struck-by hazards for future occupants.

GENERAL ORDER

Use the correct anchors for drywall vs. concrete block. When working on ladders in active corridors, barricade the base of the ladder.

Key Hazards & Mitigation (The 'What If')

- Sign falls after installation — verify anchor load ratings before hanging heavy digital signs.
- Worker drops drill from ladder — tether tools when working above active walkways.
- Sign edge is sharp — wear cut-resistant gloves during unboxing and mounting.

FIELD INSTRUCTION

Foreman: Verify the barricade is set around the ladder base before allowing work in the corridor.

Attendance Roster (MISH-F-10.1)

Print Name	Signature	Date

Toolbox Talk Documentation & Sign-Off

This Toolbox Talk (TBT) is a mandatory component of the MH Construction, INC Industrial Safety & Health (MISH) Program. All site personnel, including subcontractors and temporary laborers, must attend this briefing before commencing related work activities.

The Site Safety Commander or designated Foreman is responsible for delivering this content, ensuring comprehension, and documenting attendance. Failure to adhere to the safety protocols outlined herein may result in disciplinary action up to and including removal from the jobsite.

By signing the daily attendance log (Form MISH-F-10.1), you acknowledge that you have received, understood, and agree to comply with the safety directives presented in this Toolbox Talk.