



CONTROLLED ENTERPRISE DOCUMENT

TBT-28.02 | Access Control And Mag Lock Wiring

MH Construction, INC Enterprise Management System

Document family: TOOLBOX TALK LIBRARY

Document title: TBT-28.02 | Access Control And Mag Lock Wiring

Version: 1.0 | Lifecycle: Rough Draft

Use only after required functional, technical, field-usability, and approval gates are complete.

Control: Version 1.0 | Status Rough Draft | Author and Chief Editor: Matt Ramsey | Co-Editor: Todd Shoeff | Final Approver: Jeremy Thamert

TBT-28.02: Access Control & Mag-Lock Wiring

CSI Division: Div 28 | Track Assignment: Track 3 MEP & Interior

DIRECTIVE

Mag-locks and access control systems often tie into the fire alarm system for emergency egress. Wiring must be precise to ensure doors fail-safe (open) during a fire.

GENERAL ORDER

Test the fail-safe relay before final sign-off. Ensure low-voltage wiring is routed away from sharp metal edges in the door frame.

Key Hazards & Mitigation (The 'What If')

- Door fails to open when fire alarm is pulled — trace the relay wiring, fix immediately, retest.
- Wire chafes on the metal frame — use grommets or protective sleeving.
- Working on a ladder above a busy doorway — prop the door open and barricade the ladder base.

FIELD INSTRUCTION

Foreman: Coordinate with the fire alarm tech to test the mag-lock fail-safe relay before the client walk-through.

Attendance Roster (MISH-F-10.1)

Print Name	Signature	Date

Toolbox Talk Documentation & Sign-Off
This Toolbox Talk (TBT) is a mandatory component of the MH Construction, INC Industrial Safety & Health (MISH) Program. All site personnel, including subcontractors and temporary laborers, must attend this briefing before commencing related work activities.

The Site Safety Commander or designated Foreman is responsible for delivering this content, ensuring comprehension, and documenting attendance. Failure to adhere to the safety protocols outlined herein may result in disciplinary action up to and including removal from the jobsite.

By signing the daily attendance log (Form MISH-F-10.1), you acknowledge that you have received, understood, and agree to comply with the safety directives presented in this Toolbox Talk.