

Footprinting

Footprinting is the process of **collecting as much information as possible about a target network**, for identifying various ways to intrude into an organization's network system

Footprinting Types:

Footprinting can be Passive and Active

Passive Footprinting means Hacker will not interact with system directly
Such as dumpster diving , whois DB

Main Benefits of Footprinting:



From where we collect information ?



Footprinting helps

- **Know Security Posture** – The data gathered will help us to **get an overview of the security posture of the company** such as details about the presence of a firewall, security configurations of applications etc.
- **Reduce Attack Area** – Can identify a specific range of systems and concentrate on particular targets only. This will greatly reduce the number of systems we are focussing on.
- **Identify vulnerabilities** – we can **build an information database** containing the **vulnerabilities, threats, loopholes available** in the system of the target organization.
- **Draw Network map** – helps to draw a network map of the networks in the target organization **covering topology, trusted routers, presence of server and other information.**

Footprinting

- **Footprinting** is the process of collecting as much info as possible about target.
- The Target is network/system/Org.
- Google/Social Network/Website/Email/Whois/DNS/Network/SE footprinting

You can be

- **Anonymous**: information gathering **without revealing anything** about yourself
- **Pseudonymous**: making **someone** else **take the blame** for **your actions**
- **Competitive Intelligence**: information gathered by **businesses about competitors**
 - **Alexa.com**: resource for statistics about websites
 - **Alexa.com**: alternatives After the closure of **Alexa.com may 2022**, you can use alternative tools such as:
 - **SimilarWeb**
 - **SEMrush**
 - **Ahrefs**
 - **Google Analytics** (for websites you own)

Footprinting Objectives



Organization information

- Employee details
- Telephone numbers
- Branch and location details
- Background of the organization
- Web technologies
- News articles, press releases, and related documents



Network information

- Domain and sub-domains
- Network blocks
- Network topology, trusted routers, and firewalls
- IP addresses of the reachable systems
- Whois records
- DNS records



System information

- Web server OS
- Location of web servers
- Publicly available email addresses
- Usernames and passwords

Reconnaissance

- Reconnaissance (also known as footprinting) refers to the preparatory phase where an attacker seeks to gather as much information as possible about a target of evaluation prior to launching an attack.

Passive

Gathering information about the target **without direct interaction**

It involves:

- Open-source Intelligence (OSINT) gathering
- Proprietary databases and paid services
- Sharing intelligence with partner organizations or industry groups


Active

Gathering information about the target **with direct interaction**


It involves:

- DNS interrogation
- Social engineering
- Network/port scanning
- User and service enumeration


Reconnaissance attack tools




Footprinting Methodology



Search in internet



People search engine



Home

Yellow Pages

People Search

Reverse Phone Lookup

Find a Person

By Name | By Address | By Phone Number

First Name

Last Name

City

State

e.g. John

e.g. Smith

e.g. San Diego

All States

People Search > Ahmed Ali

Information provided by Intelius.com
Showing page - 1 of all listings for Ahmed Ali

Find more information on Intelius

More information for Ahmed Mohamed Ali

Email and Other Phone Lookup
Get Detailed Background Information
Get Public Records
View Property and Area Information
Social Network Profiles

More information for Ahmed Ali

Email and Other Phone Lookup
Get Detailed Background Information
Get Public Records
View Property and Area Information
Social Network Profiles

Ahmed Mohamed Ali, Age 73
6943 Brannon Hill Rd, Clarkston, GA 30021-3293
(678) 717-xxxx

View profile »

Ahmed Ali
6719 Roosevelt Ave, Woodside, NY 11377-2951
(678) 717-xxxx

View profile »

Shodan

- Shodan is a **search engine** for **Internet-connected devices**. It was created by John C. Matherly (@achilleian) in 2009
- Shodan is a tool for **searching devices connected to the internet**
- Shodan helps you **find information** about **desktops, servers, IoT devices**, and more.
- Shodan works well with basic, single-term searches. Here are the basic search
- filters you can use:
 - o **city**: find devices in a particular city
 - o **country**: find devices in a particular country
 - o **geo**: you can pass it coordinates
 - o **hostname**: find values that match the hostname
 - o **net**: search based on an IP or /x CIDR
 - o **os**: search based on an operating system
 - o **port**: find particular ports that are open
 - o **before/after**: find results within a timeframe

Shodan by command

```
(kali@kali)-[~]  
$ shodan count wordpress  
504791
```

```
(kali@kali)-[~]  
$ shodan myip  
176.16.170.100
```


```
(kali@kali)-[~]  
$ shodan download WD "wordpress 1.1.0"  
Search query: wordpress 1.1.0  
Total number of results: 5  
Query credits left: 0  
Output file: WD.json.gz  
[-----] 0%  
Notice: fewer results were saved than requested  
Saved 0 results into file WD.json.gz
```

Shodan search about apache

```
(kali@kali)-[~]
$ shodan stats apache
Top 10 Results for Facet: country
US 4,384,164
CN 1,936,061
DE 1,681,644
JP 1,569,805
FR 713,020
GB 471,067
NL 416,565
KR 396,739
BR 386,274
IN 370,108


Top 10 Results for Facet: org
China Education and Research Network 1,108,839
Amazon Technologies Inc. 514,728
DigitalOcean, LLC 497,226
Hetzner Online GmbH 366,380
Aliyun Computing Co., LTD 343,012
GoDaddy.com, LLC 297,926
Google LLC 285,138
OVH SAS 260,157
Amazon.com, Inc. 249,626
KDDI Web Communications Inc. 232,419
```

main interface of Shodan is the search engine



- It shows a **summary** for each host
- the **total count of hosts** that **matched the query** like the count command of the CLI and some stats like the stats command

Port 9200



- **Port 9200** is the **default network port** used for the **HTTP Application Programming Interface (API)** in **Elasticsearch**.
- Elasticsearch is an **open-source** distributed search and analytics engine.
- It's part of the **Elastic Stack** (formerly known as the ELK stack).

Shodan with IP address

 **93.184.216.34**

City	El Segundo
Country	United States
Organization	NETBLK-03-EU-93-184-216-0-24
ISP	MCI Communications Services, Inc. d/b/a Verizon Business
Last Update	2021-03-17T19:30:21.791650
ASN	AS15133

Ports

80	443
----	-----

Services

80	HTTP/1.1 404 Not Found
tcp	Content-Type: text/html
http	Date: Wed, 17 Mar 2021 19:30:21 GMT
	Server: ECS (ord/4CD8)
	Content-Length: 345

443	HTTP/1.1 404 Not Found
tcp	Content-Type: text/html
https	Date: Wed, 17 Mar 2021 01:09:10 GMT
	Server: ECS (sjc/4E5D)
	Content-Length: 345

Port:80 country:il

Port:80 country:il



 View Report  Browse Images  View on Map  Advanced Search

Product Spotlight: We've Launched a new API for Fast Vulnerability Lookups. Check out [CVEDB](#)

 **84.228.16.192** 

IGLD-84-228-16-192.inter.n
et.il
[Partner Communications
Ltd.](#)
 Israel, Lod

HTTP/1.1 200 OK
Date: Wed, 17 Jul 2024 18:23:20 GMT
Server: web
ETag: "0-a4e-1e0"
Content-Length: 480
Content-Type: text/html
Connection: keep-alive
Keep-Alive: timeout=60, max=99
Last-Modified: Wed, 28 Feb 2018 07:09:56 GMT

Hikvision IP Camera:
Web Version: 4.0.1 build 180227
Plu...

ERROR: The request could not be satisfied 

65.9.102.219
server-65-9-102-219.tiv5
0.r.cloudfront.net
[Amazon.com, Inc.](#)
 Israel, Tel Aviv

cloud cdn

HTTP/1.1 403 Forbidden
Server: CloudFront
Date: Wed, 17 Jul 2024 15:23:10 GMT
Content-Type: text/html
Content-Length: 915
Connection: keep-alive
X-Cache: Error from cloudfront
Via: 1.1 56706a0e74c90535106878a6a2f1475c.cloudfront.net (CloudFront)
X-Amz-Cf-Pop: TLV50-C2
X-Amz-Cf-Id: sElcfr...

Port:80 country:il product:Apache

Port:80 country:il product:Apache

View Report

Browse Images

View on Map

Advanced Search

Product Spotlight: Keep track of what you have connected to the Internet. Check out [Shodan Monitor](#)

34.165.60.120

120.60.165.34.bc.googleusercontent.com

Google LLC

Israel, Tel Aviv

cloud

HTTP/1.1 200 OK

Date: Wed, 17 Jul 2024 14:58:25 GMT

Server: Apache/2.4.61 (Debian)

Last-Modified: Wed, 17 Jul 2024 14:52:44 GMT

ETag: "9-61d729d655965"

Accept-Ranges: bytes

Content-Length: 9

Content-Type: text/html

185.18.204.171

171.204.interhost.co.il

Interhost Networks Cloud Network

Israel, Ashdod

HTTP/1.1 200 OK

Date: Wed, 17 Jul 2024 14:20:40 GMT

Server: Apache/2

X-Powered-By: PHP/5.3.29

Set-Cookie: chabadinfoshop=isibjrqv7b4nk7prqkclqrp11; path=/


Expires: Thu, 19 Nov 1981 08:52:00 GMT

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Pragma: no-cache

...

Prompt not response



Search on city

apache city:"San Francisco" 

 View Report  View on Map  Advanced Search

Product Spotlight: Free, Fast IP Lookups for Open Ports and Vulnerabilities using [InternetDB](#)

216.75.0.238 
[CariNet, Inc.](#)
 United States, San Diego
HTTP/1.1 200 OK
Date: Wed, 17 Jul 2024 15:23:37 GMT
Server: **Apache**
Last-Modified: Mon, 16 Feb 2009 09:55:48 GMT
ETag: "4076-4630630e35100"
Accept-Ranges: bytes
Content-Length: 16502
Vary: Accept-Encoding
Content-Type: text/html; charset=UTF-8

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1....

216.218.198.180 
[murase.net](#)
[BigBiz Internet Services](#)
 United States, San Jose
HTTP/1.1 200 OK
Date: Wed, 17 Jul 2024 11:49:35 GMT
Server: Stronghold/2.2 **Apache**/1.2.5 C2NetUS/2002/php3.0.3
Last-Modified: Sat, 23 Mar 2002 18:32:19 GMT
ETag: "a0e4-2c9-3c9cca33"
Content-Length: 713
Accept-Ranges: bytes
Content-Type: text/html


Cisco devices with this subnet

cisco net:"216.219.143.0/24"



Note: No results found

Combining filters



- To combine filters, simply keep adding them on. You can also do this by clicking filters in the left sidebar for a given result set. So if you want to search for Nginx servers in San Francisco, that are running on port 8080, that are also running Tomcat, you could do the following:
- *Apache city:'San Francisco' port:'8080' product:'Apache Tomcat/Coyote JSP engine'*

Shodan webcam



Shodan search results for "default password".

Search bar: "default password" (circled in red)

Results: 1 - 10 of about 2005 for "default"

Services

Service	Count
FTP	4,030
HTTP	2,927
HTTP Alternate	95
Microsoft	6
World	3

Top Countries

Country	Count
United States	2,884
Japan	1,520
Germany	1,040
Netherlands	515
Taiwan	158

Top Cities

City	Count
Engelwood	2,238
Tokyo	1,101
SoHo	110
Hamburg	79
Taipei	68

Top Organizations

Organization	Count
New York State University College at Buffalo	1

Results:

- 134.102.110.119** (circled in red)
Unauthorized request
Date: Sat, 21 Dec 1996 12:00:00 GMT
WWW-Authenticate: Basic realm="default password:1234" (circled in red)
- Error 401: Unauthorized request**
134.102.110.119
Date: Sat, 21 Dec 1996 12:00:00 GMT
WWW-Authenticate: Basic realm="default password:1234" (circled in red)
- 136.182.208.140** (circled in red)
Unauthorized request
Date: Thu, 01 Jan 1970 21:58:26 GMT
WWW-Authenticate: Basic realm="default password:1234" (circled in red)

Shodan search results for "webcam".

Search bar: "webcam"

Results: 1 - 10 of about 2005 for "webcam"

TOP COUNTRIES

Country	Count
United States	807
Korea, Republic of	373
Germany	271
Italy	180
Russian Federal...	137

TOP SERVICES

Service	Count
HTTP (8080)	1,301
HTTP	343
HTTPS	316
Android/iOS	98
Android/iOS	92

Results:

- 99.192.179.104**
Mojikost
Date: Mon, 22 Aug 2016 05:09:53 GMT
Server: Apache
Content-Length: 6679
Content-Type: text/html
- 99.192.129.92**
Mojikost
Date: Mon, 22 Aug 2016 04:59:57 GMT

https://censys.io/

 **Censys**

Q IPv4 Hosts 23.0.0.0/8 or 8.8.8.0/24

[Results](#) [Map](#) [i](#) [!](#)

Quick Filters

For all fields, see [Data Definitions](#)

Autonomous System:

- 3.06M AKAMAI-AS
- 521.77K AKAMAI-ASN1
- 154.84K LEASEWEB-USA-LAX-11
- 112.47K KENZUINC-
- 84.47K EGIHOSTING

[More](#)

Protocol:

- 5.53M 80/http
- 4.31M 443/https
- 224.42K 22/ssh
- 164.96K 21/ftp
- 127.45K 3306/mysql

[More](#)

IPv4 Hosts

Page: 1/234,900 Results: 5,872,492 Time: 716ms Query Plan: [expanded](#)

- [23.27.70.12](#)
 - EGIHOSTING (18779) United States
 - Windows 80/http
 - IIS7
- [23.80.92.96 \(ill92.96.oakleyfeed.com\)](#)
 - Unknown Network Unknown
 - 80/http
 - 403 Forbidden
- [23.118.217.199 \(23-118-217-199.lightspeed.frokca.sbcglobal.net\)](#)
 - ATT-INTERNET4 (7018) Rocklin, California, United States
 - 80/http
 - Home

Shodan CLI & Censys Platform

Shodan Command-Line Interface

The Shodan CLI **enables programmatic access** for automation, scripting, and integration into reconnaissance workflows.

```
# Install Shodan CLI
pip install shodan
shodan init YOUR_API_KEY

# Search for Apache servers in Israel
shodan search port:80 country:IL product:Apache
```

AI-Powered Enhancements



Shodan Enterprise AI

Automatically categorizes device types and identifies anomalous exposures using machine learning models trained on billions of devices.

Censys - Alternative IoT Search Engine

Censys.io provides **internet device discovery** with **additional analytics**, risk scoring, and exposure analysis capabilities.

- ▶ **Host Intelligence:** Detailed device fingerprints
- ▶ **Certificate Analysis:** SSL/TLS certificate tracking
- ▶ **Risk Assessment:** Automated vulnerability scoring
- ▶ **API Access:** Programmatic data retrieval



Censys AI Analytics

Provides AI-driven risk scoring and exposure analysis, prioritizing findings based on exploitability and business impact.

Best Practice: Use both Shodan and Censys together for comprehensive coverage. Shodan excels at breadth (more devices indexed), while Censys offers deeper analytical capabilities and more structured data.

shodan.io | search.censys.io

AI-Powered IoT Discovery Tools

AI-ENHANCED

The next generation of device discovery platforms leverages machine learning to provide contextual intelligence beyond traditional port scanning.

**Censys AI**
Automated asset discovery with ML classification. Identifies device types, software versions, and exposure risks without manual configuration.

**GreyNoise AI**
Uses machine learning to filter internet scan noise from real threats. Distinguishes between benign scanning and malicious reconnaissance activity.

**BinaryEdge AI**
AI-driven risk ratings for exposed services. Continuously monitors the internet attack surface and provides actionable intelligence with severity scores.

**ONYPHE AI**
Cyber defense search engine with AI-powered threat correlation. Aggregates data from multiple sources to build comprehensive threat profiles.

Feature Comparison


Feature	Censys AI	GreyNoise	BinaryEdge	ONYPHE
ML Classification	Yes	Yes	Yes	Yes
Risk Scoring	Advanced	Threat-focused	Severity-based	Correlated

Key Insight: AI-powered discovery tools go beyond traditional scanning to provide contextual intelligence about discovered assets.

Hacker search engines

1. Dehashed	(Leaked Credentials)
2. Security Trails	(DNS Data)
3. DorkSearch	(Google Dorking)
4. ExploitDB	(Exploit Archive)
5. ZoomEye	(Info about Targets)
6. Pulsedive	(Threat Intelligence)
7. GrayHatWarfare	(Public S3 Buckets)
8. PolySwarm	(Scan File and Urls)
9. Fofa	(Threat Intelligence)
10. LeakIX	(Web Server)
11. DNSDumpster	(DNS Data)
12. FullHunt	(Attack Surface)
13. AlienVault	(Threat Intelligence)
14. Onyphe	(Threat Intelligence)
15. Grep App	(Git Repo Search)
16. URL Scan	(Scan Website)
17. Vulners	(Vulnerability Database)
18. WayBackMachine	(Archived content)
19. Shodan	(Devices on Internet)
20. Netlas	(Devices on Internet)
21. CRT.sh	(Certificates)
22. Wigle	(Wireless Networks Database)
23. PublicWWW	(Marketing Research)
24. Binary Edge	(Threat Intelligence)
25. GreyNoise	(Devices on Internet)
26. Hunter	(Email Addresses)
27. Censys	(Devices on Internet)
28. IntelligenceX	(Tor, 12P, Data leaks)
29. Packet Storm	(Vulnerabilities & Exploits)
30. SearchCode	(Source Code Search)

Hack devices



Google hacking techniques

- Job requisitions can help us get information about the information technology products used in a target organization, such as:
 - Web server type
 - Web application dev environment
 - Firewall type
 - Routers
- Google searches to find job reqs
 - `site:[companydomain] careers`
 - `site:[companydomain] jobs`
 - `site:[companydomain] openings`
- Also, searches of job-related sites
 - `www.monster.com` - Search on Info Tech and Internet/E-commerce



- **Job Search Sites** - Information about technologies can be gleaned from job postings

Career adv

- Palo alto professional certificate
- CCIE cisco
- MCSA cert

Google Hacking Database - Essential Operators

Google Dorks are advanced search operators that help security researchers find exposed information, vulnerabilities, and sensitive data indexed by search engines.

Operator	Function	Example Query
site:	Restrict results to a domain	site:eccouncil.org
intitle:	Search for keywords in page title	intitle:"index of/"
allintitle:	All keywords must be in title	allintitle:detect malware
inurl:	Search for keywords in URL	inurl:admin.php
allinurl:	All keywords must be in URL	allinurl:EC-Council career
filetype:	Search for specific file types	filetype:pdf confidential
cache:	View cached version of page	cache:www.eccouncil.org
related:	Find similar websites	related:eccouncil.org
info:	Google's info about a page	info:eccouncil.org

Practical Security Queries

► Find login portals: **inurl:login site:target.com**

► Directory listings: **intitle:\"index of\" \"parent directory\"**


► Exposed documents: **filetype:xls site:target.com**

► Error messages: **intext:\"error\" \"sql syntax\" site:il**


Full database: [Google Hacking Database \(GHDB\)](#)

Advanced Google Searching

There are many ways to find the same page. These individual queries could all help find the same page.



Advanced Google Searching



examples

- [location: yemenNet]
- [info: eccouncil.org]
- [link: www.eccouncil.org]
- [allintitle: detect malware]
- [inrul: copy site:www.eccouncil.org]
- [allinurl:EC-Council career]
- [cache:www.eccouncil.org]
- [related:www.eccouncil.org]

Jobs in google



site:"google.com" job

Google

الأدوات

المزيد : الكتب الأخبار صور الكل

حوالي 187,000,000 نتيجة (0.71 ثانية)

ترجم هذه الصفحة ▾ jobs < <https://careers.google.com>

 **Search Jobs - Google Careers**

Search, find and apply to **job** opportunities at Google. Bring your insight, imagination and healthy disregard for the impossible. Together, we can build for ...

[6475 jobs matched](#) · [Jobs](#) · [YouTube](#) · [Careers](#)

example

- Intitle:"flower"
- Intext:"map"
- Intext:mysql_num_row(): +site:il
- Intext:mysql_num_row(): +site:il&inurl:read.php?id

Search in google

Search results for: `intitle:webcam 7 inurl:8080 -intext:8080`

الأدوات الإعدادات المزيد : فيديو صور الكل

حوالي 555 نتيجة (0.52 ثانية)

2.32.209.239 ▶ ترجم هذه الصفحة

webcam 7

webcam 7. webcams and ip cameras server for windows. HomeMulti view SmartphoneGalleryAdministration. Not logged in. Source 1, Source 2, Source 3 ...

minside.dyndns.org ▶ ترجم هذه الصفحة

webcam 7


webcam 7. webcams and ip cameras server for windows. HomeMulti view SmartphoneGalleryAdministration. Not logged in. Source 1, Source 2, Source 3.

213.111.54.196 ▶ ترجم هذه الصفحة

webcam 7

webcams and ip cameras server for windows. HomeMulti viewSmartphoneGalleryAdministration. Not logged in. Source 1. JavaScript, Motion JPEG [Firefox] ...

intitle:webcam 7 inurl:8080 -intext:8080



Exclude www

site:"grab.com" -www

Q All Images News Maps More Settings

About 1,110,000 results (0.18 seconds)

engineering.grab.com › griffin ▾

Griffin, an Anti-fraud Risk Rule Engine Making Billions of ...

Oct 28, 2019 - This blog highlights Grab's high-performance risk rule engine that automates the creation of rules to detect fraudulent activities with minimal ...

kios.grab.com › ... › Seputar GrabKios ▾ [Translate this page](#)

Promo | GrabKios - Kudo - GrabKios

Oleh: Admin Komando [Amir] | 8 bulan ago. 1 Komentar | 15106 Melihat. Beli XL Xtra Combo, GRATIS voucher Grab! Admin Komando [Amir]. Oleh: Admin ...


senna.grab.com ▾

Senna

Please sign in. Grab logo fa 2 white large. Senna. Sign in with your GrabID.


Search on url

- Inurl -intext scanning
- Another way to go is to use a port number with inurl, combined with a negative intext search for that port number



Open result

- <http://195.222.99.213:8080/>



195.222.99.213:8080

Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

PIC1006WN Wireless-N IP Camera **PROLINK®** www.prolink2u.com

Information

Network

Video

Schedule

Admin

language: English

IP CAM Information	
Model / version	PIC1006WN / v030703 / plus
IP CAM ID	005-029-211
Registration status	Registered
Network type	Wireless(DHCP) (ip=10.0.0.171)
Video user	0
Video resolution	320 x 240
Video bandwidth	64 Kbps
Email/ftp Alarm	off
NAS/Cloud Record	Not Recording
SD-Card Record	Recording Now
Mac Address(Hex)	00:1B:C7:04:1C:D2
WiFi Mac Address(Hex)	00:1B:C7:FD:20:C8

intext

Google

intext:google.com



Google Play

<https://play.google.com> › store › apps › details ⋮

InText – Apps on Google Play

Cloud-based texting with your company's existing landline phone numbers.

4.6 ★★★★★ (10) · Free · Android · Communication



Google for Education

<https://edu.google.com> › pswg › assets › notes › Lesson3.5 ⋮

Lesson 3.5: Intext: and Advanced Search (Text)

It is the **intext: operator**. It allows you to find pages that have a specific word in the body of the text somewhere--it forces inclusion on the page.



LinkedIn · Jonathan Kiebusch

10+ reactions · 4 months ago ⋮

Google Deprecates inurl and intext Search Operators

Has **Google quietly deprecated inurl: and intext:** in some regions? Over the past few weeks, I've noticed something strange.

filetype

site:"google.com" filetype:pdf -filetype:html

AI Mode All Images Videos Short videos Forums News More ▾

 google.com
https://sites.google.com › view › karahctym PDF ⋮

【'^ ~】((GUÍA Expedia\$México∞Solución)) ¿Cómo puedo ...

Jun 21, 2026 — Hablar con un agente en vivo de Expedia es posible las 24 horas marcando cualquiera de las líneas oficiales de atención al cliente ...

 google.com
https://research.google.com › pubs › archive PDF ⋮

Distributed Representations of Words and Phrases and ...

by T Mikolov · 2013 · Cited by 50945 — The recently introduced continuous Skip-gram model is an efficient method for learning high-quality distributed vector representations that capture a large ...


 Google Research
https://research.google.com › pubs › archive PDF ⋮

Deep Neural Networks for Object Detection

by CSATD Erhan · Cited by 2264 — Deep Neural Networks (DNNs) have recently shown outstanding performance on image classification tasks [14]. In this paper we go one step further and address.

9 pages

Using wireshark or tcpdump



This time, the entire conversation
was between us (192.168.2.32)
and Google (64.233.167.104)

```
23:46:53.996067 IP 192.168.2.32.52912 > 64.233.167.104.80
23:46:54.025277 IP 64.233.167.104.80 > 192.168.2.32.52912
23:46:54.025345 IP 192.168.2.32.52912 > 64.233.167.104.80
23:46:54.025465 IP 192.168.2.32.52912 > 64.233.167.104.80
23:46:54.094007 IP 64.233.167.104.80 > 192.168.2.32.52912
23:46:54.124930 IP 64.233.167.104.80 > 192.168.2.32.52912
23:46:54.127202 IP 64.233.167.104.80 > 192.168.2.32.52912
23:46:54.128762 IP 64.233.167.104.80 > 192.168.2.32.52912
23:46:54.128836 IP 192.168.2.32.52912 > 64.233.167.104.80
23:47:54.130200 IP 192.168.2.32.52912 > 64.233.167.104.80
23:47:54.154500 IP 64.233.167.104.80 > 192.168.2.32.52912
23:47:54.154596 IP 192.168.2.32.52912 > 64.233.167.104.80
```

Search google, and exclude Microsoft

```
(kali@kali)-[~]
$ lynx -dump "http://www.google.com/search?q=site:microsoft.com+-www.microsoft.com&num=100" > test.html
```

test.html


File Edit Search Options Help

© 2024 - [16]Privacy - [17]Terms


References

1. <https://www.google.com/imghp?hl=en&tab=wi>
2. <http://maps.google.com/maps?hl=en&tab=w1>
3. <https://play.google.com/?hl=en&tab=w8>
4. <https://www.youtube.com/?tab=w1>
5. <https://news.google.com/?tab=wn>
6. <https://mail.google.com/mail/?tab=wm>
7. <https://drive.google.com/?tab=wo>
8. <https://www.google.com/intl/en/about/products?tab=wh>
9. <http://www.google.com/history/optout?hl=en>
10. <http://www.google.com/preferences?hl=en>
11. <https://accounts.google.com/ServiceLogin?hl=en&passive=true&con>
12. http://www.google.com/advanced_search?hl=en&authuser=0
13. <http://www.google.com/intl/en/ads/>
14. <http://www.google.com/services/>

Search about danger php function



This database does not need user or password



The screenshot shows a web browser window with the address bar displaying `https://www.uvm.edu/~vgn/phplib/db_mysql_old.inc`. The browser's tab bar includes links to "Kali Linux", "Kali Tools", "Kali Docs", "Kali Forums", "Kali NetHunter", "Exploit-DB", and "Google". The main content area displays PHP code for database connection management. The code includes a `query_id()` function, a `connect()` function with default values for database, host, user, and password, and logic to establish a connection using `mysql_connect` or `mysql_pconnect`. The `$Password` variable in the `connect()` function is highlighted in green.

```

}


function query_id() {
    return $this->Query_ID;
}

/* public: connection management */
function connect($Database = "", $Host = "", $User = "", $Password = "") {
    /* Handle defaults */
    if (" " == $Database)
        $Database = $this->Database;
    if (" " == $Host)
        $Host = $this->Host;
    if (" " == $User)
        $User = $this->User;
    if (" " == $Password)
        $Password = $this->Password;


    /* establish connection, select database */
    if ( 0 == $this->Link_ID ) {

        if (!$this->PConnect) {
            $this->Link_ID = mysql_connect($Host, $User, $Password);
        } else {
            $this->Link_ID = mysql_pconnect($Host, $User, $Password);
        }
        if (!$this->Link_ID) {
            $this->halt("connect($Host, $User, \"$Password\") failed.");
            return 0;
        }
    }
}
```

Filetype sql, search about password



The result



The screenshot shows a web browser window with the address bar displaying the URL `https://support.intershop.com/kb/index.php/Deliver/DOC/287M51/createIcmDB.sql`. Below the address bar is a navigation bar with several links: Kali Linux, Kali Tools, Kali Docs, Kali Forums, Kali NetHunter, Exploit-DB, Google Hacking DB, and OffSec. The main content area of the browser displays a SQL script for creating a login user. The script is as follows:

```
-- Create Login
IF NOT EXISTS (SELECT 1 FROM [master].[sys].[server_principals] WHERE Name = @UserID)
BEGIN
    print 'Creating user: ' + QUOTENAME(@UserID);
    SET @Sql = 'CREATE LOGIN
    ' + QUOTENAME(@UserID) + '
    WITH
    PASSWORD = ''' + REPLICATE('*', LEN(@Password)) + '''
    , DEFAULT_DATABASE = [master]
    , DEFAULT_LANGUAGE = [us_english]
    , CHECK_EXPIRATION = OFF
    , CHECK_POLICY = OFF';
    print 'Executing SQL: ' + @Sql;
    SET @Sql = REPLACE(@sql, REPLICATE('*', LEN(@Password)), REPLACE(@Password, '''', '''))
    EXECUTE sp_executesql @Sql;
END.
```

AI-Enhanced Search Intelligence

AI-ENHANCED

Artificial Intelligence transforms how security researchers conduct search-based reconnaissance, from automated dork generation to large-scale result analysis.

LLM-Powered Dork Generation

Use ChatGPT, Claude, or Gemini to generate custom Google Dorks for specific targets. Provide the technology stack and receive tailored search queries that uncover exposed assets.

AI Search Aggregators

Perplexity AI and You.com provide cited, structured intelligence from multiple sources simultaneously. They synthesize data from web, academic papers, and news into actionable reconnaissance reports.

Natural Language to Query Translation

Convert investigative questions into precise search operators. Ask "Find exposed Jenkins servers in Germany" and AI generates: `intitle:"Dashboard [Jenkins]" inurl:8080 country:DE`

Automated Pattern Analysis

AI analyzes large volumes of search results to identify patterns: common misconfigurations, repeated technology stacks, and emerging exposure trends across target organizations.

AI-Enhanced Search Workflow



people

The image is a screenshot of a Google search results page. At the top, the Google logo is on the left, and the search bar contains the text "site: 'facebook.com' 'John Furner'". To the right of the search bar are icons for a close button (X), voice search, image search, and a magnifying glass. Below the search bar, there are tabs for "All", "Images", "News", "Videos", "Web", "Books", "Finance", and "Tools". The "All" tab is selected. The search results are listed below the tabs. The first result is from Facebook, with the URL "https://www.facebook.com > public > John-Furner". Below the URL is the text "John Furner in people" and a description: "View the profiles of people named **John Furner**. Join Facebook to connect with **John Furner** and others you may know. Facebook gives people the power to...". To the right of this result is a small profile card for John Furner, showing a photo and the text "John Furner" and "Former CEO of Sam's Club". Below the first result is another Facebook result with the URL "https://www.facebook.com > ... > John Furner". Below this URL is the text "John Furner" and a description: "John Furner. **John Furner** is an American business executive ,President and CEO of Walmart U.S..". Below the second result is a third Facebook result with the URL "https://www.facebook.com > john.furner.988". Below this URL is the text "John Furner" and a description: "John Furner is in East Maitland, NSW, Australia. Jan 1, 1976".

Google

site: "facebook.com" "John Furner"

All Images News Videos Web Books Finance Tools

Facebook
https://www.facebook.com > public > John-Furner

John Furner in people

View the profiles of people named **John Furner**. Join Facebook to connect with **John Furner** and others you may know. Facebook gives people the power to...

Facebook
https://www.facebook.com > ... > John Furner

John Furner

John Furner. **John Furner** is an American business executive ,President and CEO of Walmart U.S..


Facebook
https://www.facebook.com > john.furner.988

John Furner

John Furner is in East Maitland, NSW, Australia. Jan 1, 1976

John Furner
Former CEO of Sam's Club
Education

Search people, SPOKEO



Kali tools to search people in social

```
(sherlock)-(kali@kali)-[~/sherlock]
└─$ sherlock "Elon Musk"
[*] Checking username Elon Musk on:

[+] Codeforces: https://codeforces.com/profile/Elon%20Musk
[+] Codewars: https://www.codewars.com/users/Elon%20Musk
[+] Discord: https://discord.com
[+] Freelance.habr: https://freelance.habr.com/freelancers/Elon%20Musk
[+] GaiaOnline: https://www.gaiaonline.com/profiles/Elon%20Musk
[+] Giphy: https://giphy.com/Elon%20Musk
[+] Instructables: https://www.instructables.com/member/Elon%20Musk
[+] Itemfix: https://www.itemfix.com/c/Elon%20Musk
[+] LessWrong: https://www.lesswrong.com/users/@Elon%20Musk
[+] Mydramalist: https://www.mydramalist.com/profile/Elon%20Musk
[+] NitroType: https://www.nitrotype.com/racer/Elon%20Musk
[+] OpenStreetMap: https://www.openstreetmap.org/user/Elon%20Musk
[+] PCGamer: https://forums.pcgamer.com/members/?username=Elon%20Musk
[+] RuneScape: https://apps.runescape.com/runemetrics/app/overview/player/Elon%20Musk
[+] SlideShare: https://slideshare.net/Elon%20Musk
[+] Warrior Forum: https://www.warriorforum.com/members/Elon%20Musk.html
[+] YandexMusic: https://music.yandex/users/Elon%20Musk/playlists
[+] dailykos: https://www.dailykos.com/user/Elon%20Musk
[+] livelib: https://www.livelib.ru/reader/Elon%20Musk
[+] omg.lol: https://Elon%20Musk.omg.lol
[+] opennet: https://www.opennet.ru/~Elon%20Musk
[+] osu!: https://osu.ppy.sh/users/Elon%20Musk
[+] phpRU: https://php.ru/forum/members/?username=Elon%20Musk
[+] svidbook: https://www.svidbook.ru/user/Elon%20Musk
[+] threads: https://www.threads.net/@Elon%20Musk

[*] Search completed with 25 results
```

SHERLOCK

```
(sherlock)-(kali㉿kali)-[~/sherlock]
$ sherlock "ElonMusk"
[*] Checking username ElonMusk on: Whois Lookup - Yemen.net.ye

[+] 9GAG: https://www.9gag.com/u/ElonMusk
[+] About.me: https://about.me/ElonMusk
[+] Academia.edu: https://independent.academia.edu/ElonMusk
[+] Airbit: https://airbit.com/ElonMusk
[+] AniWorld: https://aniworld.to/user/profil/ElonMusk
[+] Anilist: https://anilist.co/user/ElonMusk/
[+] Apple Discussions: https://discussions.apple.com/profile/ElonMusk
[+] Archive of Our Own: https://archiveofourown.org/users/ElonMusk
[+] ArtStation: https://www.artstation.com/ElonMusk
[+] Atcoder: https://atcoder.jp/users/ElonMusk
[+] Audiojungle: https://audiojungle.net/user/ElonMusk
[+] Autofrage: https://www.autofrage.net/nutzer/ElonMusk
[+] Bandcamp: https://www.bandcamp.com/ElonMusk
[+] Behance: https://www.behance.net/ElonMusk
[+] BiggerPockets: https://www.biggerpockets.com/users/ElonMusk
[+] BitBucket: https://bitbucket.org/ElonMusk/
[+] Blogger: https://ElonMusk.blogspot.com
[+] BoardGameGeek: https://boardgamegeek.com/user/ElonMusk
[+] BraveCommunity: https://community.brave.com/u/ElonMusk/
[+] BugCrowd: https://bugcrowd.com/ElonMusk
[+] BuzzFeed: https://buzzfeed.com/ElonMusk
[+] CGTrader: https://www.cgtrader.com/ElonMusk
[+] Career.habr: https://career.habr.com/ElonMusk
[+] Clapper: https://clapperapp.com/ElonMusk
[+] Clubhouse: https://www.clubhouse.com/@ElonMusk
[+] Codeberg: https://codeberg.org/ElonMusk
[+] Codecademy: https://www.codecademy.com/profiles/ElonMusk
[+] Codeforces: https://codeforces.com/profile/ElonMusk
[+] CrowdIn: https://crowdin.com/profile/ElonMusk
[+] Cults3D: https://cults3d.com/en/users/ElonMusk/creations
[+] DEV Community: https://dev.to/ElonMusk
```

Exploit Database

EXPLOIT DATABASE



Offensive Security's Exploit Database Archive

The Exploit Database - offensive archive of Exploits, Shellcodes, and Security Patches. [View the site!](#) [Learn about the Exploit Database](#)

38683
Exploits Archived

Offline Search

Using our Github repository and off-line search tool, "SearchSploit", you can take a copy of the Exploit Database with you everywhere you go, allowing you to perform detailed off-line searches through your locally checked-out copy of the repository.

[Learn more about SearchSploit](#)

Examples

```
searchsploit add windows local
searchsploit -t oracle windows
searchsploit -p 35448
searchsploit linux kernel 3.2 --exclude "(PwC)/doc/"
```

For more examples, see the manual: <https://www.exploit-db.com>

Remote Exploits

This exploit category includes exploits for remote services or applications, including client-side exploits.

Date Added	📄	🔖	👤	Title	Platform	Author
2018-01-28	📄	🔖	✓	Trend Micro Threat Discovery Appliance 3.6.10405 - 'Wp_policy_exploit.zig' Remote Code..	Linux	Mr. Jax
2018-01-26	📄	🔖	🔗	MSL Switchgear 6.3.80-64 - Remote Command Execution	Multiple	Paul Taylor
2018-01-26	📄	🔖	🔗	Enuffis Netbox (Netbox) Framework - Remote Code Execution	Windows	Wife
2018-01-24	📄	🔖	✓	Suricata Web Server 2.5 - 3.4.5 - HTTP/2.0 /PwC/2018/ Arbitrary Module Load (MitM exploit)	Multiple	Mitropoulos
2018-01-24	📄	🔖	✓	Kaltura - Remote PHP Code Execution via Cookie (MitM exploit)	PHP	Mitropoulos
2018-01-24	📄	🔖	🔗	Redbush 2.98.016 - New Remote Code Execution	Hardware	0x00000000
2018-01-25	📄	🔖	🔗	AxudNET Router - 3.0.0.0.200.7147 - Unauthenticated LPM Remote Code Execution	Hardware	Ph00t0n

Web Application Exploits

www.exploit-db.com

Google hacking data base

Downloads	Certifications	Training	Professional Services
Kali Linux	OSCP	Penetration Testing with Kali Linux (PWK) (PEN-200) All new for 2020	Penetration Testing
Kali NetHunter	OSWP	Offensive Security Wireless Attacks (WiFu) (PEN-210)	Advanced Attack Simulation
Kali Linux Revealed Book	OSEP	Evasion Techniques and Breaching Defences (PEN-300) All new for 2020	Application Security Assessment
	OSWE	Advanced Web Attacks and Exploitation (AWAE) (WEB-300) Updated for 2020	
	OSED	Windows User Mode Exploit Development (EXP-301) All new for 2021	
	OSEE		
	KLCP	[Free] Kali Linux Revealed	

<https://www.exploit-db.com/google-hacking-database>

Search password on any website

Google Hacking Database

Show

15

Quick Search

Filters Reset All

Date Added	Dork	Category	Author
2020-07-23	<code>intext:"db_database" ext:env intext:"db_password"</code>	Files Containing Passwords	Alexandros Pappas
2020-07-16	<code>allintext:username,password filetype:log</code>	Files Containing Juicy Info	isa ghojaria
2020-07-10	<code>inurl:client_password=</code>	Pages Containing Login Portals	Sanu Jose M

SearchSploit

- SearchSploit is a command-line search tool for the **Exploit Database (Exploit-DB)**.
- It allows you to perform detailed **offline searches** through your **locally checked-out copy of the repository**
- **Key Features of SearchSploit:**
 - 1.Offline Searches:** Perform searches without needing an internet connection.
 - 2.Detailed Searches:** Search through **exploits and shellcode** in the **Exploit-DB**.
 - 3.Integration:** Can be **integrated** with other tools like **Metasploit and Nmap** for enhanced functionality

SearchSploit

```
(kali㉿kali)-[~]  
$ searchsploit apache
```

Exploit Title	Path
Apache (Windows x86) - Chunked Encoding (Metasploit)	windows_x86/remote/16782.rb
Apache + PHP < 5.3.12 / < 5.4.2 - cgi-bin Remote Code Execution	php/remote/29290.c
Apache + PHP < 5.3.12 / < 5.4.2 - Remote Code Execution + Scanner	php/remote/29316.py
Apache - Arbitrary Long HTTP Headers (Denial of Service)	multiple/dos/360.pl
Apache - Arbitrary Long HTTP Headers Denial of Service	linux/dos/371.c
Apache - Denial of Service	linux/dos/18221.c
Apache - httpOnly Cookie Disclosure	multiple/remote/18442.html
Apache - Remote Memory Exhaustion (Denial of Service)	multiple/dos/17696.pl
Apache 0.8.x/1.0.x / NCSA HTTPd 1.x - 'test-cgi' Directory Listing	cgi/remote/20435.txt
Apache 1.0/1.2/1.3 - Server Address Disclosure	multiple/remote/21067.c
Apache 1.1 / NCSA HTTPd 1.5.2 / Netscape Server 1.12/1.1/2.0 - a np	multiple/dos/19536.txt
Apache 1.2 - Denial of Service	multiple/dos/20558.txt

SearchSploit Output: Apache 2.x Exploit URLs

```
(kali@kali)-[~]  
$ searchsploit -w apache 2.x
```

Exploit Title	URL
Apache + PHP < 5.3.12 / < 5.4.2 - cgi-bin Remote Code Execution	https://www.exploit-db.com/exploits/29290
Apache + PHP < 5.3.12 / < 5.4.2 - Remote Code Execution + Scanner	https://www.exploit-db.com/exploits/29316
Apache 1.3.x < 2.0.48 mod_userdir - Remote Users Disclosure	https://www.exploit-db.com/exploits/132
Apache 1.4/2.2.x - APR 'apr_fnmatch()' Denial of Service	https://www.exploit-db.com/exploits/35738
Apache 2.x - Memory Leak	https://www.exploit-db.com/exploits/9
Apache < 2.0.64 / < 2.2.21 mod_setenvif - Integer Overflow	https://www.exploit-db.com/exploits/41769
Apache < 2.2.34 / < 2.4.27 - OPTIONS Memory Leak	https://www.exploit-db.com/exploits/42745
Apache CouchDB 1.7.0 / 2.x < 2.1.1 - Remote Privilege Escalation	https://www.exploit-db.com/exploits/44498
Apache CouchDB < 2.1.0 - Remote Code Execution	https://www.exploit-db.com/exploits/44913
Apache CXF < 2.5.10/2.6.7/2.7.4 - Denial of Service	https://www.exploit-db.com/exploits/26710

Exploits Targeting Authentication & Passwords

```
(kali@kali)-[~]  
$ searchsploit -t "password"
```

Use "v" (verbose) to try even more combinations

Exploit Title	Path
(SSH.com Communications) SSH Tectia - USERAUTH Change Request Password Reset (Metasploit)	unix/remote/23156.rb
11in1 CMS 1.2.1 - Cross-Site Request Forgery (Admin Password)	php/webapps/36786.txt
1 Password < 7.0 - Denial of Service	android/dos/46165.txt
2WIRE Gateway - Authentication Bypass / Password Reset (1)	hardware/remote/9422.txt
2WIRE Gateway - Authentication Bypass / Password Reset (2)	php/webapps/9459.txt
3Com SuperStack II PS Hub 40 - TelnetD Weak Password Protection	hardware/remote/21011.pl
60 cycleCMS 2.5.2 - Cross-Site Request Forgery (Change Username and Password)	php/webapps/12266.txt
ABC Advertise 1.0 - Admin Password Disclosure	php/webapps/8555.txt
Ability Mail Server 2013 -Persistent Cross-Site Scripting / Cross-Site Request Forge	windows/webapps/31221.txt
Absolute Form Processor XE-V 1.5 - Remote Change Password	asp/webapps/8530.html
Accelerated Mortgage Manager - ' Password ' SQL Injection	php/webapps/26346.txt
Access Remote PC 4.5.1 - Local Password Disclosure	windows/local/1086.c
Accton-based switches (3com / Dell / SMC / Foundry / EdgeCore) - Backdoor Password	multiple/remote/14875.txt
acFTP 1.4 - Invalid Password Weak Authentication	windows/remote/22032.txt
Acoem 01dB CUBE/DUO Smart Noise Monitor - Password Change	hardware/remote/40720.sh

Bypass password

```
(kali@kali)-[~]  
$ searchsploit -t "bypass password"
```

Exploit Title	Path
2WIRE Gateway - Authentication Bypass / Password Reset (1)	hardware/remote/9422.txt
2WIRE Gateway - Authentication Bypass / Password Reset (2)	php/webapps/9459.txt
Apple Mac OSX - Sudo Password Bypass (Metasploit)	osx/local/27944.rb
Battlefield (BFCC < 1.22_A /BFVCC < 2.14_B / BF2CC) - Authentication Bypass / P	windows/remote/1183.c
Boa 0.93.15 - Administrator Password Overwrite Authentication Bypass	linux/dos/30584.py
Brother MFC-J6520DW - Authentication Bypass / Password Change	hardware/webapps/41863.php
Church Management System 1.0 - ' password ' SQL Injection (Authentication Bypass)	php/webapps/50092.txt
CTROMS Terminal OS Port Portal - ' Password Reset' Authentication Bypass (Metasploit)	linux/remote/48196.txt
DELL Quest One Password Manager - CAPTCHA Security Bypass	multiple/remote/38812.txt
ET - Chat Password Reset Security Bypass	multiple/remote/39115.py
FubarForum 1.6 - Authentication Bypass Change User Password	php/webapps/7606.txt
ICQ Pro 2003a - 'cal-icq.asm' Password Bypass	windows/local/52.asm
Linksys WET11 - Password Update Remote Authentication Bypass	hardware/remote/25359.txt
Lucent 8.x - VitalNet Password Authentication Bypass	windows/remote/21203.txt
Microsoft Windows 9x/ME - Share Level Password Bypass (1)	windows/remote/20283.txt
Microsoft Windows 9x/ME - Share Level Password Bypass (2)	windows/remote/20284.txt
MySQL 4.1/5.0 - Zero-Length Password Authentication Bypass	multiple/remote/311.pl
OpenFile 2.3 - (Authentication Bypass) Remote Password Change	php/webapps/7972.py
PHPads 213607 - Authentication Bypass / Password Change	php/webapps/35535.php
Pligg CMS 9.5 - Reset Forgotten Password Security Bypass	php/webapps/30088.txt

Finding the Exact Path of Exploit ID: 39446

```
(kali@kali)-[~]  
$ searchsploit -p 39446  
Exploit: Microsoft Windows 7 (x86) - 'afd.sys' Dangling Pointer Privilege Escalation (MS14-040)  
URL: https://www.exploit-db.com/exploits/39446  
Path: /usr/share/exploitdb/exploits/windows_x86/local/39446.py  
Codes: CVE-2014-1767, MS14-040  
Verified: False  
File Type: Python script, ASCII text executable
```


update

```
(kali@kali)-[~]  
$ searchsploit -u  
[i] Updating via apt package management (Expect weekly-ish updates): exploitdb  
[sudo] password for kali:  
Get:1 https://packages.microsoft.com/repos/code stable InRelease [3590 B]  
Get:3 https://packages.microsoft.com/repos/code stable/main arm64 Packages [17.8 kB]  
Get:4 https://packages.microsoft.com/repos/code stable/main amd64 Packages [17.7 kB]  
Get:5 https://packages.microsoft.com/repos/code stable/main armhf Packages [17.8 kB]  
Get:2 http://kali.download/kali kali-rolling InRelease [41.5 kB]  
Get:6 http://kali.download/kali kali-rolling/main amd64 Packages [20.3 MB]  
16% [6 Packages 368 kB/20.3 MB 2%]
```

metadata

- Information about information
- Concentrate about the files
- Who **write the file**, **write date**, **where write** this file
- <https://exiftool.org/>

Meta data



exiftool


C:\Users\PC\Desktop\hack tools\exiftool-12.22\exiftool(-k).exe

```
ExifTool Version Number      : 12.22
File Name                    : NetSec.pdf
Directory                   : C:/Users/PC/AppData/Local/Temp/vmware-PC/VMwareDnD/04d20604
File Size                    : 2.7 MiB
File Modification Date/Time  : 2021:02:01 10:48:28-08:00
File Access Date/Time       : 2021:02:01 10:48:28-08:00
File Creation Date/Time     : 2021:02:01 10:48:28-08:00
File Permissions             : -rw-rw-rw-
File Type                    : PDF
File Type Extension          : pdf
MIME Type                    : application/pdf
PDF Version                  : 1.3
Linearized                   : No
Page Count                   : 46
Producer                     : Nitro PDF PrimoPDF
Create Date                  : 2016:11:03 16:58:51-02:00
Modify Date                  : 2016:11:03 16:58:51-02:00
Title                       : Microsoft PowerPoint - NetSec.pptx
Creator                      : PrimoPDF http://www.primopdf.com
Author                      : abc
-- press ENTER --
```


Download files from website




Foca on windows




Download files



Extract Metadata



Type of operating system



Domains you can upload files

TaskList About

 **Foca**
OPEN SOURCE

Search engines
☒ Google
☒ Bing
☒ DuckDuckGo

Extensions All None
☐ doc ☐ docx ☐ tsv ☐ odt
☐ ppt ☐ pptx ☐ odt ☒ pdf
☐ pps ☐ ppsx ☐ ods ☐ wpd
☐ xls ☐ xlsx ☐ odg ☐ rtf

[Custom search](#)

Id	Type	URL
33		https://www.grab.com/sg/safety/covid-19/driver/
34	pdf	https://assets.grab.com/wp-content/uploads/sites/12/2019/06/27133436/TNVS-Req_Operator-Data-Sheet-2018.pdf?gr...
35	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/Infographics_MY.pdf
36	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/Infographics_ID.pdf
37	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/Infographics_PH.pdf
38	pdf	https://www.grab.com/sg/wp-content/uploads/media/docs/th_Quality_Policy.pdf
39	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/GRAB_5_YEARS_Moving_SEA_Together_Report.pdf
40	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/LetterofriendsofGrab.pdf
41	pdf	https://www.grab.com/sg/wp-content/uploads/media/docs/id_Quality_Policy.pdf
42	pdf	https://www.grab.com/sg/wp-content/uploads/docs/Grab-Corporate-Profile-CHI.pdf
43	pdf	https://www.grab.com/th/wp-content/uploads/sites/6/2016/08/GrabCarTraining.pdf
44	pdf	https://www.grab.com/sg/wp-content/uploads/sites/4/2018/07/Issue08July18.pdf
45	pdf	https://www.grab.com/th/wp-content/uploads/sites/10/2016/08/GrabPayBigWin_TnC_FinalVersion.pdf
46	pdf	https://www.grab.com/th/wp-content/uploads/sites/10/2018/04/External_Letter_GRABVISAFIFA2018_TH.pdf
47	pdf	https://www.grab.com/sg/wp-content/uploads/media/images/press/RM0113_Grab_5th_Year_Anniversary_Regional_Cam...
48	pdf	https://www.grab.com/th/wp-content/uploads/sites/10/2018/04/External_Letter_GRABVISAFIFA2018.pdf
49	pdf	https://www.grab.com/sg/wp-content/uploads/sites/4/2016/09/blogpost_grab.pdf.pdf
50	pdf	https://www.grab.com/sg/wp-content/uploads/sites/4/2018/02/Issue03Feb18.pdf
51	pdf	https://www.grab.com/th/wp-content/uploads/sites/10/2018/05/SABAUAITC.pdf
52	pdf	https://www.grab.com/sg/wp-content/uploads/sites/4/2018/03/Issue04Mar18.pdf

Metagoofil.py

```
root@kali: ~/metagoofil
File Actions Edit View Help

root@kali:~# git clone https://github.com/laramies/metagoofil.git
Cloning into 'metagoofil' ...
remote: Enumerating objects: 408, done.
remote: Total 408 (delta 0), reused 0 (delta 0), pack-reused 408
Receiving objects: 100% (408/408), 658.55 KiB | 1.33 MiB/s, done.
Resolving deltas: 100% (128/128), done.
root@kali:~# cd metagoofil
root@kali:~/metagoofil# ls
COPYING      hachoir_core    lib            parser.py      unzip.py
discovery    hachoir_metadata LICENSES        pdfminer
downloader.py hachoir_parser  metagoofil.py processor.py
extractors   htmlExport.py   myparser.py    README
```

```
root@kali: ~/metagoofil
File Actions Edit View Help

root@kali:~/metagoofil# python metagoofil.py

*****
*                                     *
*  A E T C C O C H I               *
*  V A E T C C O C H I             *
*                                     *
* Metagoofil Ver 2.2                 *
* Christian Martorella               *
* Edge-Security.com                 *
* cmartorella_at_edge-security.com  *
*                                     *
*****

Usage: metagoofil options
```

- **Metagoofil** - Command line interface that uses **Google hacks** to find information in meta tags (domain, filetype, etc; Is a google dorks for terminal)

Example metagoofil

```
kali@kali:~/Downloads/metagoofil$ python metagoofil.py
*****
*                               *
*                               *
*                               *
*                               *
*                               *
* Metagoofil Ver 2.2           *
* Christian Martorella         *
* Edge-Security.com            *
* cmartorella_at_edge-security.com      *
*****

Usage: metagoofil options

-d: domain to search
-t: filetype to download (pdf,doc,xls,ppt,odp,ods,docx,xlsx,pptx)
-l: limit of results to search (default 200)
-h: work with documents in directory (use "yes" for local analysis)
-n: limit of files to download
-o: working directory (location to save downloaded files)
-f: output file

Examples:
metagoofil.py -d apple.com -t doc,pdf -l 200 -n 50 -o applefiles -f results.html
metagoofil.py -h yes -o applefiles -f results.html (local dir analysis)
```

```
kali@kali:~/Downloads/metagoofil$ python metagoofil.py -d flipkart.com -l 100 -n 5 -t pdf -o newflipkart
*****
*                               *
*  A d v e r t i s e m e n t  *
*                               *
*                               *
*                               *
*                               *
* Metagoofil Ver 2.2           *
* Christian Martorella         *
* Edge-Security.com           *
* cmartorella_at_edge-security.com *
*                               *
*****
['pdf']

[-] Starting online search...
```

AI-Powered Image & Document Intelligence

AI-ENHANCED

Modern AI tools dramatically enhance image and document analysis capabilities for OSINT investigations, enabling automated extraction of hidden intelligence.

Google Lens / Bing Visual

Reverse image search to find the source and related images across the web. Identifies where images appear, helping trace their origin and find similar visuals.

GeoSpy.ai

AI-powered geolocation prediction from image content. Analyzes visual cues like architecture, vegetation, signage, and landscape to estimate where a photo was taken.

Document AI

Google Document AI and Azure Form Recognizer extract structured data from documents at scale. Automatically parses forms, invoices, and reports for intelligence.

OCR + AI Enhancement (Tesseract)

Tesseract OCR with AI enhancement extracts text from images with high accuracy. Combined with NLP, it can analyze extracted text for entities, sentiment, and relationships.

EXIF AI Analyzers

ML-based tools detect image manipulation, deepfakes, and extract embedded GPS data. Can identify if an image has been edited and reveal the original capture location.

Practical OSINT Application


Workflow: Download files from target domain using Metagoofil → Extract metadata with ExifTool → Run images through GeoSpy.ai for location data → Use Google Lens to find where else images appear → Correlate findings in your intelligence report

Website Footprinting

- **Web mirroring | Website Cloning** - allows for discrete **testing offline**
HTTrack - *you can use the CLI version or Web Interface version*
- **Wget** - Linux command
 - *wget -mk -w 10 http://hackthissite.org/*
- **Black Widow**
- **WebRipper**
- **Teleport Pro**
- **Backstreet Browser**

Website have all the old version


- *Web.archive.org*
- This org have a copy from any old website
- **Archive.org / Wayback machine**
- Provides cached websites from various dates which possibly have sensitive information that has been now removed.
- **Wayback Machine -> Google.com**



Email Footprinting

- **Email header** - may show servers and where the location of those servers are
- Email headers can provide: **Names, Addresses (IP, email), Mail servers, Time stamps, Authentication and so on.**
- **EmailTrackerPro** is a **Windows software** that trace an email back to its true point of origin
- **Email tracking - services** can track various bits of information including the IP address of **where** it was opened, **where** it went, etc.

Display the source of message



Display the source of message

مصدر الرسالة


Received: from AS1PR10MB5505.EURPRD10.PROD.OUTLOOK.COM (2603:10a6:20b:470::15)
by DU2PR10MB7648.EURPRD10.PROD.OUTLOOK.COM with HTTPS; Sat, 28 Sep 2024
21:22:23 +0000
ARC-Seal: i=2; a=rsa-sha256; s=arcselector10001; d=microsoft.com; cv=pass;

b=dhMm+4piDdpXmJY7/auJiW5jlq0YCEvDAG+kNJ7VW6Azhzc4sfk4qlairFuwaK47AcFRPI7ten9rA+YlWTeflx0
YJkH2h8wnxsCGUVbvsOo3mqcFGV/+ZEWXz+PX/m61vlzrwv2toJEIXquDjzCuBHE3LFZh2OHDh1WW9x4lli22p
HNHhbjSfBtBh5t8zY61mZBxe5YlKj+94r4nJ+LL33jQGmFA77kVzNCp38rJSt7UwePwiC9Y1PVmcy28xfJHw6VFur
Y4+SCGv1wPOt3HNrfghXUo6NwHSMj1KpUoRiZRuqHOv0DCmU4Wb/F0bseGXni5oZ5Pq7aXA4b5HUq8Q==
ARC-Message-Signature: i=2; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
s=arcselector10001;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-AntiSpam-MessageData-
ChunkCount:X-MS-Exchange-AntiSpam-MessageData-0:X-MS-Exchange-AntiSpam-MessageData-1;
bh=QTWxZB7NEou+a2pT4XFXiSrgPEg3I5hIVqQeKjP00LA=;

b=oGdl+/5xTuTU5ea+oz8wqsARmJSxRhaA/WErTHjpeQqS3EblAiMVL2Q3K4VvZZWAY7wrf+hZ9PXImdSzOXL
30rnchQ4LDTcpBTcp++bpTlzWbrEUX5ai1JPj19ByAUc5Nq9rQyThiwU+xPsuDZ/+nG0JzYKIDHrWhn6P6Swv89
R+wNFukrtmqoe65W3CBwbXL47zqqx2p4lCDZ4X4L75WWEwdynsi/c5E/Fz1TChvEeXU+/j8aGhmafiYIRMjvDot
92GnMei4oySSrJJjeDY2W7+rWX5YD+24VshVmWac48nGSIDZw7ho46v3F7fK5S4p6YaKJLZHEWMQekOD7uFg
A==
ARC-Authentication-Aspects: s=arcselector10001; d=microsoft.com; arc-auth=asb


إغلاق

Collect information about email header



<https://mxtoolbox.com/Public/Content/EmailHeaders/>

EmailTrackerPro



EmailTrackerPro

eMailTrackerPro v9.0h Advanced Edition

File Options Help

Start here My Inbox My Trace Reports Subject: FW: eMailTrac... x

The trace is complete, the information found is displayed on the right New Trace View Report

Map



Centreville, Virginia, USA

Table

#	Hop IP	Hop Name	Location
1	192.168.0.1		
2	62.3.82.19	losubs.subs.dsl2.mbr-roch.zen.r	Rochdale, UK
3	62.3.80.173	ae0-172.cr2.mbr-roch.zen.net.uk	Rochdale, UK
4	62.3.80.53	ae2-0.cr2.wh-man.zen.net.uk	London, UK
5	77.67.66.101	xe-1-1-0.man11.ip4.tinet.net	(Germany)
6	89.149.184.186	xe-1-0-0.nyc32.ip4.tinet.net	(Germany)
7	152.179.72.121	TenGigE0-0-1-0.GW8.NYC4.AL	New York, NY, USA
8	152.63.21.130	D.xe-1-1-2.XT2.NYC4.ALTER.NE	New York, NY, USA
9	152.63.10.30	D.so-5-1-2.NY325-BB-RTR2.ALT	USA
11	96.231.142.49	pool-96-231-142-49.washdc.fios	Centreville, Virginia, USA

Email Summary

From: julie.lancaster@visualware.com
To: daniel.palmer@visualware.com
Date: Tue, 20 Sep 2011 15:53:41 -0400
Subject: FW: eMailTrackerPro 2007 awarded five
Location: Centreville, Virginia, USA

Misdirected: No
Abuse Address: security@verizon.net
Abuse Reporting: To automatically generate an abuse report [click here](#)
From IP: 96.231.142.49

System Information:

- There is no SMTP server running on this (the port is closed).
- There is no HTTP server running on this (the port is closed).
- There is no HTTPS server running on this (the port is closed).
- There is no FTP server running on this (the port is closed).

Network Whois

Domain Whois

Email Header

Report about the email

**eMailTrackerPro® Report**

[How to Report Email Abuse](#) | [eMailTrackerPro Manual](#) | [FAQ](#) | [Visualware Home](#) | [eMailTrackerPro Website](#) | [Purchase eMailTrackerPro](#)

Identification Report for 'Revised Semester Schedule of Fall 2018 I'

You are on day 10 of your 15-day trial period. The trial period allows you to try eMailTrackerPro without any obligation. To use eMailTrackerPro after the trial period, you will need to [purchase a product license](#) from the Visualware website or authorized reseller.

Computer [209.85.220.65](#) has been found. It is almost certainly located in **USA** as it has an exact match in the eMailTrackerPro database.

This system is a web server (click [here](#) for details).

Network Contact Information: The following details refer to the network that the system is on.

-  Google LLC
-  network-abuse@google.com
-  +1-650-253-0000
-  1600 Amphitheatre Parkway Mountain View CA 94043 US

theHarvester


- theHarvester is OSINT tool; Useful for **gathering information** like:
 - Emails
 - Subdomains
 - Hosts
 - Employee names
 - Open ports
 - **Banners** from different **public sources** like search engines, PGP key servers and SHODAN computer database.

thehvarvester used to search about the email

```
kali@kali:~$ pwd
/home/kali
kali@kali:~$ theHarvester -d darkmatter.ae -b google > googletest.txt
█
```

- Collect information about domain darkmatter.ae
- Search about domain on google engine
- Put the result in file googletest.txt

The file collect information



Email and hosts for the website darkmatter.ae


```
[*] Emails found: 12
-----
alina.anghel@darkmatter.ae
contactus@darkmatter.ae
csra@darkmatter.ae
dmlicense@darkmatter.ae
info@darkmatter.ae
johnd@darkmatter.ae
kevin.healy@darkmatter.ae
last@darkmatter.ae
milosch.meriac@darkmatter.ae
sumit.dhar@darkmatter.ae
teemu.savolainen@darkmatter.ae
victor.mateu@darkmatter.ae

[*] Hosts found: 7
-----
253dca.darkmatter.ae
aw-mdm.darkmatter.ae:185.180.84.7
ca.darkmatter.ae:185.180.85.243
careers.darkmatter.ae:
keys.darkmatter.ae:185.180.84.6
smtpext3.darkmatter.ae:185.180.84.4
www.darkmatter.ae:143.204.226.50, 143.204.226.59, 143.204.226.109, 143.204.226.126
```


DNS Footprinting

- Ports
 - Name lookup - UDP 53
 - Zone transfer - TCP 53
- **Zone transfer** replicates all records
- **Name resolvers** answer requests
- **Authoritative Servers** hold **all records** for a **namespace**
- **DNS work on UDP, and TCP when zone transfer**


DNS Server work



DNS Name Space



DNS Name Space





Host Name

Domain Name

DC01.Sales.South.Contoso.com

FQDN= DC01.Sales.South.Consoso.COM.

DNS record

Name	Description	Purpose
SRV	Service	Points to a specific service
SOA	Start of Authority	Indicates the authoritative NS for a namespace
PTR	Pointer	Maps an IP to a hostname
NS	Nameserver	Lists the nameservers for a namespace
MX	Mail Exchange	Lists email servers
CNAME	Canonical Name	Maps a name to record A
A	Address	Maps a hostname to an IP address
Txt	note	Admin record text notes in this record

DNS attack

- **DNS Poisoning** - changes **cache on a machine** to **redirect requests** to a malicious server
- **DNSSEC** - helps **prevent** DNS poisoning by encrypting records

IP Address Management

- **Internet Assigned Numbers Authority (IANA)** is a crucial organization responsible for:
 - **Global IP** address allocation
 - **Autonomous system** number allocation
 - **Root zone management** in the Domain Name System (DNS)
- **ARIN** - North America
- **APNIC** - Asia Pacific
- **RIPE** - Europe, Middle East
- **LACNIC** - Latin America
- **AfriNIC** - Africa

Root domain

Namech_k

Find an available username. Search here.

Q

≡

Domains

Help keep Namechk free [Donate PayPal](#)

.com	.net	.org	.co	.biz	.io	.at	.us	.me	.co.uk	.eu	.info
.xyz	.ca	.be	.am	.tv	.la	.life	.ch	.ms	.in	.club	.bar
.tech	.site	.online	.store	.space	.website	.fun	.host	.press	.digital	.today	.farm

Click an **available** or **premium** domain to purchase it. Click an **unavailable** domain to make an offer for it.

<https://namechk.com/>

Dig tool - unix-based command like nslookup

```
nick@nick-ubuntu:~$ dig ANY google.com

; <=> DiG 9.9.5-3ubuntu0.8-Ubuntu <=> ANY google.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 775
;; flags: qr rd ra; QUERY: 1, ANSWER: 14, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;google.com.                IN      ANY

;; ANSWER SECTION:
google.com.                299     IN      A       216.58.194.174
google.com.                299     IN      AAAA    2607:f8b0:4005:804::200e
google.com.                21599   IN      NS       ns4.google.com.
google.com.                21599   IN      TYPE257 \# 19 0005697373756573796D616E7465632E636F6D
google.com.                59      IN      SOA      ns4.google.com. dns-admin.google.com. 131776059 900 900 1800 60
google.com.                21599   IN      NS       ns1.google.com.
google.com.                21599   IN      NS       ns3.google.com.
google.com.                3599    IN      TXT      "v=spf1 include:_spf.google.com ~all"
google.com.                21599   IN      NS       ns2.google.com.
google.com.                599     IN      MX       10 aspmx.l.google.com.
google.com.                599     IN      MX       50 alt4.aspmx.l.google.com.
google.com.                599     IN      MX       40 alt3.aspmx.l.google.com.
google.com.                599     IN      MX       30 alt2.aspmx.l.google.com.
google.com.                599     IN      MX       20 alt1.aspmx.l.google.com.

;; Query time: 77 msec
;; SERVER: 127.0.1.1#53(127.0.1.1)
;; WHEN: Tue Aug 30 19:01:50 PDT 2016
;; MSG SIZE rcvd: 388

nick@nick-ubuntu:~$
```

The ANY keyword tells dig that you want all records it can find.

Record Type	
A	Host Entry
AAAA	IPv6 Host Entry
MX	Mail Exchanger Entry
NS	Name Server Entry
CNAME	Canonical Name (Alias)
SOA	Start of Authority
PTR	Pointer Record (IP→Hostname)
SRV	Service Record
TXT	Textual Information

Host

- Work on Unix and linux operating systems to perform **DNS lookups**.
- It can translate **names into IP addresses** and vice versa

```
root@kali:~# host -t ns zoneedit.com
zoneedit.com name server ns4.zoneedit.com.
zoneedit.com name server ns3.zoneedit.com.
--snip--
```

```
root@kali:~# host -l zoneedit.com ns2.zoneedit.com
Using domain server:
Name: ns2.zoneedit.com
Address: 69.72.158.226#53
Aliases:
```

```
zoneedit.com name server ns4.zoneedit.com.
zoneedit.com name server ns3.zoneedit.com.
zoneedit.com name server ns15.zoneedit.com.
zoneedit.com name server ns8.zoneedit.com.
zoneedit.com name server ns2.zoneedit.com.
zoneedit.com has address 64.85.73.107
www1.zoneedit.com has address 64.85.73.41
dynamic.zoneedit.com has address 64.85.73.112
bounce.zoneedit.com has address 64.85.73.100
--snip--
mail2.zoneedit.com has address 67.15.232.182
--snip--
```

Web Based Recon , netcraft

- Netcraft is a **website analyzing server**, with the help we **find basic and important information** on the website like:
- **Background** — This includes **basic domain information**.
 - Which OS, Web server is running; Which ISP;
- **Network** — This includes information from **IP Address** to **Domain names** to nameservers.
- **SSL/TLS** — This gives the ssl/tls status of the target
- **Hosting History** - This gives the information on the **hosting history of the target**
- **Sender Policy Framework (SPF)** — This describes who **can send mail on the domains behalf**
- **DMARC** -This is a **mechanism for domain owners** to indicate how mail purporting to originate from their domain should be authenticated
- **Web Trackers** — This trackers can be used to **monitor individual user behavior** across the web Site Technology

Report for any site



LEARN MORE

What's that site running?

Find out the infrastructure and technologies used by any site using results from our **internet data mining**


hackthissite.org

Example: <https://www.netcraft.com>

LOOK UP

<https://sitereport.netcraft.com/>

The output is report



The screenshot shows a web browser window with the address bar displaying `https://www.netcraft.com/resources/research-tools`. Below the address bar, there are links to [Kali Docs](#), [Kali Forums](#), [Kali NetHunter](#), [Exploit-DB](#), [Google Hacking DB](#), and [OffSec](#). The Netcraft logo is on the left, and navigation links for [Platform](#), [Solutions](#), [Why Netcraft](#), [Resources](#), and [Company](#) are in the center. A yellow [GET DEMO](#) button is on the right. Below the navigation bar, a text snippet reads "using, which sites are the most popular, and how to stay safe on the internet." Two teal-colored cards are displayed below. The first card, titled "THREAT MAP", features a globe icon with a triangle in the center and describes a 3D visualization tool for detection and countermeasures. The second card, titled "SITE REPORT", features a laptop icon with a bar chart and pie chart, and describes a tool for finding technologies and infrastructure from internet data mining. Both cards have a white arrow pointing right at the bottom.

[https://www.netcraft.com/resources/research-tools](#)

[Kali Docs](#) [Kali Forums](#) [Kali NetHunter](#) [Exploit-DB](#) [Google Hacking DB](#) [OffSec](#)

netcraft Platform Solutions Why Netcraft Resources Company [GET DEMO](#)

using, which sites are the most popular, and how to stay safe on the internet.



THREAT MAP

View Netcraft's detection and countermeasures in real time using our 3D visualization tool.

[→](#)



SITE REPORT

Using results from our internet data mining, find out the technologies and infrastructure of any site.

[→](#)

Background

Site title	Not Present	Date first seen	October 2003
Site rank	131568	Primary language	English
Description	Not Present		

Network

Site	http://hackthissite.org	Domain	hackthissite.org
Netblock Owner	OVH Static IP	Nameserver	c.ns.buddyns.com
Hosting company	OVH	Domain registrar	pir.org
Hosting country	 NL	Nameserver organisation	whois.domrobot.com
IPv4 address	137.74.187.100 (VirusTotal)	Organisation	Data Protected, REDACTED FOR PRIVACY, REDACTED FOR PRIVACY, REDACTED FOR PRIVACY, US
IPv4 autonomous systems	AS16276	DNS admin	admin@hackthissite.org
IPv6 address	2001:41d0:8:ccd8:137:74:187:103	Top Level Domain	Organization entities (.org)
IPv6 autonomous systems	AS16276	DNS Security Extensions	Enabled
Reverse DNS	hackthissite.org		

Background — This includes **basic domain information**. Which **OS**, **Web server** is running; Which **ISP**;
Network — This includes information from **IP Address** to **Domain names** to **nameservers**.

IP delegation

IPv4 address (137.74.187.100)

IP range	Country	Name	Description
::ffff:0.0.0.0/96	 United States	IANA-IPV4-MAPPED-ADDRESS	Internet Assigned Numbers Authority
 137.0.0.0-137.255.255.255	 United States	NET137	Various Registries (Maintained by ARIN)
 137.74.0.0-137.74.255.255	 France	FR-OVH-19881123	OVH SAS
 137.74.187.96-137.74.187.127	 Netherlands	OVH_113911647	OVH Static IP
 137.74.187.100	 Netherlands	OVH_113911647	OVH Static IP

IPv6 address (2001:41d0:8:ccd8:137:74:187:103)

IP range	Country	Name	Description
::/0	N/A	ROOT	Root inet6num object
 2001:4000::/23	 Netherlands	EU-ZZ-2001-4000	RIPE Network Coordination Centre
 2001:41d0::/32	 France	FR-OVH-20041115	OVH SAS
 2001:41d0::/44	 France	OVH-200141d00000	OVH
 2001:41d0:8:ccd8:137:74:187:103	 France	OVH-200141d00000	OVH

Network — This includes information from **IP Address** to **Domain names** to nameservers.

🔍 **SSL/TLS**

This is not a HTTPS site. If you're looking for SSL/TLS information try the [HTTPS site report](#).

🔍 **Sender Policy Framework**

A host's Sender Policy Framework (SPF) describes who can send mail on its behalf. This is done by publishing an SPF record qualifier followed by a specification of which domains to apply this qualifier to. For more information please see [open-spf.org](#) 🔗.

Qualifier	Mechanism	Argument
+ (Pass)	a	
+ (Pass)	mx	
+ (Pass)	ip4	137.74.187.96
+ (Pass)	ip4	137.74.187.97
+ (Pass)	ip4	137.74.187.98
+ (Pass)	a	hackthissite.org
+ (Pass)	a	mail.hackthissite.org
+ (Pass)	include	aspmx.googlemail.com
+ (Pass)	include	spf.tutanota.de
- (Fail)	all	

SSL/TLS — This gives the ssl/tls status of the target
Hosting History - This gives the information on the **hosting history of the target**

Domains and sub-domains

https://searchdns.netcraft.com

NETCRAFT Services ▾ Solutions ▾ News Company ▾ Resources ▾ Q ▾ Report

Search Web by Domain

Explore websites visited by users of the **Netcraft** extensions ↗

Site contains ▾

Example: site contains [.netcraft.com](#)

Search

[Search tips](#)

<https://searchdns.netcraft.com/>

Netcraft data

5 results

Rank	Site	First seen	Netblock	OS	Site Report
13064	www.hackthissite.org 	April 2012	OVH Static IP	FreeBSD	
67732	hackthissite.org 	September 2007	OVH Static IP	FreeBSD	
703981	www.irc.hackthissite.org 	July 2010	OVH Static IP	FreeBSD	
859465	mirror.hackthissite.org 	August 2011	OVH Static IP	FreeBSD	
942868	forums.hackthissite.org 	December 2006	OVH Static IP	FreeBSD	

Company DNS server

https://dnsdumpster.com

Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

Enter a Domain to Test

hackthissite.org

Start Test!

>> Free users are limited to 50 results for a single domain. Get 12 months [Plus Access](#) - on Sale Now.

System Locations



Hosting / Networks

OVH, FR	
GOOGLE	
SHARKTECH	
TILAA, NL	
UKSERVERS-AS UK	


FR US NL UK AU

Services / Banners



HackThisSite Load Balancer v2	3
nginx/1.18.0 (Ubuntu)	2
nginx	2
HackThisSite IRC	1
HackThisSite	1

```
(kali@kali)-[~]
$ sublist3r -d hackthissite.org

Trash

File System
# Coded By Ahmed Aboul-Ela - @aboul3la

[-] Enumerating subdomains now for hackthissite.org
[-] Searching now in Baidu..
[-] Searching now in Yahoo..
[-] Searching now in Google..
[-] Searching now in Bing..
[-] Searching now in Ask..
[-] Searching now in Netcraft..
[-] Searching now in DNSdumpster..
[-] Searching now in Virustotal..
[-] Searching now in ThreatCrowd..
[-] Searching now in SSL Certificates..
[-] Searching now in PassiveDNS..
[!] Error: Virustotal probably now is blocking our requests
[-] Total Unique Subdomains Found: 30
www.hackthissite.org
api.hackthissite.org
ctf.hackthissite.org
daemon.hackthissite.org
vm-005.outbound.firewall.hackthissite.org
vm-050.outbound.firewall.hackthissite.org
vm-099.outbound.firewall.hackthissite.org
vm-150.outbound.firewall.hackthissite.org
vm-200.outbound.firewall.hackthissite.org
forums.hackthissite.org
htssv4.hackthissite.org
irc.hackthissite.org
www.irc.hackthissite.org
lille.irc.hackthissite.org
wolf.irc.hackthissite.org
irc-ipv6.hackthissite.org
irc-v6.hackthissite.org
lille.irc-v6.hackthissite.org
wolf.irc-v6.hackthissite.org
irc-wolf.hackthissite.org
jupiter.hackthissite.org
legal.hackthissite.org
mail.hackthissite.org
mirror.hackthissite.org
new-irc.hackthissite.org
```

Sublist3r

- Sublist3r enumerates subdomains using **many search engines** such as Google, Yahoo, Bing, Baidu and Ask.
- Sublist3r also enumerates subdomains using Netcraft, Virustotal, ThreatCrowd, DNSdumpster and ReverseDNS

WHOIS

- obtains **registration information** for the **domain** from command line or web interface
- WHOIS (pronounced as the phrase "who is")
- WHOIS is **protocol** tie URL with its own Company information (Physical address, Phone Number , Contact Email)
- but is also used for a **wider range of other information.**
- Communicate on protocol 43
- **All domain administrator** keep records of the **domains they host**


Whois with kali

```
kali@kali:~$ whois yemen.net
Domain Name: YEMEN.NET
Registry Domain ID: 15756622_DOMAIN_NET-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2021-01-09T01:54:32Z
Creation Date: 1999-12-21T11:50:18Z
Registry Expiry Date: 2022-12-21T11:50:18Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS43.DOMAINCONTROL.COM
Name Server: NS44.DOMAINCONTROL.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2021-03-21T11:26:18Z <<<
```

For more information on Whois status codes, please visit <https://icann.org/epp>

NOTICE: The expiration date displayed in this record is the date the registrar's sponsorship of the domain name registration in the registry is currently set to expire. This date does not necessarily reflect the expiration date of the domain name registrant's agreement with the sponsoring registrar. Users may consult the sponsoring registrar's Whois database to view the registrar's reported date of expiration for this registration.

Smartwhois on windows



Give you domain
nationality
administrator

https://whois.domaintools.com/

Whois Record for **Certifiedhacker.com**

— Domain Profile

Registrar	Network Solutions, LLC IANA ID: 2 URL: http://networksolutions.com Whois Server: whois.networksolutions.com domain.operations@web.com (p) +1.8777228662
Registrar Status	clientTransferProhibited
Dates	8,408 days old Created on 2002-07-30 Expires on 2026-07-30 Updated on 2025-05-30
Name Servers	NS1.BLUEHOST.COM (has 2,021,661 domains) NS2.BLUEHOST.COM (has 2,021,661 domains)
IP Address	162.241.216.11 - 868 other sites hosted on this server
IP Location	 - Utah - Provo - Unified Layer
ASN	 AS46606 UNIFIEDLAYER-AS-1, US (registered Oct 24, 2008)
Domain Status	Registered And No Website
IP History	13 changes on 13 unique IP addresses over 19 years
Hosting History	2 changes on 3 unique name servers over 10 years

Whois Record (last updated on 2025-08-06)

https://whois.domaintools.com/

```
Domain Name: CERTIFIEDHACKER.COM
Registry Domain ID: 88849376_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.networksolutions.com
Registrar URL: http://networksolutions.com
Updated Date: 2025-05-30T07:12:43Z
Creation Date: 2002-07-30T00:32:00Z
Registrar Registration Expiration Date: 2026-07-30T00:32:00Z
Registrar: Network Solutions, LLC
Registrar IANA ID: 2
Reseller:
Domain Status: clientTransferProhibited https://icann.org/
epp#clientTransferProhibited
Registry Registrant ID:
Registrant Name: PERFECT PRIVACY, LLC
Registrant Organization:
Registrant Street: 5335 Gate Parkway care of Network Solutions PO Box 459
Registrant City: Jacksonville
Registrant State/Province: FL
Registrant Postal Code: 32256
Registrant Country: US
Registrant Phone: +1.5707088622
Registrant Phone Ext:
Registrant Fax:
Registrant Fax Ext:
Registrant Email: kq9t994x73e@networksolutionsprivateregistration.com
Registry Admin ID:
Admin Name: PERFECT PRIVACY, LLC
Admin Organization:
Admin Street: 5335 Gate Parkway care of Network Solutions PO Box 459
Admin City: Jacksonville
Admin State/Province: FL
Admin Postal Code: 32256
Admin Country: US
Admin Phone: +1.5707088622
Admin Phone Ext:
Admin Fax:
Admin Fax Ext:
Admin Email: kq9t994x73e@networksolutionsprivateregistration.com
```

Follow

A Records (subdomains from dataset)

Host	IP	ASN	ASN Name
api.hackthissite.org	137.74.187.116	ASN:16276	OVH, FR
	api.hackthissite.org	137.74.0.0/16	France
vm-005.outbound.firewall.hackthissite.org	137.74.187.154	ASN:16276	OVH, FR
	vm-005.outbound.firewall.hackthissite.org	137.74.0.0/16	France
vm-050.outbound.firewall.hackthissite.org	137.74.187.155	ASN:16276	OVH, FR
	vm-050.outbound.firewall.hackthissite.org	137.74.0.0/16	France
vm-099.outbound.firewall.hackthissite.org	137.74.187.159	ASN:16276	OVH, FR
	vm-099.outbound.firewall.hackthissite.org	137.74.0.0/16	France
vm-150.outbound.firewall.hackthissite.org	137.74.187.158	ASN:16276	OVH, FR
	vm-150.outbound.firewall.hackthissite.org	137.74.0.0/16	France
vm-200.outbound.firewall.hackthissite.org	137.74.187.157	ASN:16276	OVH, FR
	vm-200.outbound.firewall.hackthissite.org	137.74.0.0/16	France
git.hackthissite.org	137.74.187.145	ASN:16276	OVH, FR
	git.hackthissite.org	137.74.0.0/16	France

Who is my IP address

https://whatismyipaddress.com

 Enter Keywords or IP Address... [Search](#) [ABOUT](#) [PRESS](#) [BLOG](#) [CONTACT](#)

[MY IP](#) [IP LOOKUP](#) [HIDE MY IP](#) [VPNS ▾](#) [TOOLS ▾](#) [LEARN ▾](#)

My IP Address is:

IPv4: ?

IPv6: ? **Not detected**

My IP Information:

ISP: Yemen Net
City: Sanaa
Region: Sanaa
Country: Yemen

Your private information is exposed!

[HIDE MY IP ADDRESS NOW](#)

[Show Complete IP Details](#)

Location not accurate?
[Update My IP Location](#)

JavaScript disabled or geolocation map not available.

Click for more details about 175.110.21.187

Leaflet | © OpenStreetMap Terms

nslookup

- Such as whois
 - Get registrant
 - Technical contact
 - **Sub-domain** servers
 - Returned the **IP address** for the **domain**

Use nslookup in
any devices

```
PS C:\Users\Ahmed> nslookup
Default Server:  UnKnown
Address:  [REDACTED]

> set type=a
> www.certifiedhacker.com
Server:  UnKnown
Address:  [REDACTED]

Non-authoritative answer:
Name:     certifiedhacker.com
Address:  162.241.216.11
Aliases:  www.certifiedhacker.com

> set type=cname
> certifiedhacker.com
Server:  UnKnown
Address:  [REDACTED]

DNS request timed out.
        timeout was 2 seconds.
DNS request timed out.
        timeout was 2 seconds.
*** Request to UnKnown timed-out
```

Use nslookup in
any devices

```
> certifiedhacker.com
Server: UnKnown
Address: [REDACTED]

certifiedhacker.com
        primary name server = ns1.bluehost.com
        responsible mail addr = dnsadmin.box5331.bluehost.
com
        serial    = 2025080600
        refresh   = 86400 (1 day)
        retry     = 7200 (2 hours)
        expire    = 3600000 (41 days 16 hours)
        default TTL = 300 (5 mins)

> set type=a
> ns1.bluehost.com
Server: UnKnown
Address: [REDACTED]

Non-authoritative answer:
Name:   ns1.bluehost.com
Address: 162.159.24.80
```

Nslookup on kali

```
○ nslookup www.hackthissite.org
○ Server:          192.168.63.2
○ Address:         192.168.63.2#53
○
○ Non-authoritative answer:
○ Name:   www.hackthissite.org
○ Address: 137.74.187.103
○ Name:   www.hackthissite.org
○ Address: 137.74.187.102
○ Name:   www.hackthissite.org
○ Address: 137.74.187.100
○ Name:   www.hackthissite.org
○ Address: 137.74.187.101
○ Name:   www.hackthissite.org
○ Address: 137.74.187.104
```

- **First two lines:** shows my **current DNS server**; The **IP addresses** returned are '**A record**', meaning is the IPv4 A address of the domain;
- Bottom line **NsLookup queries** the **specified DNS server** and **retrieves the requested records** that are **associated with the domain**.

Nslookup

- nslookup
- server <IP Address>
- set type = <DNS type>
- <target domain>

- nslookup
- > set type=AAAA
- > www.hackthissite.org
- Server: 192.168.63.2
- Address: 192.168.63.2#53
-
- Non-authoritative answer:
- Name: www.hackthissite.org
- Address: 2001:41d0:8:ccd8:137:74:187:103
- Name: www.hackthissite.org
- Address: 2001:41d0:8:ccd8:137:74:187:102
- Name: www.hackthissite.org
- Address: 2001:41d0:8:ccd8:137:74:187:101
- Name: www.hackthissite.org
- Address: 2001:41d0:8:ccd8:137:74:187:100
- Name: www.hackthissite.org
- Address: 2001:41d0:8:ccd8:137:74:187:104

- **Interactive mode zone transfer**
(Interactive mode **allows** the **user** to **query** name servers for information about **various hosts** and **domains** or to **print** a list of **hosts in a domain**).

Network Footprinting

- Use traceroute to find **intermediary servers**
 - traceroute uses **ICMP echo** in Windows (tracert)
 - traceroute is good for **detect Firewalls** and the **network path**

TTL for operating system

```
kali@kali:~$ ping 10.10.10.133
PING 10.10.10.133 (10.10.10.133) 56(84) bytes of data.
64 bytes from 10.10.10.133: icmp_seq=1 ttl=64 time=0.386 ms
64 bytes from 10.10.10.133: icmp_seq=2 ttl=64 time=0.392 ms
64 bytes from 10.10.10.133: icmp_seq=3 ttl=64 time=0.412 ms
64 bytes from 10.10.10.133: icmp_seq=4 ttl=64 time=0.415 ms
64 bytes from 10.10.10.133: icmp_seq=5 ttl=64 time=1.07 ms
64 bytes from 10.10.10.133: icmp_seq=6 ttl=64 time=0.482 ms
^C
--- 10.10.10.133 ping statistics ---
6 packets transmitted, 6 received, 0% packet loss, time 5079ms
rtt min/avg/max/mdev = 0.386/0.525/1.065/0.243 ms
kali@kali:~$
```

```
kali@kali:~$ ping 10.10.10.129
PING 10.10.10.129 (10.10.10.129) 56(84) bytes of data.
64 bytes from 10.10.10.129: icmp_seq=1 ttl=128 time=1.01 ms
64 bytes from 10.10.10.129: icmp_seq=2 ttl=128 time=0.579 ms
64 bytes from 10.10.10.129: icmp_seq=3 ttl=128 time=0.547 ms
64 bytes from 10.10.10.129: icmp_seq=4 ttl=128 time=0.520 ms
64 bytes from 10.10.10.129: icmp_seq=5 ttl=128 time=0.477 ms
64 bytes from 10.10.10.129: icmp_seq=6 ttl=128 time=0.485 ms
64 bytes from 10.10.10.129: icmp_seq=7 ttl=128 time=1.43 ms
64 bytes from 10.10.10.129: icmp_seq=8 ttl=128 time=0.637 ms
^C
--- 10.10.10.129 ping statistics ---
8 packets transmitted, 8 received, 0% packet loss, time 7116ms
rtt min/avg/max/mdev = 0.477/0.710/1.426/0.315 ms
kali@kali:~$
```

Operating System	Time to Live (TTL)	TCP Window Size
Linux (Kernel 2.4 and 2.6)	64	5840
Google Linux	64	5720
FreeBSD	64	65535
OpenBSD	64	16384
Windows 95	32	8192
Windows 2000	128	16384
Windows XP	128	65535
Windows 98, Vista and 7 (Server 2008)	128	8192
iOS 12.4 (Cisco Routers)	255	4128
Solaris 7	255	8760
AIX 4.3	64	16384

Ping and tracert

```
C:\Users\PC>ping www.google.com
```

```
Pinging www.google.com [142.250.102.99] with 32 bytes of data:
```

```
Reply from 142.250.102.99: bytes=32 time=142ms TTL=128
```

```
Reply from 142.250.102.99: bytes=32 time=140ms TTL=128
```

```
Reply from 142.250.102.99: bytes=32 time=140ms TTL=128
```

```
Reply from 142.250.102.99: bytes=32 time=147ms TTL=128
```

```
Ping statistics for 142.250.102.99:
```

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
```

```
Approximate round trip times in milli-seconds:
```

```
    Minimum = 140ms, Maximum = 147ms, Average = 142ms
```

```
C:\Users\PC>
```

```
C:\Users\PC>tracert 142.250.102.99
```

```
Tracing route to 142.250.102.99 over a maximum of 30 hops
```

1	<1 ms	<1 ms	<1 ms	10.10.10.2
2	*	*	*	Request timed out.
3	*	*	*	Request timed out.
4	*	*	*	Request timed out.
5	*	*	*	Request timed out.
6	*	*	*	Request timed out.
7	*	*	*	Request timed out.
8	*	*	*	Request timed out.
9	*	*	*	Request timed out.
10	*	*	*	Request timed out.
11	*	*	*	Request timed out.
12	*	*	^C	

```
C:\Users\PC>
```

Tracert from windows

```
C:\Windows\System32>tracert www.google.com

Tracing route to www.google.com [142.250.102.147]
over a maximum of 30 hops:

  1     1 ms     1 ms     1 ms  [redacted] [redacted]
  2    21 ms    20 ms    18 ms  82.114.163.111
  3    19 ms    22 ms    20 ms  82.114.160.6
  4    44 ms    45 ms    20 ms  82.114.164.18
  5    87 ms    87 ms    91 ms  72.14.213.134
  6   157 ms   163 ms   148 ms  108.170.252.242
  7   118 ms   160 ms   169 ms  64.233.175.243
  8   154 ms   151 ms   147 ms  216.239.51.118
  9   106 ms   106 ms   107 ms  142.250.227.194
 10   129 ms   125 ms   151 ms  72.14.238.243
 11   106 ms   106 ms   105 ms  216.239.58.181
 12     *       *       *      Request timed out.
 13     *       *       *      Request timed out.
 14     *       *       ^C

C:\Windows\System32>
```

Traceroute on kali

```
kali@kali:~$ sudo traceroute www.google.com
traceroute to www.google.com (142.250.102.147), 30 hops max, 60 byte packets
 0 10.0.2.15 (10.0.2.15) 0.000 ms 0.000 ms 0.000 ms
 1 192.168.30.2 (192.168.30.2) 1.530 ms 1.419 ms 1.312 ms
 2 * * * open shell
 3 9 * * * open rmiregistry
 4 4 * * * open ingreslock
 5 9 * * * open nfs
 6 1 * * * open ccproxy-ftp
 7 2 * * * open distccd
 8 0 * * * open vnc
```

Tcp trace route

```
(kali@kali)-[~]  
$ sudo tcptraceroute www.google.com  
Running:  
      traceroute -T -0 info www.google.com  
traceroute to www.google.com (216.239.38.120), 30 hops max, 60 byte packets  
 1  192.168.100.2 (192.168.100.2)  0.928 ms  2283.881 ms *  
 2  any-in-2678.1e100.net (216.239.38.120) <syn,ack,mss=1460>  755.951 ms *  
*
```

Run the spiderfoot

```
(kali㉿kali)-[~]
$ spiderfoot -l 127.0.0.1:5001
/usr/lib/python3/dist-packages/adblockparser/parser.py:247: SyntaxWarning: invalid escape sequence '\w'
  rule = rule.replace("^", "(?:[^\w\d_\\-.%]|$)")
/usr/lib/python3/dist-packages/adblockparser/parser.py:272: SyntaxWarning: invalid escape sequence '\\|'
  rule = re.sub("(\\|)[^$]", r"\\|", rule)

*****
Use SpiderFoot by starting your web browser of choice and
browse to http://127.0.0.1:5001/
*****

2025-11-25 12:44:50,832 [INFO] sf : Starting web server at 127.0.0.1:5001
2025-11-25 12:44:50,840 [WARNING] sf :
*****
Warning: passwd file contains no passwords. Authentication disabled.
Please consider adding authentication to protect this instance!
Refer to https://www.spiderfoot.net/documentation/#security.
*****
```

SpiderFoot

localhost:5001

Kali Linux

Kali Tools

Kali Docs

Kali Forums

Kali NetHunter

Exploit-DB

Google Hacking DB

OffSec

 spiderfoot

New Scan

Scans

Settings

Scans

Filter: None


☐	Name	Target	Started	Finished	Status	Elements	Correlations	Action
☐	googlescan	8.8.4.4	2025-11-25 12:47:08	Not yet	RUNNING	132	0 0 0 0	
☐	target.com	target.com	2025-11-25 12:39:42	Not yet	ABORTED	41	0 0 0 0	
☐	target.com	target.com	2025-11-25 12:37:48	Not yet	ABORTED	65	0 0 0 0	
☐	target.com	target.com	2025-11-25 12:32:11	Not yet	ABORTED	67	0 0 0 0	

10

1

Scans 1 - 4 / 4 (4)

The results



SPARTA

- It is a Python-based tool
- gathering information about any **devices in the network**
- get the **port scanning, service detection, and vulnerability assessment**
- used other tools to **hack the devices** same as **nikto**
- take pictures from the **devices**

SPARTA

SPARTA 1.0.2 (BETA) - untitled - /root/

File Help

Scan Brute

Hosts Services Tools

OS	Host
	192.168.3.12

Services Scripts Information Notes nikto (80/tcp) x nikto (443/tcp) x screenshot (80/tcp) x screenshot (443/tcp) x

Port	Protocol	State	Name	Version
21	tcp	open	ftp	Microsoft ftpd
80	tcp	open	http	Microsoft IIS httpd 8.5
135	tcp	open	msrpc	Microsoft Windows RPC
137	udp	open	netbios-ns	Microsoft Windows NT netbios-ssn (workgroup: IJ...)
139	tcp	open	netbios-ssn	Microsoft Windows 98 netbios-ssn
443	tcp	open	http	Microsoft IIS httpd 8.5
445	tcp	open	microsoft-ds	(primary domain: IJWT)
3389	tcp	open	ms-wbt-ser...	

Log

Progress	Tool	Host	Start time	End time	Status
	ftp-default (21/tcp)	192.168.3.12	25 Sep 2020 05:35:56	25 Sep 2020 05:35:57	Finished
	nmap (stage 4)	192.168.3.12	25 Sep 2020 05:35:56		Running
	smbenum (445/tcp)	192.168.3.12	25 Sep 2020 05:34:20	25 Sep 2020 05:34:28	Finished

Lbd

- search about **load balancer** between the **searcher** and website you search about

```
kali@kali:~$ lbd microsoft.com > /home/kali/Desktop/lbdtest.txt
```

Result of lbd

```
lbd - load balancing detector 0.4 - Checks if a given domain uses load-balancing
                                   Written by Stefan Behte (http://ge.mine.nu)
                                   Proof-of-concept! Might give false positives

Checking for DNS-Loadbalancing: FOUND
microsoft.com has address 104.215.148.63
microsoft.com has address 40.76.4.15
microsoft.com has address 40.112.72.205
microsoft.com has address 40.113.200.201
microsoft.com has address 13.77.161.179

Checking for HTTP-Loadbalancing [Server]:
Kestrel
NOT FOUND

Checking for HTTP-Loadbalancing [Date]: 06:06:24, 06:06:25, 06:06:32, 06:06:33

Checking for HTTP-Loadbalancing [Diff]: NOT FOUND

microsoft.com does Load-balancing. Found via Methods: DNS
```

Recon-ng in kali1

- Recon-ng used to **gathering information** about the **domain name** used by command
- it found that **google domain** have more than **59 subdomain**

```
-----  
SUMMARY  
-----  
[*] 59 total (59 new) hosts found.  
[recon-ng][default][google_site_web] > |
```

```
[recon-ng][default] > use recon/domains-hosts/google_site_web  
[recon-ng][default][google_site_web] > set SOURCE google.com  
SOURCE => google.com  
[recon-ng][default][google_site_web] > run
```

```
-----  
GOOGLE.COM  
-----
```

```
[*] Searching Google for: site:google.com  
[*] ads.google.com  
[*] docs.google.com  
[*] groups.google.com  
[*] accounts.google.com  
[*] one.google.com  
[*] sketchup.google.com  
[*] scholar.google.com  
[*] privacy.google.com  
[*] play.google.com  
[*] translate.google.com  
[*] fiber.google.com  
[*] news.google.com  
[*] gsuite.google.com  
[*] datastudio.google.com  
[*] myaccount.google.com  
[*] photos.google.com  
[*] santatracker.google.com  
[*] duo.google.com
```

Install the recon-ng module in kali2

Recon-ng

```
[*] No modules enabled/installed.
```

```
[recon-ng][default] > marketplace install all
```

```
[*] Module installed: discovery/info_disclosure/cache_snoop
```

```
[*] Module installed: discovery/info_disclosure/interesting_files
```

```
[*] Module installed: exploitation/injection/command_injector
```

```
[*] Module installed: exploitation/injection/xpath_bruter
```

recon-ng

```
[recon-ng][default] > help
```

```
Commands (type [help|?] <topic>):
```

back	Exits the current context
dashboard	Displays a summary of activity
db	Interfaces with the workspace's database
exit	Exits the framework
help	Displays this menu
indexrefox	Creates a module index (dev only)
keys	Manages third party resource credentials
marketplace	Interfaces with the module marketplace
modules	Interfaces with installed modules
options	Manages the current context options
pdb	Starts a Python Debugger session (dev only)
script	Records and executes command scripts
shellportant	Executes shell commands
show	Shows various framework items
snapshots	Manages workspace snapshots
spool	Spools output to a file
workspaces	Manages workspaces

```
[recon-ng][default] > 
```

Recon Modules

```
[84] Recon modules
[16] Disabled modules
[8] Reporting modules
[4] Import modules
[2] Exploitation modules
[2] Discovery modules
```

```
[recon-ng][default] > █
```

```
[recon-ng][default] > db schema
```

domains		
domain	TEXT	
notes	TEXT	
module	TEXT	

companies		
company	TEXT	
description	TEXT	
notes	TEXT	
module	TEXT	

netblocks		
netblock	TEXT	
notes	TEXT	
module	TEXT	

Recon modules apply the hack module

```
[recon-ng][default] > modules search hack
[*] Searching installed modules for 'hack' ...

Recon
-----
recon/domains-hosts/hackertarget

[recon-ng][default] > modules load recon/domains-hosts/hackertarget
```

Give
information
about the
domain

```
[recon-ng][default][hackertarget] > info
```

```
Name: HackerTarget Lookup
Author: Michael Henriksen (@michenriksen)
Version: 1.1
```

Description:

Uses the HackerTarget.com API to find host names. Updates the 'hosts' table with the results.

Options:

Name	Current Value	Required	Description
SOURCE	default	yes	source of input (see 'info' for details)

Source Options:

default	SELECT DISTINCT domain FROM domains WHERE domain IS NOT NULL
<string>	string representing a single input
<path>	path to a file containing a list of inputs
query <sql>	database query returning one column of inputs

```
[recon-ng][default][hackertarget] > options list
```

Name	Current Value	Required	Description
SOURCE	default	yes	source of input (see 'info' for details)

Run the recon

```
[recon-ng][default][hackertarget] > options set SOURCE cbtme.com
SOURCE ⇒ cbtme.com
[recon-ng][default][hackertarget] > run
ss/tcp      open  domain
_____ open  http
CBTME.COM    open  rpcbind
_____ open  netbios-ssn
[*] Country: None crossoft-ds
[*] Host: mail.cbtme.com
[*] Ip_Address: 103.224.182.253
[*] Latitude: None ll
[*] Longitude: None registry
[*] Notes: None ingreslock
[*] Region: None fs
[*] _____
[*] Country: None steed
[*] Host: traininghouse-net.cbtme.com
[*] Ip_Address: 103.224.182.253
[*] Latitude: None
[*] Longitude: None -u
[*] Notes: None unknown
[*] Region: None sgsrvr
[*] _____
[*] Country: None known
[*] Host: www.traininghouse-net.cbtme.com
[*] Ip_Address: 103.224.182.253
[*] Latitude: None
[*] Longitude: None ess (1 host up) scanned in 5.35 seconds
[*] Notes: None ppare wireless
[*] Region: None ommand not found
[*] _____
[*] Country: None
[*] Host: www.cbtme.com
[*] Ip_Address: 103.224.182.253
[*] Latitude: None
[*] Longitude: None
[*] Notes: None
[*] Region: None
[*] _____

SUMMARY
_____
[*] 4 total (4 new) hosts found.
[recon-ng][default][hackertarget] > █
```

2nd example search xss

```
[recon-ng][default] > modules search xss
[*] Searching installed modules for 'xss' ...

Recon
-----
recon/domains-vulnerabilities/xssed

[recon-ng][default] > modules load recon/domains-vulnerabilities/xssed
[recon-ng][default][xssed] > info

Name: XSSed Domain Lookup
Author: Micah Hoffman (@WebBreacher)
Version: 1.1

Description:
  Checks XSSed.com for XSS records associated with a domain and displays the
  first 20 results.

Options:
  Name      Current Value  Required  Description
  -----
  SOURCE    default           yes       source of input (see 'info' for details)

Source Options:
  default   SELECT DISTINCT domain FROM domains WHERE domain IS NOT NULL
  <string>   string representing a single input
  <path>     path to a file containing a list of inputs
  query <sql> database query returning one column of inputs
```

Search xss vulnerable on hackthissite.org

```
[recon-ng][default][xssed] > options set source hackthissite.org
SOURCE ⇒ hackthissite.org
[recon-ng][default][xssed] > run

-----
HACKTHISSITE.ORG
-----
[*] Category: XSS
[*] Example: http://beta.hackthissite.org/wsvn/HTSv4/%22%3E%3Cscript%3Ealert(document.cookie)%3C/script%3E
[*] Host: beta.hackthissite.org
[*] Notes: None
[*] Publish_Date: 2007-06-26 00:00:00
[*] Reference: http://xssed.com/mirror/10553/
[*] Status: unfixed
[*] -----
[*] Category: XSS
[*] Example: http://admin.hackthissite.org/ads/admin/index.php?'onmouseover='alert(String.fromCharCode(88,83,83))<br>;
[*] Host: admin.hackthissite.org
[*] Notes: None
[*] Publish_Date: 2007-03-24 00:00:00
[*] Reference: http://xssed.com/mirror/4901/
[*] Status: unfixed
[*] -----

-----
SUMMARY
-----
[*] 2 total (2 new) vulnerabilities found.
[recon-ng][default][xssed] > █
```

Write the report on html files

```
[recon-ng][default] > modules search report
[*] Searching installed modules for 'report' ...

Reporting
-----
reporting/csv
reporting/html
reporting/json
reporting/list
reporting/proxifier
reporting/pushpin
reporting/xlsx
reporting/xml

[recon-ng][default] > modules load reporting/html
```

Recon-ng reports

```
[recon-ng][default][html] > options set CREATOR ahmed
CREATOR ⇒ ahmed
[recon-ng][default][html] > options set CUSTOMER ah
CUSTOMER ⇒ ah
[recon-ng][default][html] > options set FILENAME /home/kali/Desktop/recon.htm
l
FILENAME ⇒ /home/kali/Desktop/recon.html
[recon-ng][default][html] > run
```

Modern AI-Powered Reconnaissance Platforms

AI-ENHANCED

Cutting-edge reconnaissance platforms integrate AI to automate data collection, correlation, and analysis — dramatically reducing manual effort.

 **Maltego + AI**
Visual link analysis with AI-powered transforms for automated entity correlation and threat intelligence mapping.

 **SpiderFoot HX**
Automated OSINT with AI-driven correlation and risk scoring. Integrates 200+ data sources for comprehensive reconnaissance.

 **Intelligence X**
AI-enhanced search across leaked databases, dark web, and public sources. Deep and dark web intelligence at scale.

 **OWASP Amass + ML**
Machine learning-enhanced attack surface mapping. In-depth DNS enumeration and network mapping with AI-powered insights.

 **Nate (Bishop Fox)**
AI agent for automated reconnaissance and reporting. Autonomously performs multi-step recon tasks and generates reports.

 **Recon-ng + AI NLP**
Enhanced with NLP modules for automated data analysis and entity extraction from reconnaissance results.

Platform Comparison

Capability	Maltego	SpiderFoot	IntelX	Amass	Nate
Automation	Medium	High	High	Medium	Very High
Visualization	Excellent	Good	Basic	Good	Basic

AI Automation for OSINT Workflows

AI-ENHANCED

Automating information gathering pipelines with AI dramatically increases efficiency and enables continuous monitoring of target environments.

n8n / Make.com Workflows

Visual workflow automation combining multiple OSINT APIs. Chain Shodan, Hunter.io, and VirusTotal calls with conditional logic and data transformation.

LangChain AI Agents

AI agents that autonomously perform multi-step reconnaissance. Define a goal and the agent selects tools, executes queries, and synthesizes results.


AutoGPT / BabyAGI

Autonomous AI agents for continuous target monitoring. Set objectives and the system independently plans tasks, executes reconnaissance, and adapts strategies.

Custom AI Pipelines

Combine Shodan API + Censys API + VirusTotal API with LLM analysis. Python scripts feed data to GPT-4/Claude for intelligent synthesis and reporting.

Sample Automated Pipeline Architecture



Best Practice: Start with simple automation (n8n workflows) before building custom AI pipelines. Always validate AI-generated findings with manual verification.

Social engineering

- Eavesdropping: listen to everything and analyze information
- Shoulder surfing
- Dumpster diving

Shoulder surfing



Dumpster diving



Social Engineering Techniques

Social engineering exploits human psychology rather than technical vulnerabilities. Understanding these techniques is essential for both offense and defense.



Eavesdropping

Listening to conversations and analyzing overheard information. Includes phone conversations in public spaces, office discussions, and audio interception.



Shoulder Surfing

Observing screens and keystrokes to gather passwords, PINs, and sensitive information. Common in crowded public spaces and open office environments.



Dumpster Diving

Recovering discarded documents, hard drives, and storage media from trash. Organizations often improperly dispose of sensitive materials.

AI-Powered Social Engineering Threats



Deepfake Voice Calls

AI-generated voices impersonating executives to authorize fraudulent transactions or extract confidential data.



AI-Generated Phishing

LLMs craft highly convincing phishing emails with perfect grammar, contextual awareness, and personalized targeting.



Chatbot Pretexting

AI chatbots engage targets in extended conversations, building trust to extract sensitive information over time.



SET + AI (Defense)

Social-Engineer Toolkit combined with AI for sophisticated attack simulations and security awareness training.



Defense Priority: AI has made social engineering attacks more convincing than ever. Organizations must implement multi-factor authentication and continuous security awareness training.

Competitive Intelligence Gathering

- **information gathering** about **competitor businesses**, their services, products, marketing strategies, and technologies.
- **Purpose:**
 - To perform **product or service comparisons** between businesses.
 - To understand **the strategies of product and service positioning** of competitors.
 - To **secure and analyze** gathered information for the benefit of the organization.

Competitive Intelligence Gathering


- **Tools:**

- **SpyFu:** helps gather **competitive intelligence**.
- **KeywordSpy:** Similar to SpyFu, it offers other valuable information about competitors.
- **EDGAR Database:** Contains SEC filings for **public companies**, providing contact details and addresses.

- **Usage:**

- Ethical hackers used to **analyze and secure information for their organization**.
- **Malicious hackers** used this information to **target competitors**.

Spyfu tool




Keyword Gainers and Losers

Improved Ranks: **15,039**



Newly Ranked Keywords: **5,267**



Lost Ranks: **29,795**



Google Ad Recommendations

Universe: **12,513** Keywords



● Buying
47

● Buy Recommendations
12,466

Competition

Organic Competitors

1 foodpanda.ph



2 danabijak.com



3 radiokucing.com



4 gojek.com




5 greenwich.com.ph



[VIEW ALL COMPETITORS >](#)

Paid Competitors

1 gettransfer.com




2 rome2rio.com




[VIEW ALL COMPETITORS >](#)

Competitor Shared Keywords

Shared Organic Keywords (Kombat)



Shared Paid Keywords (Kombat)



EDGAR database

 <https://www.sec.gov>

official website of the United States government [Here's how you know](#) ▼

 **U.S. Securities and
Exchange Commission**

[Newsroom](#) | [Investors](#) | [Small Businesses](#) | [Whistleblowers](#)



[Search Filings](#) ▼

[Submit Filings](#) ▼

[Data & Research](#) ▼

[Rules, Enforcement, & Compliance](#) ▼

[Securities Topics](#) ▼

[About](#) ▼

[Submit a Tip or Complaint](#)

Competitive intelligence

- Information resources sites
- EDGAR database
 - Source: <https://www.sec.gov/edgar>
- D&B Hoovers
 - Source: <https://www.dnb.com>
- LexisNexis
 - Source: <https://www.lexisnexis.com>

Competitive intelligence

- What expert opinions say about the company
- SEMRush
 - Source: <https://www.semrush.com>
- ABI/Inform Global
 - Source: <https://www.proquest.com>
- similarWeb
 - Source: <https://www.similarweb.com>
- SERanking
 - Source: <https://seranking.com>

Competitive intelligence

- What are the company's plane?
- marketWatch
 - Source: <https://marketwatch.com>
- The wall street transcript
 - Source: <https://www.twst.com>
- Emromonitor
 - Source: <https://www.Euromonitor.com>
- Experian
 - Source: <https://www.Experian.com>
- The search monitor
 - Source <https://www.thesearchmonitor.com>
- Uspto
 - Source: <https://www.uspto.gov>

homework

- Use screen capture to explain your idea
 - Used 4 tools OSINT frame work
 - **OSRFramework**
 - Use 4 other example for using recon-ng
 - Maltigo
 - Give me real example with Shodan-commandline
 - Give me an examples other tools such as nikto, EyeWitness
 - Give me a real example for hunter.io search engine
 - www.kloth.net/services/nslookup.php, netscantools pro,
 - From picture read the metadata and location
 - spiderFoot
 - <https://haveibeenpwned.com/>