

Name:G.Ramya

course code &Name:CSA0307&DataStructures

Reg No:192572073

CO2 Debugging

The screenshot shows the SIMATS Online Programming Lab interface. The user is logged in as Gudimetla Ramya (192572073RA). The lab is titled "SIMATS Online Programming Lab" and "DS PROGRAMMING". The code editor displays a C program for binary search:

```
1 #include <stdio.h>
2 int binarySearch(int arr[],int n,int key)
3 {
4     int low=0,high=n-1;
5     while(low<=high)
6     {
7         int mid=(low + high)/2;
8         if(arr[mid]==key)
9             return mid;
10        else if(arr[mid]<key)
11            low=mid+1;
12        else
13            high=mid-1;
14    }
15    return -1;
16 }
17 int main()
18 {
19     int arr[]={2,4,5,6,8,10};
20     int pos= binarySearch(arr,5,8);
21     printf("%d",pos);
22     return 0;
23 }
```

The "Output" section shows the result: 4.

The screenshot shows the SIMATS Online Programming Lab interface. The user is logged in as Gudimetla Ramya (192572073RA). The lab is titled "SIMATS Online Programming Lab" and "DS PROGRAMMING". The code editor displays a C program for a stack:

```
1 #include<stdio.h>
2 #define MAX 5
3 int stack[MAX];
4 int top=-1;
5 void push(int data)
6 {
7     if(top==MAX-1)
8         printf("stack overflow");
9     else
10        stack[++top]=data;
11 }
12 int main()
13 {
14     push(10);
15     push(20);
16     printf("%d",stack[top]);
17     return 0;
18 }
```

The "Output" section shows the result: 20.

3/3 answered

1#include<stdio.h>

2struct Node

3{

4int fdata;

5struct Node*next;

6};

7void display(struct Node*head)

8{

9while (head!=NULL)

10{

11printf("%d",head->fdata);

12head=head->next;

13}

14}

15int main()

16{

17struct Node n1,n2;

18n1.fdata=10;

19n2.fdata=20;

20n1.next=&n2;

21n2.next=NULL;

22display(&n1);

stdin input (optional)

Output

1020

1454
31-07-2026