CS2201- APPLICATION DEVELOPMENT PRACTICES

(Regulation 2022)

Project Report

Name of the Student : RAMYA S

Number Register : 22AD096

Year / Semester / Section : 1ST Year / II sem / B

Branch : Artificial Intelligence and Data Science

Project Title : GAME WIZ

Department of Science & Humanities













· ·										
Register No:	2	2	A	D	0	9	6			

BONAFIDE CERTIFICATE

This	is	to	certify	tha	at	the	V	vor	k	entitled
		GAME '	WIZ	• • • • •	bona	fide	projec	ct	done	by
Mr./Ms			RAMYA S	• • • • • •			0	f	II	semester
	A	AI DS-B.	• • • • • • • • • • • • • • • • • • • •		. in		the A	pp	licatio	on
Develop	ment P	ractices -	CS2201 dur	ing th	ie aca	demic	vear 2	.02	2 - 20	23

Staff-in-Charge

Head of the Department

CHAPTER 1: Description of "GAME WIZ"

OBJECTIVES:

The objective of building this gaming website using HTML, CSS and JAVASCRIPT is to create a visually appealing, user-friendly, and functional online page that helps them to connect and it eases the player's mental stress. The website should provide an engaging and seamless experience to users, providing multiple gaming to improve their logical thinking ability.

INTRODUCTION:

"GAME WIZ" is basically a gaming webpage created by Ramya S from the Department of Artificial Intelligence and Data Science-B/1st Year. The stack used to create this webpage is HTML, CSS, and JAVASCRIPT. This webpage is built with a Home page, explore page with two games namely


- > TIC-TAC-TOE
- > ROCK-PAPER-SCISSOR

And with a login page where the user can log in as well as signup too.

OVERVIEW OF GAMES:

TIC-TAC-TOE:

Tic-tac-toe is played on a three-by-three grid by two players, who alternately place the marks X and O in one of the nine spaces in the grid. In the following example, the first player (X) wins the game in seven steps:



Because of the simplicity of tic-tac-toe, it is often used as a pedagogical tool for teaching the concepts of sportsmanship and the branch of <u>artificial intelligence</u> that deals with searching <u>game trees</u>. Writing a computer program to play tic-tac-toe perfectly or to enumerate the (game tree complexity) in this space is straightforward. If played optimally by both players, the game always ends in a draw, making tic-tac-toe futile.

ROCK-PAPER-SCISSOR:

Rock-Paper-Scissors (RPS), a game of cyclic dominance, is not merely a popular children's game but also a basic model system for studying decision-making in non-cooperative strategic interactions. Aimed at students of **physics with no background in game theory, this paper introduces the** concepts of Nash equilibrium and evolutionarily stable strategy and reviews some recent theoretical and empirical efforts on the non-equilibrium properties of the iterated RPS, including collective cycling, conditional response patterns, and microscopic mechanisms that facilitate cooperation. We also introduce several dynamical processes to illustrate the applycations of RPS as a simplified model of species competition in ecological systems and price cycling in economic markets.



Each of the three basic hand signs (from left to right: rock, paper, and scissors) beats one of the other two, and loses to the other.

The players may start by counting to three aloud, or by speaking the name of the game.

FEATURES:

- In this gaming webpage called "GAME WIZ", the user can explore two games
 - o TIC-TAC-TOE
 - ROCK-PAPER-SCISSOR
- It eases the player's mental stress.
- The user can create an account and login into this page and also can sign up.

SOURCE CODE

CONTENTS

- HOME PAGE:
 - **O HTML WITH INTERNAL CSS SHEET**
- EXPLORE PAGE:
 - **O HTML WITH INTERNAL CSS SHEET**
- GAMES:
 - >TIC-TAC-TOE:
 - HTML WITH INTERNAL CSS SHEET
 - o JAVASCRIPT
 - > ROCK-PAPER-SCISSOR:
 - o HTML
 - o CSS
 - **O JAVASCRIPT**
- LOGIN PAGE
 - \circ HTML
 - \circ CSS
 - o JAVASCRIPT

HOME PAGE:

HTML CODE:

```
<!DOCTYPE html>
<head>
    <meta charset="UTF=8">
    <meta http-equiv="X-UA-Compatible"content="IE edge">
    <meta name="view point"content="width-devices-width,intial-scale=1.0">
    <title>game wiz</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.3/css/all.min.css">
    <link rel="stylesheet" href="C:\Users\Ramya\OneDrive\New</pre>
folder\#style.css">
<style>
    @import
url('https://fonts.googleapis.com/css2?family=Nabla&display=swap');
        --pink:#e84393;
    }
    *{
        margin:0;
        padding: 0;
        box-sizing: border-box;
        font-family: Verdana, Geneva, Tahoma, sans-serif;
        outline: none;border: none;
        text-decoration: none;
        text-transform: capitalize;
        transition: .2s linear;
    }
    body{
        background-image:url("bgnd.jpg");
        image-resolution: large;
    }
    html{
        font-size: 100%;
        scroll-behavior: smooth;
        scroll-padding-top: 6rem;
        overflow-x: hidden;
     }
     section{
        padding:2rem 9%;
     }
    .Home{
        display:flex;
```

```
color:black;
       font-size: xx-large;
       font-family:'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
'Lucida Sans Unicode';
       align-items: center;
       min-height: 100vh;
       background: url(bgimage.jpg) no-repeat;
       background-size: cover;
       background-position: center;
       font-family: 'Nabla', cursive;
   }
   .A{
       position: fixed;
       top: 0;left: 0;right: 0;
       padding: 2rem 9%;
       display:flex;
       align-items: center;
       justify-content: space-between;
       z-index: 1000;
   }
   A.logo {
           font-size: 4rem;
           color: black;
           font-weight: bolder;
           font-family: 'Nabla', cursive;
       }
       div .logo span {
           color: var(--pink);
       }
       div .navbar a {
           font-family: 'Nabla', cursive;
           font-size: 3rem;
           padding: 0 1.5rem;
           color: black;
           font-weight: 600;
       }
       div .navbar a:hover {
           color: var(--pink);
       }
       div #toggler {
           display: none;
       }
       .content .i1{
```

```
font-family: 'Nabla', cursive;
        }
        .icons-container .icons{
        background:white;
        border:black;
        padding:.5rem;
        align-items: center;
        flex: .1rem;
    }
    .icons-container .icons img{
        height:3rem;
        margin-right: 1rem;
    }
    .icons-container .icons h3{
        color:black;
        padding-bottom: .5rem;
        font-size: 1.5rem;
    }
    .icon-container .icons img{
        position:relative;
    }
</style>
</head>
<body>
    <div class="A">
        <a href="gamewiz.html" class="logo">Game wiz </a>
        <nav class="navbar">
            <a href="gamewiz.html">Home</a>
            <a href="explore.html">Game</a>
            <a href="loginandregister.html">Login</a>
    </nav>
    </div>
    <section class="Home" id="Home">
        <div class="content">
            <h1 class="i1">Games on!!</h1>
            <h3 class="i1">The best games out there</h3>
            <h5 class="i1">Play games!!<br/>both online and offline</h5><br/>
            <button type="reference" style="background-color:beige;border-</pre>
color:black;width:200px;height:50px;"><h2><a href="explore.html" class="btn"</pre>
style="color: black;">Explore</a></h2></button>
        </div>
    </section>
    <section class="icons-container">
```

EXPLORE PAGE:

```
<!DOCTYPE html>
<head>
    <title>game wiz</title>
    <style>
        @import
url('https://fonts.googleapis.com/css2?family=Nabla&display=swap');
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: Verdana, Geneva, Tahoma, sans-serif;
            outline: none;
            border: none;
            text-decoration: none;
            text-transform: capitalize;
            transition: .2s linear;
        }
        body {
            background-image: url("bgnd.jpg");
            background-repeat: no-repeat;
            background-size: cover;
            background-attachment: fixed;
            scroll-behavior: smooth;
        }
        html {
            font-size: 100%;
            scroll-behavior: smooth;
            scroll-padding-top: 6rem;
            overflow-x: hidden;
        }
```

```
section {
            padding: 2rem 9%;
        }
        A.logo {
            font-size: 4rem;
            color: black;
            font-weight: bolder;
            font-family: 'Nabla', cursive;
        }
        div .logo span {
            color: var(--pink);
        }
        div .navbar a {
            font-family: 'Nabla', cursive;
            font-size: 3rem;
            padding: 0 1.5rem;
            color: black;
            font-weight: 600;
        }
        div .navbar a:hover {
            color: var(--pink);
        }
        div #toggler {
            display: none;
        }
        header .fa-bars {
            font-size: 3rem;
            color: #333;
            border-radius: .5rem;
            padding: .5rem 1.5rem;
            cursor: pointer;
            border: .1rem solid rgba(0, 0, 0, .1);
            display: none;
        }
        .Home {
            display: flex;
            color: black;
            font-size: xx-large;
            font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida
Grande', 'Lucida Sans Unicode';
```

```
align-items: center;
    min-height: 100vh;
    background: url(bgimage.jpg) no-repeat;
    background-size: cover;
    background-position: center;
}
.A {
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    padding: 2rem 9%;
    display: flex;
    align-items: center;
    justify-content: space-between;
    z-index: 1000;
}
.i1 {
    height: 10rem;
    border-radius: 8px;
}
.i1:hover{
    height: 12rem;
}
.p1 {
    padding-top: 2rem;
    font-size: xx-large;
}
.box {
    background: rgba(0, 0, 0, 0.3);
    border-radius: 16px;
    box-shadow: 0 4px 30px rgba(0, 0, 0, 0.1);
    backdrop-filter: blur(6.4px);
    -webkit-backdrop-filter: blur(6.4px);
    padding-inline: 2rem;
    padding-top: 2rem;
    padding-bottom: 3rem;
    text-align: center;
    float: left;
    margin-inline: 8rem;
    margin-block: 20rem;
```

```
box-shadow: rgba(255, 255, 255, 0.2) Opx Opx Opx 1px inset,
rgba(255, 255, 255, 0.9) Opx Opx Opx 1px;
           color: white;
       }
        .b1{
           margin-top: 2rem;
           padding-inline: 40px;
           padding-block: 15px;
           font-size:medium;
           border-radius: 8px;
           cursor:pointer;
       }
        .b1:hover{
           transition: 1s;
           color: white;
           background-color: black;
   </style>
</head>
<body>
   <div class="A">
       <a href="gamewiz.html" class="logo">Game wiz </a>
       <nav class="navbar">
           <a href="gamewiz.html">Home</a>
           <a href="explore.html">Game</a>
           <a href="loginandregister.html">Login</a>
       </nav>
   </div>
    <div class="box">
       <img class="i1" src="rock.jpg">
       Rock-Paper-Scissor
       <a href="stonepaperscissor.html"><button class="b1">play
now</button></a>
   </div>
   <div class="box">
       <img class="i1" src="xodisplay.png">
        Tic - Tac - Toe
                                         <a href="xo game.html"><button class="b1">play now</button></a>
   </div>
</body>
```

GAME PAGE:

TIC-TAC-TOE:

HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
    <head>
      <meta charset="UTF=8">
      <meta http-equiv="X-UA-Compatible"content="IE edge">
      <meta name="view point"content="width-devices-width,intial-scale=1.0">
      <title>Tic_Tac_Toe</title>
      <style>
        *{
          color:white;
          font-family:sans-serif;
          transition:0.2s ease-in-out;
          user-select:none;
        }
        body{
          background-image:url("bgnd.jpg");
      }
        .align{
          display:flex;
          justify-content:center;
          align-items:center;
        }
        body{
          background-color:sienna;
          margin:0;
          padding:0;
          width:100vw;
          text-align:center;
          padding-top: 5vh;
        }
        .turn-container{
          width:170px;
          height:80px;
          margin:auto;
          display:grid;
          grid-template-columns: 1fr 1fr;
          grid-template-rows: 1fr 1fr;
          position: relative;
        }
```

```
.turn-container h3{
  margin:0;
  grid-column-start: 1;
  grid-column-end: 3;
.turn-container .turn-box{
  border:3px solid #000;
  font-size:1.6rem;
  font-weight:700;
}
.turn-container .turn-box:nth-child(even){
  border-right: none;
}
.bg{
  position:absolute;
  bottom:0;
  left:0;
  width:85px;
  height:40px;
  background-color: #ff2e63;
  z-index:-1;
}
.main-grid{
  display:grid;
  grid-template-columns:repeat(3,1fr);
  grid-template-rows:repeat(3,1fr);
  height: 355px;
  width:355px;
  margin:40px auto;
  border:5px solid #000;
  box-shadow: black;
  background-color:brown;
}
.box{
  cursor:pointer;
  font-size:2rem;
  font-weight:700px;
  border:2px solid #000;
  box-shadow: #000;
}
.box:hover{
```

```
background:#ff2e63;
        }
        #play-again{
          background-color: #ff2e63;
          padding: 10px 25px;
          border:none;
          font-size: 1.2rem;
          border-radius: 5px;
          cursor:pointer;
          display:none;
                                }
        #play-again:hover{
          padding:10px 40px;
          background-color: #08d9d6;
          color:#000;
        }
        .b{
            margin-top: 2rem;
            padding-inline: 40px;
            padding-block: 15px;
            font-size:medium;
            border-radius: 8px;
            cursor:pointer;
            color:white;
            background-color: #000;
        }
        .b:hover{
            transition: 1s;
            color:white;
            background-color:#08d9d6;
        }
      </style>
    </head>
<body>
  <div class="turn-container">
    <h3>Turn For</h3>
    <div class="turn-box align">X</div>
    <div class="turn-box align">0</div>
    <div class="bg"></div>
  </div>
  <div class="main-grid">
    <div class="box align">0</div>
    <div class="box align">1</div>
    <div class="box align">2</div>
```

```
<div class="box align">3</div>
    <div class="box align">4</div>
    <div class="box align">5</div>
    <div class="box align">6</div>
    <div class="box align">7</div>
    <div class="box align">8</div>
  </div>
  <h2 id="results"></h2>
  <button id="play-again">Play Again
  <a href="explore.html"><button class="b">Back</button></a>
  <script src="script.js"></script>
</body>
JAVASCRIPT CODE:
let boxes = document.querySelectorAll(".box");
let turn = "X";
let isGameOver = false;
boxes.forEach(e =>{
    e.innerHTML = ""
    e.addEventListener("click", ()=>{
        if(!isGameOver && e.innerHTML === ""){
            e.innerHTML = turn;
            cheakWin();
            cheakDraw();
            changeTurn();
        }
    })
})
function changeTurn(){
    if(turn === "X"){
        turn = "0";
        document.querySelector(".bg").style.left = "85px";
    }
    else{
        turn = "X";
        document.querySelector(".bg").style.left= "0";
    }
}
function cheakWin(){
    let winConditions = [
        [0,1,2],[3,4,5],[6,7,8,],[0,3,6],[1,4,7],[2,5,8],[0,4,8],[2,4,6]
    ]
    for(let i = 0; i<winConditions.length; i++){</pre>
        let v0 = boxes[winConditions[i][0]].innerHTML;
        let v1 = boxes[winConditions[i][1]].innerHTML;
        let v2 = boxes[winConditions[i][2]].innerHTML
```

```
if(v0 != "" && v0 === v1 && v0 === v2){
            isGameOver = turn;
            document.querySelector("#results").innerHTML = turn + " win";
            document.querySelector("#play-again").style.display = "inline";
            for(j = 0; j < 3; j + +){
                boxes[winConditions[i][j]].style.backgroundColor = "aqua"
                boxes[winConditions[i][j]].style.color = "black"
            }
       }
    }
function cheakDraw(){
    if(!isGameOver){
        let isDraw = true;
        boxes.forEach(e =>{
            if(e.innerHTML === "") isDraw = false;
        })
        if(isDraw){
            isGameOver = true;
            document.querySelector("#results").innerHTML = "Draw";
            document.querySelector("#play-again").style.display = "inline";
    }
document.querySelector("#play-again").addEventListener("click", ()=>{
    isGameOver = false;
    turn = "X";
    document.querySelector(".bg").style.left = "0";
    document.querySelector("#results").innerHTML ="";
    document.querySelector("#play-again").style.display = "none";
    boxes.forEach(e =>{
        e.innerHTML = "";
        e.style.removeProperty("background-color");
        e.style.color = "#fff";
    })
})
```

ROCK-PAPER-SCISSOR:

HTML CODE:

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.2/css/all.min.css">
   <!--Google Font-->
   <link rel="preconnect" href="https://fonts.gstatic.com">
href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600&display=sw
ap" rel="stylesheet">
   <!--Stylesheet-->
   <link rel="stylesheet" href="style1.css">
</head>
<body>
   <div class="container">
       <div class="scores">
           Computer :
               <span id="computer score">0</span>
           >
               You:
               <span id="user_score">0</span>
           </div>
       <div class="weapons">
           <button onclick="checker('rock')">
               <i class="far fa-hand-rock"></i></i>
           </button>
           <button onclick="checker('paper')">
               <i class="far fa-hand-paper"></i></i>
           </button>
           <button onclick="checker('scissor')">
               <i class="far fa-hand-scissors"></i></i>
           </button>
       </div>
       <div class="details">
           </div>
   </div>
   <!--Script-->
   <script src="script2.js"></script>
</body>
</html>
```

CSS CODE: *:before, *:after{ padding: 0; margin: 0; box-sizing: border-box; } body{ height: 100vh; background-image: url("bgnd.jpg"); } .container{ width: 45%; min-width: 500px; background-color:brown; padding: 40px 30px; position: absolute; transform: translate(-50%,-50%); top: 50%; left: 50%; border-radius: 10px; box-shadow: 0 15px 25px rgba(0,0,0,0.15); } .scores{ margin-bottom: 50px; text-align: right; } .weapons{ width: 90%; margin: auto; display: flex; justify-content: space-around; } .weapons button{ background-color: #ffd51b; color: #000000; border: none; font-size: 50px; height: 100px; width: 100px; border-radius: 50%; outline: none; cursor: pointer; .details{ margin-top: 30px;

text-align: center;

```
}
.scores,.details{
    font-family: 'Poppins',sans-serif;
    font-weight: 400;
    font-size: 15px;
}
#result{
    width: 180px;
    padding: 10px 0;
    margin: 30px auto;
    font-weight: 600;
    letter-spacing: 0.5px;
}
#user_choice,
#computer_choice{
    font-weight: 400;
    margin-bottom: 10px;
}
span{
    font-weight: 600;
}
JAVASCRIPT CODE:
let [computer_score, user_score]=[0,0];
let result_ref = document.getElementById("result");
let choices_object = {
    'rock' : {
        'rock' : 'draw',
        'scissor' : 'win',
        'paper' : 'lose'
    },
    'scissor' : {
        'rock' : 'lose',
        'scissor' : 'draw',
        'paper' : 'win'
    },
    'paper' : {
        'rock' : 'win',
        'scissor' : 'lose',
        'paper' : 'draw'
    }
}
function checker(input){
    var choices = ["rock", "paper", "scissor"];
    var num = Math.floor(Math.random()*3);
```

```
document.getElementById("comp choice").innerHTML =
    ` Computer choose <span> ${choices[num].toUpperCase()} </span>`;
    document.getElementById("user choice").innerHTML =
    ` You choose <span> ${input.toUpperCase()} </span>`;
    let computer_choice = choices[num];
    switch(choices_object[input][computer_choice]){
        case 'win':
            result_ref.style.cssText = "background-color: #cefdce; color:
#689f38";
            result_ref.innerHTML = "YOU WIN";
            user score++;
            break;
        case 'lose':
            result_ref.style.cssText = "background-color: #ffdde0; color:
#d32f2f";
            result ref.innerHTML = "YOU LOSE";
            computer_score++;
            break;
        default:
            result_ref.style.cssText = "background-color: #e5e5e5; color:
#808080";
            result ref.innerHTML = "DRAW";
            break;
    }
    document.getElementById("computer_score").innerHTML = computer_score;
    document.getElementById("user_score").innerHTML = user_score;
}
LOGIN PAGE:
HTML CODE:
<!DOCTYPE html>
<head>
    <meta charset="UTF-8">
    <title>LogIn and SignUp Page</title>
    <link rel="stylesheet" type="text/css" href="index.css">
</head>
<body>
    <div class="A">
        <a href="gamewiz.html" class="logo">Game wiz </a>
    </div>
    <div class="box">
        <div class="page">
```

```
<div class="header">
                 <a id="login" class="active" href="#login">login</a>
                <a id="signup" href="#signup">signup</a>
            </div>
            <div id="errorMsg"></div>
            <div class="content">
                <form class="login" name="loginForm" onsubmit="return</pre>
validateLoginForm()" method="POST">
                     <input type="text" name="name" id="logName"</pre>
placeholder="Username">
                     <input type="password" name="password" id="logPassword"</pre>
placeholder="Password">
                     <div id="check">
                         <input type="checkbox" id="remember">
                         <label for="remember">Remember me</label>
                     </div>
                     <br><br><br>>
                     <input type="submit" value="Login">
                     <a href="#">Forgot Password?</a>
                <form class="signup" name="signupForm" onsubmit="return</pre>
validateSignupForm()" method="POST">
                     <input type="email" name="email" id="signEmail"</pre>
placeholder="Email">
                     <input type="text" name="name" id="signName"</pre>
placeholder="Username">
                     <input type="password" name="password" id="signPassword"</pre>
placeholder="Password"><br>
                     <input type="submit" value="SignUp">
                </form>
            </div>
        </div>
    </div>
    <script src="https://code.jquery.com/jquery-3.3.1.min.js"</pre>
        integrity="sha256-FgpCb/KJQlLNfOu91ta32o/NMZxltwRo8QtmkMRdAu8="
crossorigin="anonymous"></script>
    <script src="index.js"></script>
</body>
CSS CODE:
@import url('https://fonts.googleapis.com/css2?family=Nabla&display=swap');
* {
   margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    outline: none;
```

```
border: none;
    text-decoration: none;
    text-transform:lowercase;
    transition: .2s linear;
}
body {
    background-image: url("bgnd.jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    scroll-behavior: smooth;
}
html {
    font-size: 100%;
    scroll-behavior: smooth;
    scroll-padding-top: 6rem;
    overflow-x: hidden;
}
section {
    padding: 2rem 9%;
}
A.logo {
    font-size: 4rem;
    color: black;
    font-weight: bolder;
    font-family: 'Nabla', cursive;
}
div .logo span {
    color: var(--pink);
}
div .navbar a {
    font-family: 'Nabla', cursive;
    font-size: 3rem;
    padding: 0 1.5rem;
    color: black;
    font-weight: 600;
    justify-content: space-between;
}
div .navbar a:hover {
    color: var(--pink);
}
```

```
div #toggler {
    display: none;
}
header .fa-bars {
    font-size: 3rem;
    color: #333;
    border-radius: .5rem;
    padding: .5rem 1.5rem;
    cursor: pointer;
    border: .1rem solid rgba(0, 0, 0, .1);
    display: none;
}
body{
    margin: 0;
    padding: 0;
    background-image: url(bgnd.jpg);
    background-size: cover;
    background-repeat: no-repeat;
    font-family : Verdana, Tahoma, sans-serif;
}
.box{
    width: 380px;
    height: 500px;
    background-color:rgba(0, 0, 0, 0.7);
    padding: 20px;
    margin: 8% auto 0;
    text-align: center;
    position: relative;
    box-sizing: border-box;
    flex-direction: column;
}
.box img{
    width:100px;
    margin-top:-50px ;
}
.header {
    width: 300px;
    height: 50px;
    text-transform: uppercase;
    display: inline-flex;
    padding-top: 20px;
    padding-bottom: 0;
    justify-content: space-between;
}
```

```
.header a {
    font-size: 20px;
    text-decoration: none;
    color: #ffffff;
    display: inline-flex;
    padding-left: 25px;
    padding-right: 25px;
    justify-content: center;
    cursor:pointer;
}
.header .active {
    color: #df80ff;
    font-weight: bold;
    position: relative;
}
.header .active:after {
    position: absolute;
    border: none;
    content: "";
}
#errorMsg{
    color:red;
    text-align: center;
    font-size: 12px;
    padding-bottom: 20px;
}
.content{
    display: inline-flex;
    overflow: hidden;
}
form {
    position: relative;
    display: inline-flex;
    width: 100%;
    height: 100%;
    flex-shrink: 0;
    flex-direction: column;
    transition: right 0.5s;
}
.login a{
```


```
text-decoration: none;
    color: #ffffff;
    font-size: 15px;
    text-align: center;
    cursor: pointer;
}
.extend form {
    right: 100%;
}
input[type=text], input[type=password], input[type=email]{
    display:block;
    position: relative;
    border: 4px solid #ffffff;
    padding: 12px;
    margin-bottom: 15px;
    width: 100%;
    box-sizing: border-box;
    font-size: 17px;
    outline: none;
}
input[type=text]:hover, input[type=password]:hover, input[type=email]:hover{
    border: 4px solid #df80ff;
}
input[type=submit]{
    display:block;
    position: relative;
    border: 3px solid #df80ff;
    padding: 12px;
    margin-bottom: 20px;
    width: 100%;
    border-radius: 25px;
    background-color:#600080 ;
    text-align:center;
    font-size: 20px;
    color: #ffffff;
    cursor:pointer;
    outline: none;
}
input[type=submit]:hover{
     background-color:#ffffff;
     color: #000000;
```

```
font-weight: bold;
}
input[type=checkbox]{
    background-color:#df80ff;
}
#check{
   margin-top: 10px;
    text-align: left;
    color: #ffffff;
   font-size: 15px;
}
JAVASCRIPT CODE:
$(window).on("hashchange", function () {
    if (location.hash.slice(1) == "signup") {
        $(".page").addClass("extend");
        $("#login").removeClass("active");
        $("#signup").addClass("active");
    } else {
        $(".page").removeClass("extend");
        $("#login").addClass("active");
        $("#signup").removeClass("active");
    }
});
$(window).trigger("hashchange");
function validateLoginForm() {
    var name = document.getElementById("logName").value;
    var password = document.getElementById("logPassword").value;
    if (name == "" || password == "") {
        document.getElementById("errorMsg").innerHTML = "Please fill the
required fields"
        return false;
    }
    else if (password.length < 8) {</pre>
        document.getElementById("errorMsg").innerHTML = "Your password must
include atleast 8 characters"
        return false;
    }
    else {
        alert("Successfully logged in");
        return true;
    }
function validateSignupForm() {
```


```
var mail = document.getElementById("signEmail").value;
    var name = document.getElementById("signName").value;
    var password = document.getElementById("signPassword").value;
    if (mail == "" || name == "" || password == "") {
        document.getElementById("errorMsg").innerHTML = "Please fill the
required fields"
        return false;
    }
    else if (password.length < 8) {</pre>
        document.getElementById("errorMsg").innerHTML = "Your password must
include atleast 8 characters"
        return false;
    }
    else {
        alert("Successfully signed up");
        return true;
    }
}
```

OUTPUT:


HOME PAGE





PAGE EXPLORE




GAME PAGE: TIC - TAC - TOE








ROCK-PAPER-SCISSOR



LOGIN PAGE



GITHUB PROJECT URL:							
https://github.com/Ramya-selvam10/Game-wiz							