

```
In [ ]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import plotly.express as px

data = pd.read_csv("https://raw.githubusercontent.com/amankharwal/Website-dat
print(data.head())
```

```

      Region      Date  Frequency  Estimated Unemployment Rate (%) \
0  Andhra Pradesh  31-01-2020      M              5.48
1  Andhra Pradesh  29-02-2020      M              5.83
2  Andhra Pradesh  31-03-2020      M              5.79
3  Andhra Pradesh  30-04-2020      M             20.51
4  Andhra Pradesh  31-05-2020      M             17.43

      Estimated Employed  Estimated Labour Participation Rate (%) Region.1 \
0              16635535              41.02      South
1              16545652              40.90      South
2              15881197              39.18      South
3              11336911              33.10      South
4              12988845              36.46      South

      longitude  latitude
0      15.9129      79.74
1      15.9129      79.74
2      15.9129      79.74
3      15.9129      79.74
4      15.9129      79.74
```

```
In [ ]: print(data.isnull().sum())
```

```

Region      0
Date        0
Frequency    0
Estimated Unemployment Rate (%)  0
Estimated Employed      0
Estimated Labour Participation Rate (%)  0
Region.1      0
longitude     0
latitude     0
dtype: int64
```

```
In [ ]: data.columns= ["States","Date","Frequency",
                        "Estimated Unemployment Rate",
                        "Estimated Employed",
                        "Estimated Labour Participation Rate",
                        "Region","longitude","latitude"]
```


```
In [ ]: plt.style.use('seaborn-whitegrid')
plt.figure(figsize=(12, 10))
sns.heatmap(data.corr())
plt.show()
```

<ipython-input-4-0c964a6ebb84>:1: MatplotlibDeprecationWarning: The seaborn styles shipped by Matplotlib are deprecated since 3.6, as they no longer correspond to the styles shipped by seaborn. However, they will remain available as 'seaborn-v0_8-<style>'. Alternatively, directly use the seaborn API instead.


```
plt.style.use('seaborn-whitegrid')
```

<ipython-input-4-0c964a6ebb84>:3: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.


```
sns.heatmap(data.corr())
```



```
In [ ]: data.columns= ["States","Date","Frequency",
                      "Estimated Unemployment Rate","Estimated Employed",
                      "Estimated Labour Participation Rate","Region",
                      "longitude","latitude"]
plt.title("Indian Unemployment")
sns.histplot(x="Estimated Employed", hue="Region", data=data)
plt.show()
```



```
In [ ]: plt.figure(figsize=(12, 10))
plt.title("Indian Unemployment")
sns.histplot(x="Estimated Unemployment Rate", hue="Region", data=data)
plt.show()
```



```
In [ ]: unemploment = data[["States", "Region", "Estimated Unemployment Rate"]]
figure = px.sunburst(unemploment, path=["Region", "States"],
                    values="Estimated Unemployment Rate",
                    width=700, height=700, color_continuous_scale="RdY1Gn",
                    title="Unemployment Rate in India")
figure.show()
```